



An Axis company

OPEN THE DOOR TO INNOVATION

2N IP INTERCOMS, IP ACCESS & SIP AUDIO SYSTEMS





An Axis company



“For 25 years 2N has been on the forefront of access control and telecommunications. We take care to stay on the leading edge with our products, the R&D behind them, and the way we service our customers. We are proud of our growth on global markets and are now number one in IP Intercoms.”



OLDŘICH STEJSKAL
Chief Executive Officer, 2N Telekomunikace a.s.



PETER LINDSTRÖM
Vice President New Business, Axis Communications

„AXIS group including 2N have a common goal to contribute to a smarter and safer world. There is an increased customer demand for integrated solutions with open standards that deliver enhanced security. Together with 2N we can meet that demand.”



IP INTERCOM SYSTEMS

IP VERSO, LTE VERSO, SOLO, BASE, FORCE, VARIO, SAFETY AND UNI

3



ANSWERING UNITS

INDOOR TOUCH AND MOBILE VIDEO APPS

21



IP ACCESS CONTROL

ACCESS UNITS, ACCESS COMMANDER AND ACCESS COMMANDER BOX

23



SIP AUDIO SYSTEMS

SIP SPEAKER, SIP SPEAKER HORN, SIP MIC AND SIP AUDIO CONVERTER

35



ACCESSORIES

SOFTWARE, ACCESSORIES AND ORDERING NUMBERS

39

2N® IP VERSO

Modular intercom
is configurable to meet your needs

Bluetooth technology ensures
access control to the facility

Intuitive touch display for outdoor
use with up to 2000 contacts
in the structured list

Wide-angle HD camera
with infrared night vision




Easy integration with IP telephone
systems using SIP protocol support

Integration with IP camera systems,
VMS, and NVR through ONVIF


2N® Mobile Video calls on your
mobile phone

RFID smart card reader with NFC
support or Fingerprint reader module




HD VIDEO

The intercom's integrated HD camera can send quality images to camera systems, mobile devices or the 2N® Indoor Touch.



MODULARITY

Taking advantage of the intercom's modularity you can choose a combination that suits your needs. For example, you can interconnect the touch screen with a Bluetooth unit and HD camera.



NIGHT VISION

The intercom's camera with infrared night vision can record a potential intruder even in complete darkness without the intruder noticing it.

2N® LTE VERSO

Wireless communication through the LTE network

The ideal solution for retrofit installation in apartment buildings

Calls to mobile devices, 2N answering units and IP telephones

HD camera with night vision and movement detection




Remote configuration and administration through the My2N portal

Compatible with all modules for 2N® IP Verso


Video monitoring of entrance using the 2N® Mobile Video App

Option of combination with IP intercoms in one solution



REMOTE GATEWAY

2N® LTE Verso can be used for remote locations like distant gates or buildings without wired infrastructure where only power source and LTE network is needed.



RESIDENTIAL BUILDING RETROFIT

2N® LTE Verso is ideal solution for installations where by using LTE connection and 2N® Mobile Video service it offers full solution for apartment building communication without need for wired infrastructure.

2N® IP SOLO

Wide-angle HD camera with
infrared light and night vision

Easy integration with IP telephone
systems using SIP protocol support

Snapshot of the visitor to email

Tamper switch detecting
unauthorized device intrusions



Integration with Video
Surveillance System

2N® Mobile Video calls on your
mobile phone


Easy integration into the home
automation system

Luxury IP intercom with flush
or wall mounting option



HOME AUTOMATION

Link the intercom to your home automation system via the open API.



NIGHT VISION

The intercom's camera with infrared night vision can record a potential intruder even in complete darkness without the intruder noticing it.



PICTURE TO EMAIL

When visitor calls from the intercom, it sends you their snapshot to email.

2N® IP BASE

Compact IP intercom
with wide-angle HD camera

Fast installation

Durable aluminum frame

Excellent audibility in all
conditions




Outputs ready for connecting
an electric lock or other
equipment

Both one or two buttons
options included


Basic model can be extended
with a 125 kHz or 13.56 MHz
RFID card reader module

Video calls on your mobile phone
using 2N® Mobile Video App



VIDEO CALLS ON VARIOUS DEVICES

An integrated HD camera ensures high quality videocalls on mobile devices, 2N® Indoor Touch or IP telephones.



ACCESS CONTROL SYSTEM

With its RFID card reader, the intercom can serve as a part of your access control system.

2N® IP FORCE

The toughest IP intercom on the market able to withstand the most demanding conditions

Wide-angle HD camera with infrared light and night vision

10W loudspeaker for excellent audibility in loud environments

Integration with IP camera systems through the ONVIF protocol



RFID smart card reader with NFC support and Wiegand interface

Highly durable aluminum housing



Video calls on your mobile phone thanks to 2N® Mobile Video

Easy integration with IP telephone systems thanks to SIP protocol support



SCHOOL BUILDING SECURITY

The intercom is able to lock down school entrances according to pre-set time profiles.



SUPPLY ENTRY AND GROUNDS PROTECTION

In logistics areas no service ramp will be left unprotected.

HOME GUARDIAN

Its high durability and the possibility of video recording make the intercom a reliable guardian of any building entrance.

2N® IP VARIO

Graphics display instead of a large panel of buttons

Easy integration with IP camera systems and access control systems

With 2N® IP Vario you can combine LCD screen, call buttons, keypad, RFID card reader, camera, and relays all in one device

Snapshot of the visitor to email




Buttons with an unlimited lifecycle

Easy integration with IP telephone systems thanks to SIP protocol support


Video calls on your mobile phone using 2N® Mobile Video App

Using the extenders you can easily increase the number of buttons up to 54




VISITOR'S IMAGE ON YOUR PHONE

The integrated camera can transmit a quality image from your doorstep to your mobile phone.



ACCESS CONTROL SYSTEM

The intercom can function as an access control reader.



CONNECTION TO CCTV

The video stream from the intercom can easily be sent to a camera system.

2N® IP SAFETY

The most durable IP intercom on the market able to withstand the most demanding conditions

Distinctive orange color, easily recognizable in emergency situations

10W loudspeaker for good audibility in loud environments

Easy integration with IP telephone systems using SIP protocol support




Integrates with external IP cameras for video calls

Durable buttons visibly backlit in blue

Highly durable aluminum housing

Tamper switch detecting unauthorized device intrusions






HIGHLY VISIBLE ASSISTANT AT PARKING LOTS

Installed in the parking lot exit it can significantly help in unexpected situations.



SOS POINT

On highways, the intercom functions as a part of an SOS Point, a solution providing emergency communication between drivers and a supervision centre.



INFOPOINT IN CITY PARK

A visible and easily operated information point in city parks, relax areas or other public places.

2N® IP UNI

Quick to install design

Durable stainless steel cover
suitable for outdoor application

Output for lock control




Pictograms signalling the status
of the intercom

Tamper switch

Easy integration with IP telephone
systems using SIP protocol
support






EASY COMMUNICATION IN OFFICES

For services entrances and back stairways in offices where it is necessary to ensure simple and safe communication.

INTERCOM FOR PHARMACIES WITH NIGHT WORK HOURS

An easy and effective system for calling personnel during night hours.







210-1234567890

2N[®] INDOOR TOUCH

Luxury design
and high-tech processing

7" touch screen

Audio and video
communication in HD quality

Video monitoring of 2N IP
intercoms



Video voicemail or visitor's
snapshot in case of a missed call

Easy installation and remote
administration in large
residential apartments


Home automation integration
using OS Android support

Support of doorbell button
by the apartment or house
entrance



RESIDENTIAL BUILDING

2N® Indoor Touch offers excellent monitoring, communications and access control for residential entrances. The device can be installed in any apartment.



STYLISH ACCOMMODATION

You can use 2N® Indoor Touch in your apartment or house as an answering station or to monitor what is happening at your door.

2N® MOBILE VIDEO


Video calls on your mobile phone

Accept the call anywhere
in the world

Building entrance monitoring

Open the door remotely

Solution for small residential
installations as well as for large
apartment buildings




Mobile Application available
for iOS and Android

Video preview before
call pick-up

Easy configuration and remote
administration via My2N.com
portal

Calling on more devices like
2N® Indoor Touch or IP telephone

Call on more devices at once



2N® ACCESS UNIT

Bluetooth


Different modes for door opening

Adjustable communication distance

Encrypted communication with banking security standard

2N® Mobile Key app available for iOS and Android

Free of charge mobile credentials



2N® ACCESS UNIT


RFID

Version with 125kHz reader - works with EMarine and Proximity cards

Version with 13.56MHz reader - works with Mifare, DesFire, HID iClass and other


Possibility to open doors using a smartphone supporting NFC

Connection of keypad, Bluetooth or fingerprint reader for two factor authentication



ATTENDANCE SYSTEM

The access unit works as an easy attendance terminal recording all of your employees' arrivals and departures.



CONVENIENT ACCESS VIA SMARTPHONE

With our Bluetooth enabled application 2N® Mobile Key you do not have to search for your RFID card anymore. Just approach the Bluetooth unit with your mobile phone in the pocket and touch the unit.

2N® ACCESS UNIT

Touch keypad

Highly sensitive touch keypad

Backlight intensity adjustment

Acoustic signalization
of each touch

Silent alarm function

Water tolerance
(doesn't detect false touches)



2N® ACCESS UNIT

Fingerprint reader


Absolutely secure and convenient
identification method

Optical sensor suitable
for outdoor use

Spoof fingerprints detection


Fast matching speed

Recognizes even wet fingers



TOP SECURITY GUARANTEED

Use the fingerprint reader for places such as banks or labs where the security is crucial.



PROTECT THE ACCESS TO GARAGE

Protect your garage or parking lot in the office building and allow access only to those, who have their own access PIN code.

2N® ACCESS UNIT

Touch Keypad & RFID

A combination of two classic access control technologies in one device

Automatic calibration of the keypad preventing detection of false touches (e.g. drops of water)

Adjustable backlighting brightness of the touch keypad

Multi-factor user authentication in areas with a higher security level*



2N® ACCESS UNIT


Bluetooth & RFID

Access using a smartphone in combination with a traditional RFID solution

The 2N® Mobile Key application will transform your smartphone into an access card, free of charge


Encrypted communication with banking security standard

Multi-frequency RFID reader with the option of reading secured HID iClass Seos cards*



HIGHER LEVEL BUILDING SECURITY

For entry to a building with a higher level of security such as a bank, the user must prove their identity using a PIN code and their RFID card.



TRANSITION FROM RFID CARDS TO MOBILE CREDENTIALS

The ideal solution for office buildings where some employees want to start using their smartphones with the 2N® Mobile Key application to gain entry to the building instead of traditional RFID cards.

2N® ACCESS COMMANDER

Distributed as an image for server installation
(free download from www.2n.cz)

Tool for configuration and management of the access control system*

Administration through an intuitive web interface comprehensible to the ordinary user*

Basic time and attendance system for keeping records of working hours*


2N® ACCESS COMMANDER Box

Software pre-installed and distributed on mini-PC

“Plug and play” solution - only the power supply and network required

Advanced monitoring of the status of all connected devices with notifications*

Access logs and alarm notifications with snapshots of the visitors*



**All the described functions and behaviour are available on both the specified platforms*



INTEGRATION WITH MILESTONE XPROTECT VMS

An administrator can watch the video from cameras tied up with access logs from 2N® Access Commander via one common interface.



ATTENDANCE TRACKING

2N® Access Commander allows you to track your employees' attendance on everyday basis. The attendance list can be then exported into .pdf or .csv format and processed further. Also, the data could be sent via API to 3rd party systems.





Contacts



Keyboard

2N® SIP AUDIO



2N® SIP SPEAKER

SIP based loudspeaker for live or pre-recorded announcements

Seamless compatibility with video management software (VMS) and IP PBXs

Internal scheduler for broadcasting preset announcements

Easy installation with a single cable (PoE)




2N® SIP SPEAKER HORN

Outdoor IP speaker for live and preset announcements across large areas

Loudest IP based speaker on the market (SPLmax 124dB)

Seamless compatibility with video management software (VMS) and IP PBXs using ONVIF and SIP protocols

Easy installation with a single cable (PoE)





DOCTOR'S WAITING ROOM

It lets you play live or pre-recorded messages from an IP connected telephone. A nurse can thus easily make “next please” announcements and the like, right into the waiting room.



ANNOUNCEMENTS INTO PRODUCTION HALLS

Announcements into as many as 12 zones without having to install a server. You can broadcast specific content into individual zones or to the entire system.



LIVE ANNOUNCEMENTS FROM THE VMS

In case an uninvited visitor gets in, you can immediately respond with a live or preset message directly from the VMS and swiftly put off an intruder.

2N® SIP AUDIO



2N® SIP MIC

SIP based paging console for live or preset announcements

Announcements up to 12 zones using multicast support

Remote control of Door locks (or any 3rd party device) using http supported commands

Easy installation with a single cable (PoE)



2N® SIP AUDIO CONVERTER

SIP Audio to analogue audio converter

Seamless compatibility with video management software (VMS) and IP PBXs using ONVIF and SIP support

Broadcasting sounds from Cisco devices using Informacast support

Simple API for system integrators



Ordering numbers, Accessories and other information

2N® IP VERSO

2N® LTE VERSO

Main unit



1 button

- 9155101CB (with camera)
- 9155101B (without camera)
- 9155101C (with camera)
- 9155101 (without camera)

Main unit



1 button

- 9155401CB-E
- 9155401C-E

Frames



Flush installation
1 module

- 9155011B
- 9155011

(W) x (H) x (D) mm
130 x 153 x 5



Flush installation
2 modules

- 9155012B
- 9155012

(W) x (H) x (D) mm
130 x 257 x 5



Flush installation
3 modules

- 9155013B
- 9155013

(W) x (H) x (D) mm
130 x 361 x 5



Surface installation
1 module

- 9155021B
- 9155021

(W) x (H) x (D) mm
107 x 130 x 28



Surface installation
2 modules

- 9155022B
- 9155022

(W) x (H) x (D) mm
107 x 234 x 28




Surface installation
3 modules

- 9155023B
- 9155023

(W) x (H) x (D) mm
107 x 339 x 28

Extending modules



Touchscreen

9155036



Bluetooth
reader

9155046



Fingerprint
reader

9155045



Touch keypad

9155047



Touch Keypad &
RFID reader

9155081
9155083
(secure)



Bluetooth & RFID
reader

9155082
9155082
(secure)



RFID
reader

9155032 (125kHz)
9155033 (13,56MHz)
with NFC
9155040 (13,56MHz)
9155042
(13,56MHz secure)




Keypad

- 9155031B
- 9155031



5 buttons

9155035



Induction
loop

9155041



Blind

9155039



Info panel

9155030



Tamper
switch

9155038



I/O

9155034



Wiegand

9155037

2N® IP SOLO



9155301CS – surface mount
9155301CF – flush mount

(W) x (H) x (D) mm
107 x 130 x 28
130 x 153 x 5



9155301CBS – surface mount
9155301CBF – flush mount

(W) x (H) x (D) mm
107 x 130 x 28
130 x 153 x 5

2N® IP FORCE



1 button

With HD camera 9151101CHW
With camera 9151101CW
Without camera 9151101W

(W) x (H) x (D) mm
217 x 109 x 83
217 x 136 x 83 with frame



1 button
keypad

9151101CHKW
9151101CKW
9151101KW

(W) x (H) x (D) mm
217 x 109 x 83
217 x 136 x 83 with frame



4 buttons

9151104CHW
9151104CW
9151104W

(W) x (H) x (D) mm
217 x 109 x 83
217 x 136 x 83 with frame



2 buttons
card reader ready

9151102CHRW
9151102CRW
9151102RW

(W) x (H) x (D) mm
217 x 109 x 83
217 x 136 x 83 with frame



1 button + pictograms
card reader ready

9151101CHRPW
9151101CRPW
9151101RPW

(W) x (H) x (D) mm
217 x 109 x 83
217 x 136 x 83 with frame

2N® IP BASE



9156111CB

(W) x (H) x (D) mm
229 x 109 x 31

2N® IP SAFETY



2 buttons - Info and SOS
10W speaker

9152102W

(W) x (H) x (D) mm
217 x 109 x 83



1 button
10W speaker

9152101W

(W) x (H) x (D) mm
217 x 109 x 83



Red emergency button 10W
speaker

9152101MW

(W) x (H) x (D) mm
217 x 109 x 83

Ordering numbers, Accessories and other information

2N® IP VARIO

Module with display

Basic module


									
6 buttons + keypad	1 button	3 buttons	6 buttons	1 button + keypad	3 buttons + keypad	6 buttons + keypad	1 button pictograms	1 button	2 buttons
With camera Without camera	9137111CU 9137111IU	9137131CU 9137131IU	9137161CU 9137161IU	9137111CKU 9137111IKU	9137131CKU 9137131IKU	9137161CKU 9137161IKU	9153101P	9153101	9153102
(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 210 x 100x 29	(W) x (H) x (D) mm 193 x 119 x 39 193 x 119 x 47 flush fitting box 193 x 115 x 57 when fitted on surface		

2N® INDOOR TOUCH

2N® MOBILE VIDEO



Black / White variant












Application available on

91378365 / 91378365WH
91378366 (With WiFi) / 91378366WH (With WiFi)


(W) x (H) x (D) mm
235 x 165 x 40



2N® ACCESS UNIT

						
RFID reader	Bluetooth reader	Fingerprint reader	Touch keypad	Bluetooth & RFID reader	Touch Keypad & RFID reader	Application available on
916009 (125kHz) 916010 (13.56MHz)	916013	916019	916016	Coming Soon	Coming Soon	 

2N® ACCESS COMMANDER



Application available on





www.2n.cz

2N® ACCESS COMMANDER BOX



Coming Soon

Frames

			
Flush installation 1 module	Flush installation 2 modules	Surface installation 1 module	Surface installation 2 modules
● 9155011B ● 9155011	9155012B 9155012	9155021B 9155021	9155022B 9155022
(W) x (H) x (D) mm 130 x 153 x 5	(W) x (H) x (D) mm 130 x 257 x 5	(W) x (H) x (D) mm 107 x 130 x 28	(W) x (H) x (D) mm 107 x 234 x 28

● Black version
● Nickel version

Ordering numbers, Accessories and other information

Accessories

IP/LTE Verso

Boxes	
Flush-mounting box for 1 module	9155014
Flush-mounting box for 2 modules	9155015
Flush-mounting box for 3 modules	9155016
Other	
Extension cable – 1 m long	9155050
Extension cable – 3 m long	9155054
Extension cable – 5 m long	9155055
Blind button	9155051
Blind button black	9155051B
Nametag foil	9155052

IP Vario

Extending modules	
8 button extender	9135181E
16 button extender	9135182E
Infopanel	9135310E
Roofs and boxes	
Roof for one module	9135331E
Roof for two modules	9135332E
Flush mount box for one module	9135351E
Flush mount box for two modules	9135352E
Roof and flush mount box for one module	9135361E
Roof and flush mount box for two modules	9135362E

Backplates

Backplate – 1 module	9155061
Backplate – 2 modules	9155062
Backplate – 3 modules	9155063
Backplate – 2(w) x 2(h) modules	9155064
Backplate – 3(w) x 2(h) modules	9155065
Backplate – 2(w) x 3(h) modules	9155066
Backplate – 3(w) x 3(h) modules	9155067
External Antenna for LTE Verso	
External antenna	9155048

Other

Infopanel name plate	9135311E
Name plate	9135301E
Double button name plate	9135302E
RFID card reader 125 kHz	9137430E
Additional switch	9137310E

IP Uni

Box for wall mounting	9153003
-----------------------	---------

IP Force

125 kHz RFID card reader + tamper switch	9151011
13,56 MHz card reader NFC ready + tamper switch	9151017
Secured card reader NFC ready 13.56MHz	9151019

IP Force + Safety

Additional switch + tamper switch	9151010
Flush mount box	9151001
Flush mount box for mounting in plasterboard	9151002

Indoor Touch

Presentation stand	91378382
--------------------	----------

Access Unit

External RFID reader 125kHz EMarine (USB interface)	9137420E
External RFID reader 13.56MHz + 125kHz (USB interface)	9137421E
External Bluetooth reader (USB interface)	9137422E
External fingerprint reader (USB interface)	9137423E

IP Safety

Frame	9152000
-------	---------

IP Base

125kHz Card Reader	9156030
13,56MHz RFID Card Reader reads UID	9156031
Backplate	9156020

IP Solo

Flush-mounting box	9155017
Backplate	9155068

Licences

Indoor Touch

Unlocking licence for uploading apps	91378390
---	----------

Access Commander

Licence for 5 devices	91379040
Licence for Attendance (+25 users)	91379041
LDAP licence	91379042

Access Unit

NFC Licence	916012
-------------	--------

Ordering numbers, Accessories and other information

2N® SIP AUDIO



2N® SIP Speaker

914421B (white)
914421W (black)



2N® SIP Speaker Horn

914422E



2N® SIP Mic

914431E



2N® SIP Audio
Converter

914401E
914490E
(set with speaker
and microphone)

Accessories

2N® SIP Speaker Horn Power Supply (24V EU plug) 914423E

Licence

2N® SIP Audio + IP Intercom Informacast license 9137910

Other Accessories

Electrical strikes		IP videophones		Other	
Electrical strike 11211 12V/230mA DC	932071E	IP telephone Yealink SIP T58A	91378360	External antenna for Induction Loop module	9155043
		RFID tags (for Verso, Vario and Force)			
Electrical strike 11221 hold-open 12V/230mA DC	932081E	Card EMarine RFID 125 kHz	9134165E	2N* IP Verso connection cable - 3m long	9155054
Electrical strike 11211MB mechanical blocking 12V/230mA DC	932091E	Key EMarine RFID 125 kHz	9134166	2N* IP Verso connection cable - 5m long	9155055
Electrical strike 31211 fail-safe 12V/170mA	932072E	Card Mifare RFID 13,56 MHz	9134173	2N* IP Security Relay	9159010
Electrical strike 211211 door signalling 12V/230mA	932061E	Key Mifare RFID 13,56 MHz	9134174	2N* IP Wiegand	9159011
Electrical strike 321211 fail-safe, door signalling 12V/170mA	932062E	External card reader RFID		2N* Induction Loop	9159050
Other Licences		External card RFID 125 kHz EMarine	9137420E	External antenna	9159051
Licence for G.729	9137902	External card RFID 13,56 MHz	9137421E	Power supply 12V/1A	9159052
Enhanced Audio	9137905	External card reader Wiegand 125 kHz EMarine RFID	9159030	2N* 2Wire (plug EU/US/UK)	9159014EU 9159014US a 9159014UK
Enhanced Video	9137906	External card reader Wiegand 13,56 MHz Mifare RFID	9159031	Exit button	9159013
Enhanced Integration	9137907			IP relay - 1 output	9137410E
Enhanced Security	9137908			IP relay - 4 output	9137411E
Gold	9137909			Magnetic contact	9159012
Licence Informacast	9137910			Power supply 12V/2A	91341481E
Licence NFC	9137915			Transformer	932928
				PoE Injector (EU/US plug)	91378100E a 91378100US



TELEPHONY




ACCESS
CONTROL




VIDEO
MANAGEMENT
SYSTEMS



HOME
AUTOMATION



milestone



SIP

WIEGAND

ONVIF S

SIP AND HTTP(S)
API

COMPATIBILITY WITH GLOBAL TECHNOLOGY PARTNERS



An Axis company

2N TELEKOMUNIKACE a.s.



www.2n.cz



+420 261 301 500



sales@2n.cz



2N Telekomunikace a.s.
Modřanská 621 / 72
143 01 Prague 4, Czech Republic