

# Securefašt

## PRODUCT SELECTOR



Access Control Systems

Electrical Locking

Access Control Accessories

Door Entry

Door Controls

Fire Detection Systems

Cylinders

Mortice Locks

Mechanical Digital Locks

Panic Exit Hardware

Ironmongery



# Securefast



Securefast have a history of over 100 years in securing the UK's homes and businesses, offering the highest quality locking products to many of the leading retailers and electrical wholesalers.



## Where we are...

We have facilities in:

### Head Office

6 The Cedars Business Centre, Cannock,  
Staffordshire, WS11 1QJ  
Tel: +44 (0) 1543 501600

### Northern Sales Office

First Floor, 14-16 Hoghton Street, Southport  
Merseyside PR9 0PA  
Tel: +44 (0) 1704 502801

### Securefast South West

Unit1 Cheddar Business Park, Cheddar  
BS27 3EB

### Security Products Ireland

Unit 1A, Ballymount Corporate Park  
Dublin 12, ROI  
Tel: +353 (0) 1456 8257



# Contents...

## Access Control Systems

- 11 Mechatronic Cylinders
- 12 Smartlock Access Control
- 16 Entra+ Access Control
- 20 Vanderbilt / ACT Access Control
- 24 HID Readers & Cards
- 26 Deedlock Access Control Kits
- 27 Chubb Micro-switch Lock

## Electrical Locking

- 29 Deedlock Electro-Magnetic Locks
- 36 Hold Open Magnetic Locks
- 37 Agrippa Sound Activated Fire Door Holder
- 37 Doorsense Door Holder
- 34 Shear Magnets
- 42 Deedlock Electric Releases
- 38 Abloy Solenoid Locks
- 40 Solenoid Electric Locking
- 41 Gingers Spark Micro Power Lock
- 44 Dorcas Electric Releases
- 47 Trimec Locks & Electric Releases

## Access Control Accessories

- 50 Deedlock Power Supply Units
- 51 Exit Buttons
- 52 Special Needs & IP Rated Exit Buttons
- 55 Manual Call Points
- 56 Key Switches / Protective Covers
- 58 Protective Plate / Door Alarm
- 59 Keypads
- 60 Door Loops/Transmitter & Receiver/Relays

## Door Entry

- 62 Acet (Tonna) Door Entry
- 61 Optimus Door Entry

## Door Controls

- 68 Briton Electro Magnetic Hold-Open Closer
- 68 Agrippa Sound Activated Fire Door Closer
- 71 Geze Door Controls
- 69 Dorma Operators

## Fire Detection Systems

- 74 Fike Twinflex System
- 76 Fike Duonet & Quadnet System
- 78 Zeta Conventional System
- 79 Fire System Accessories
- 80 DDA Assistant Equipment

## Cylinders

- 82 High Security Cylinders
- 84 Six Pin Standard Differ Cylinders
- 86 High Grade Standard Differ Cylinders
- 88 Master Keyed Cylinders

## Mortice Locks

- 94 BS 5 Lever Locks
- 95 UK Manufactured 3 & 5 Lever Locks
- 96 Euro Profile Lock Cases
- 100 72mm Lock Cases
- 102 Scandinavian Lock Cases
- 106 Adams Rite Aluminium Door Locks

## Mechanical Digital Locks

- 108 Non-Fire Rated Digital Locks
- 109 Fire Rated Digital Locks

## Panic & Emergency Exit Hardware

- 112 900 Series - Traditional Style Range
- 114 600 Series - Touch Bar Range
- 115 800 Series - Micro-switch Touch Bar
- 116 400 Series - Touch Bar Range
- 117 500 Series - Stainless Steel Range

## Ironmongery

- 118 Key Cabinets
- 119 Safety Window & Door Restraints
- 120 Ironmongery
- 121 Padlocks
- 122 Old English Padlocks



## INDOOR Smartlock

INDOOR provides all the benefits of a wire free, wireless networked access control system but discreetly concealed inside the door. It leaves you free to choose your own lever furniture, providing a consistent look across access control and mechanically locked doors.

Using MIFARE® proximity technology, the networked Smartlock system can also incorporate ONDOOR and wall mounted readers, ideally suited to hotels, schools and offices.

For full details please contact us now.



**For more information see pages 12-13.**

Our stars are in the ascendant.

#### Securefast is able to provide 3 Star cylinder packages to TS007:2014

Our 1 star rated security cylinder offers protection from drilling, picking, bumping and plug extraction.  
Our 2 star rated security escutcheon offers snap protection and prevents access to the cylinder.  
Together, they provide the highest level of security with a 3 Star rating.



For full details please go to  
page 82-83.

[www.securefast.co.uk](http://www.securefast.co.uk)


Sales Hotline: 01704 502801

# Securefast

Providing life safety and security solutions



## New range of Securefast electric strikes



- Supplied with long and short faceplate
- 12V DC with 300mm cable
- Fail safe and Fail secure settable
- 1000lbs holding force
- Easy replacement for Adams Rite, Trimec and Alpro strikes

For our full range of electric strikes see pages 38 - 49

DEEDLOCK ELECTRIC RELEASE		
NEW	AL900	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate
NEW	AL900M	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate - Monitored
NEW	AL900DM	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate - Dual monitored

# Securefast

Providing life safety and security solutions

[www.securefast.co.uk](http://www.securefast.co.uk)

Sales Hotline: 01704 502801



# EXIT ...

at the touch of  
a button

See our new range of  
request to exit buttons  
in stainless steel

More options available  
pages 51 - 53

- ✓ Stainless steel faceplates
- ✓ LED and IP65 options
- ✓ EN 61000 tested
- ✓ Backbox included



AEB501/502



AEB503/504



AEB505 - 507



AEB508/509



AEB510 - 512



AEB513 - AEB516

**NEW**

SECUREFAST REQUEST TO EXIT BUTTONS		
<b>NEW</b>	AEB501	"PRESS TO EXIT" Switch SSS with green LED - H86 x W86mm - no/nc/com (Flush only)
<b>NEW</b>	AEB502	"PRESS TO EXIT" Switch SSS with green LED - H115 x W40mm - no/nc/com (Flush only)
<b>NEW</b>	AEB503	"PRESS TO EXIT" Switch SSS with 22mm Button - H86 x W86mm - no/nc/com
<b>NEW</b>	AEB504	"PRESS TO EXIT" Switch SSS with 22mm Button - H115 x W40mm - no/nc/com
<b>NEW</b>	AEB505	"PRESS TO EXIT" Switch SSS with Green Dome - H86 x W86mm - no/nc/com
<b>NEW</b>	AEB506	"PRESS TO EXIT" Switch SSS with Green Dome - H115 x W40mm - no/nc/com
<b>NEW</b>	AEB507	"PRESS TO EXIT" Switch SSS with Green Dome & Sleeve - H86 x W86mm - no/nc/com
<b>NEW</b>	AEB508	"TOUCH" Aluminium Touch To Exit Button - H86 x W86mm x D4mm - no/nc/com
<b>NEW</b>	AEB509	"TOUCH" Aluminium Touch To Exit Button - H86 x W50mm x D4mm - no/nc/com
<b>NEW</b>	AEB510	"EXIT" SSS Large Green Disc Exit Button - H88 x W88 x D40mm inc green single gang back box - no/nc/com
<b>NEW</b>	AEB511	"PUSH TO OPEN" SSS Large Green Disc Exit Button with wheelchair - H88 x H88 x D40mm incl green single gang back box - no/nc/com
<b>NEW</b>	AEB512	"PUSH TO EXIT" SSS Large Green Disc Exit Button - H88 x W88 x D40mm inc green single gang back box - no/nc/com
<b>NEW</b>	AEB513	"EXIT" Architectural Touch Sensitive Exit Button - Black - H86 x W56mm - no/nc/com
<b>NEW</b>	AEB514	"EXIT" Architectural Touch Sensitive Exit Button - Black - H86 x W86mm - no/nc/com
<b>NEW</b>	AEB515	"EXIT" Architectural Touch Sensitive Exit Button - White - H86 x W56mm - no/nc/com
<b>NEW</b>	AEB516	"EXIT" Architectural Touch Sensitive Exit Button - White - H88 x W86mm - no/nc/com
<b>NEW</b>	AEB02B	Green Surface Back Box - H90 x W90 x D30mm
<b>NEW</b>	AEB04B	Green Surface Back Box - H118 x W44 x D30mm

SECUREFAST GREEN CALL POINT WITH COVER		
<b>NEW</b>	ACP501	Securefast Resettable Call Point with Cover

- ✓ Resettable button
- ✓ International graphics
- ✓ 2NO/2NC/COM
- ✓ Complete with clear cover



**NEW**

*Tonna is pleased to introduce the new Epure Monitor, first step of new development in professional Door-Entry Systems*



*4" Color LCD  
Picture Storage (up to 200 photos)  
simple connection  
microphone mute option  
call cut off option*

**For further information please see page 66.**

**TONNA**  
SECURITE

## TURN YOUR EXISTING MECHANICAL LOCK INTO AN ELECTRONIC ACCESS CONTROL DEVICE

New generation waterproof electronic cylinders provide a simple and cost effective means of upgrading mechanical mortice cylinder locks into a fully functioning access control system.



### ELECTRONIC MECHATRONIC CYLINDERS - IP67 RATED

<b>NEW</b>	AC700S-3030-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 30-30 reader & turn
<b>NEW</b>	AC700S-3535-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 35-35 reader & turn
<b>NEW</b>	AC700S-4540-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 45-40 reader & turn (40mm turn)
<b>NEW</b>	AC700N-3030-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 30-30 double reader
<b>NEW</b>	AC700N-3535-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 35-35 double reader
<b>NEW</b>	AC700M-3510-S04	IP67 Euro Profile Cylinder Standalone Shadow version - 45mm single reader (35mm to retaining screw)
<b>NEW</b>	AC400-S04	Scandinavian Oval Cylinder Standalone Shadow version with single reader

### ELECTRONIC MECHATRONIC CYLINDERS FOR INTERNAL DOORS

<b>NEW</b>	AC710S-3030-S04	Internal Euro Profile Cylinder Standalone Shadow version - 30-30 reader & turn
<b>NEW</b>	AC710S-3535-S04	Internal Euro Profile Cylinder Standalone Shadow version - 35-35 reader & turn

### ELECTRONIC MECHATRONIC CARDS & FOBs

<b>NEW</b>	AC700S-PROGRAM	Programming card with shadow card
<b>NEW</b>	AC700S-PASSAGE	Passage card
<b>NEW</b>	AC700S-USER	User card with shadow card
<b>NEW</b>	ACS700S-USER-FOB	User fob with shadow card

### ELECTRONIC MECHATRONIC CYLINDER KITS

<b>NEW</b>	AC700S-SET35	1 x Mechatronic Cylinder (AC700S-3535-S04), 1 Programming card & 10 Fobs/Shadow cards
<b>NEW</b>	AC700S-SET45	1 x Mechatronic Cylinder (AC700S-4540-S04), 1 Programming card & 10 Fobs/Shadow cards

SMARTLOCK **ONDOOR** ACCESS CONTROL LOCKSET RANGE

- Standalone, Virtual Network and Wireless options available
- Surface mounted operated by 4 x AA batteries with low battery warning
- Certified to EN14846:2008 for Electromechanically operated locks
- Fire rated for 30 & 60min timber fire doors
- Inside lever always free to escape
- Uses Windows based PC software
- Euro or ANSI lock type options available
- 65mm backset lock cases
- For doors 35 - 50mm thick (upgrades available for thicker doors)



## ONDOOR SMARTLOCK MIFARE™ WIRELESS NETWORK SYSTEM

ASL951BW-L Wireless Lock - Left Hand in Brushed St. steel with key override (to differ 2 keys)\*

ASL951BW-R Wireless Lock - Right Hand in Brushed St. steel with key override (to differ 2 keys)\*

\* Other finishes are available to special order

## ONDOOR BE-TECH MIFARE™ VIRTUAL NETWORK SYSTEM

ASL951B-L Lock - Left Handed in Brushed Stainless steel with key override (to differ 2 keys)\*

ASL951B-R Lock - Right Handed in Brushed Stainless steel with key override (to differ 2 keys)\*

ASL952 Management system inc. reader / writer, Hand-held unit and software

ASL950M1 Single Door Control Unit inc 3 Amp PSU and reader

ASL950M2 Two Door Control Unit inc 3 Amp PSU and readers

ASL954 Cards /100

ASL955 PMS Interface

ASL960 Card Issuing Reader / Writer with USB connection for Be-Tech

ASL961 Optional hand held programmer

\* Other finishes are available to special order

## ONDOOR BE-TECH MIFARE™ PROXIMITY STANDALONE LOCK C/W 10 CARDS

ASL941B-07-L Lock - Left Handed in Brushed Stainless steel with Return To Door Lever

ASL941B-07-R Lock - Right Handed in Brushed Stainless steel with Return To Door Lever

ASL941B-56-L Lock - Left Handed in Brushed Stainless steel with Straight Lever

ASL941B-56-R Lock - Right Handed in Brushed Stainless steel with Straight Lever

ASL954 Cards /100

**NOTE: All lock units to suit standard 44mm thick doors - For thicker doors contact the sales office**

SMARTLOCK **INDOOR** ACCESS CONTROL LOCKSET RANGE

- Ideal to use with any choice of lever furniture
- 4 x AA batteries in mortice housing with low battery warning
- Fire rated for 30 & 60min timber fire doors
- Inside lever always free to escape
- Uses Windows based PC software
- Euro or ANSI lock type options available
- 65mm backset lock cases
- 10,000 user cards per system
- Small discreet Light Tube reader fitted in the door



## INDOOR SMARTLOCK MIFARE™ WIRELESS NETWORK SYSTEM

**NEW** ASL951BI-L Wireless Lock - Left Hand in Brushed St. steel with key override facility (to differ 2 keys)\*


**NEW** ASL951BI-R Wireless Lock - Right Hand in Brushed St. steel with key override facility (to differ 2 keys)\*

SH-0203 Safety Lever Handles (Stainless Steel) - Optional

ASLBAT6.0 Battery pack for ASL951BI-R and ASL951BI-L

SDP-C-02 Euro Profile Escutcheons (pair) - Optional

**NOTE: All lock units to suit standard 44mm thick doors - For thicker doors contact the sales office**

WIRELESS SET UP FOR SMARTLOCK **INDOOR**


SMARTLOCK **ONDOOR** & **INDOOR** ACCESS CONTROL ACCESSORIES

- Single & Two Door Controllers available
- Management system includes a reader/writer, wireless dongle and software
- Energy Saver available with an egress time delay of 10 - 30 seconds
- Wireless hub or base station controls up to 64 doors and can be linked either by Ethernet or USB
- MiFare Card technology allow other PMS systems to be linked. These cards can also be printed with the customers brand



## ACCESSORIES FOR ONDOOR &amp; INDOOR SMARTLOCK MIFARE™ WIRELESS NETWORK SYSTEM

ASL957	Management system inc. reader / writer, wireless dongle and software
ASL950M1W	Single Door Control Unit inc 3 Amp PSU and reader
ASL950M2W	Two Door Control Unit inc 3 Amp PSU and readers
ASL959	Card
ASL95BASE	Wireless Hub (Base Station up to 64 doors depending on building conditions) Ethernet / USB
ASL960-S	Card Issuing Reader / Writer with USB connection for Smartlock
SSL961	Energy Saving Reader

VIRTUAL NETWORK SET UP FOR SMARTLOCK **ONDOOR**

## BE-TECH LOCKER LOCKS

- Ondoor Locker Lock ideal for sports, gym and Spa centre etc.
- Blue LED indicates occupation
- Uses 4 AA batteries
- Two set ups available (Free or Assigned Use)
- Free use - The user selects a free locker and enters a code
- Assigned Use - The user is assigned a card for a locker
- Can be operated by fobs, cards or wrist bands
- Mifare contactless operation



## ONDOOR BE-TECH LOCKER LOCK - PROXIMITY

ASL1100	SmartLock Proximity Locker Lock
ASL959/L	Fobs for Proximity Locker Lock (Grey)
ASL954/RB	Wrist Bands (Blue)





## ENTRA+ NETWORK ACCESS CONTROL CONTROLLERS

- One, two, three and four door controllers available
- The system supports all major readers e.g HID, MiFare & Innoprox
- Controllers have RTE, door contact, auxiliary output and lock output
- The lock output may be change from fail safe to fail secure




## ENTRA + NETWORK ACCESS CONTROL CONTROLLERS

AEN2005	Entra+ One door controller (Board Only)
AEN2010	Entra+ One door controller with 3 Amp 12V DC PSU
AEN2020	Entra+ Two door controller with 3 Amp 12V DC PSU
AEN2025	Entra+ Three door controller with 8 Amp 12V DC PSU
AEN2030	Entra+ Four door controller with 8 Amp 12V DC PSU
AEN2050	Entra+ Ethernet/LAN adaptor for use between ACU and PC when using existing LAN/WAN infrastructure.
AEN-DONGLE	Dongle to interface network with software and for attaching take on reader

## Additional features for Networking

- Up to 10 controllers can be cabled via a 46-60V DC bus eliminating the need for a 230V spur at each door
- All controllers have a non-volatile memory
- All controllers convert the high voltage to 12V DC with 1.5A output

## TYPICAL ENTRAP+ NETWORK



## ENTRA+ NETWORK ACCESS CONTROL READERS

- HID, MiFare and Innoprox Readers available
- Mag-stripe Readers available
- Various styles available




## ENTRA + NETWORK ACCESS CONTROL READERS

AEN1001	Entra+ Switch-plate MIFARE® Proximity Reader
AEN1002	Entra+ Mullion MIFARE® Proximity Reader
AEN1010	Entra+ MIFARE® proximity reader IP68 120 x 56 x 18 metal shell
AEN1020	Entra+ MIFARE® proximity reader IP68 120 x 56 x 18 ABS shell
AEN1030	Entra+ HID 26 bit proximity reader IP68 120 x 56 x 18 metal shell
AEN1040	Entra+ HID 26 bit proximity reader IP68 110 x 50 x 18 ABS shell
AEN1050	Innoprox IP3 Mid Range proximity reader with tamper switch
AEN1060	Innoprox IP2 proximity reader with tamper switch
AEN1060P	Innoprox Pattress Proximity Card Reader
AEN1060PM	Innoprox Panel Mount Reader
ATMR-3	Stainless steel Mag-stripe Reader
AEN82MF-B	ISO/IEC 14443A/MIFARE® indoor proximity reader, black panel, dark grey enclosure, touch keypad with backlight
AEN82MF-BK-B	ISO/IEC 14443A/MIFARE® indoor proximity reader, black panel, dark grey enclosure.
AEN82MF-W	ISO/IEC 14443A/MIFARE® indoor proximity reader, white panel and enclosure, touch keypad with backlight
AEN82MF-BK-W	ISO/IEC 14443A/MIFARE® indoor proximity reader, white panel and enclosure
AEN84MF-B	ISO/IEC 14443A/MIFARE® indoor proximity reader, black panel, dark grey enclosure, touch keypad with backlight
AEN84MF-BK-B	ISO/IEC 14443A/MIFARE® indoor proximity reader, black panel, dark grey enclosure
AEN84MF-W	ISO/IEC 14443A/MIFARE® indoor proximity reader, white panel and enclosure, touch keypad with backlight
AEN84MF-BK-W	ISO/IEC 14443A/MIFARE® indoor proximity reader, white panel and enclosure
ARDREX	Reader expander to provide swipe in/swipe out using a single reader channel. NB Functionality included within IP-2 IET prox reader

## ACCESS CONTROL SYSTEMS

## ENTRA+ READERS, SOFTWARE &amp; CARDS/FOBS

The Entra+ Long range UHF reader offers the convenience and ease of car park entry without the need to open the window. The reader has a range of 5-15 metres and accepts up to 25,000 card users.



## ENTRA + UHF CAR PARK LONG RANGE READER

ACP1000	UHF Active Card
ACP1400	UHF Take-on Reader
ACP1700	UHF Long Range Reader

## ENTRA + SOFTWARE

ATER-ENTRA+	Client/server software as above for 1 PC, up to 64 doors, 3000 card users & 1 x ACU network
-------------	---

**For systems greater than 64 doors please contact the sales office for prices (Tel No. 01704 502801)**

ATERMINUS-CP	Card Printing module for addition to Terminus software
ATERMINUS-FP	Floor Plan module for addition to Terminus software
ATERMINUS-WP	Additional workstations

## ENTRA + CARDS &amp; FOBS

AMUI-C	IET MIFARE® card
AMUI-F	IET MIFARE® Fob
AIP-F	IET key proximity fob
AIP-C	IET proximity card
AHP-IC	IET / HID compatible card ISOPROX II
AHP-DC	IET / HID compatible card DUOPROX II
AHP-FC	IET / HID compatible PROXKEY II key fobs



# VANDERBILT

## Ready for any challenge

All needs, all sectors, all sizes, all in.



ACCESS CONTROL



INTRUSION



VIDEO MANAGEMENT



[vanderbiltindustries.com](http://vanderbiltindustries.com)

@VanderbiltInd

Vanderbilt Industries

## VANDERBILT ACT STANDALONE PIN AND PROXIMITY KEYPADS

Simple to use, versatile access control solution - standalone keypads by Vanderbilt (ACT) with a proximity reader.

The ACT5E prox has a capacity of 50 users, which makes it suitable for a small to medium size business.

The ACT10 keypad is very versatile, and comes with a sleek modern edge design. The keypad comes in a light silver grey and black shell, with a backlit coloured illuminated green. It is also easy to program with up to 10 user codes, it can be used indoors as well as outdoors, and it can be used surface or flush mount.



## VANDERBILT ACT STAND ALONE PIN &amp; PROXIMITY KEYPADS

ACT5E	Stand-alone digital Keypad, 10 codes, backlighting (indoor/outdoor IP67)
ACT10	Stand-alone digital keypad, 10 codes, interlock, door monitoring (indoor/outdoor IP55)
ACT10FK	Stainless steel flush mount kit for ACT 10
ACT5EPROX	Stand-alone Keypad, 2 Relays, 50 codes and Cards, backlighting (indoor/outdoor IP67)
ACTENTRY-A5KIT	Digital Keypad with integrated audio entry panel and intercom (10 PIN codes, 2 Relays)
ABW-V42	Compact Surface Keypad 2 Codes 12/24V AC/DC ( Pin & Peg Code Selection)
ABW-V44DUO	Compact Code-lock with 4 code combinations, advanced mode option. Internal/external use
ABW-BB3	Flush Back Box to suit V42 Keypad

## VANDERBILT ACTPRO RANGE OF CONTROLLERS &amp; DOOR STATIONS

- Networkable to up to 4,000 doors, the ACTpro 4000 can manage up to 60,000 users
- Installation has been simplified by the inclusion of an auto-discovery button in the ACTWin 2.8 software. When this is pressed all the controllers and door stations on the network are located.
- The installer can view the controller configuration and verify network communications via a specially designed controller status web page.



## VANDERBILT ACT IP CONTROLLERS

ACT365ACU	Single door IP Cloud Controller c/w 2 Amp PSU
ACTPRO1500	Single door IP controller with Dual Ethernet switch and expandable to 32 doors with door stations*
ACTPRO1520E	Single door IP controller with 2Amp PSU and Dual Ethernet switch and expandable to 32 doors with door stations*
ACTPRO4000	Two door IP controller expandable to 16 doors with door stations*
ACTPRO4200	Four door IP controller expandable to 16 doors with door stations*
<b>* NOTE (IP Controllers function with all ACTpro controllers).</b>	

## VANDERBILT DOOR STATIONS

ACTPRO100E	Single Door Station for use with ACTpro 1500, 1520, 4000, 4200
ACTPRO120E	Single Door Station / Expander with 2 Amp 12V DC PSU for use with ACTpro 1500, 1520, 4000, 4200
ACTPRO200	Two Door Expander, 3 Amp monitored PSU for ACTpro 1500, 1520, 4000, 4200

## VANDERBILT ACTPRO SOFTWARE AND READERS

- The Vanderbilt ACT range of proximity readers are heavy duty in design and are available with a range of technologies.
- Tri-colour LED indication
- Clock & Data or Wiegand Output
- Robust Polycarbonate housings
- IP67 Rating
- The ACTpro1040E & Actpro1050E can be mounted on a standard single gang electrical back box



VANDERBILT ACTPRO SOFTWARE	
ACTPRO-ENT	ACT Enterprise pro software for use with ACTpro controllers unlimited
ACTPRO-ENTLITE	ACT Enterprise Lite software for use with ACTpro controllers ; 100 doors and 1 PC FREE download from <a href="http://www.act.eu">www.act.eu</a>
VANDERBILT ACTPRO RFID READERS (125Khz)	
ACTPRO1030E	RFID Mullion proximity reader (IP 67)
ACTPRO1030PM	RFID Panel Mount proximity reader
ACTPRO1040E	RFID proximity reader Surface/Flush mounting collars provided (IP 67)
ACTPRO1050E	RFID proximity reader and Keypad Surface/Flush mounting collar provided (IP 67)
ACTPRO1060E	Keypad Surface/Flush mounting collar provided (IP 67)
ACTPROUSB	ACT USB multi format reader (MIFARE Classic, DESFire EV1, RFID) for use with ACTEnterprise 1.3.0.6 or later
VANDERBILT ACTPRO MIFARE CLASSIC READERS (13.56MHz) - reads data from Sectors and Serial number	
ACTPROMF1030	MIFARE Classic Mullion proximity reader (IP 67)
ACTPROMF1030PM	MIFARE Classic Panel Mount proximity reader (IP 67)
ACTPROMF1040	MIFARE Classic proximity reader Surface/Flush mounting collars provided (IP 67)
ACTPROMF1050	MIFARE Classic proximity reader and Keypad Surface/Flush mounting collar provided (IP 67)
ACTPROUSB	ACT USB multi format reader (MIFARE Classic, DESFire EV1, RFID) for use with ACTEnterprise 1.3.0.6 or later
VANDERBILT ACTPRO 433Mhz LONG RANGE WIRELESS RECEIVER	
ACTPRO433RX	Long range wireless receiver 433Mhz - 2 channels
VANDERBILT ACT 433Mhz TRANSMITTERS	
ACT433TX	Long range wireless transmitter 433Mhz (up to 50m)
ACT433TXPROX	Long range wireless transmitter 433Mhz (up to 50m); with built in prox

## VANDERBILT ACT SMART CONTROLLERS &amp; KEYPADS

Powerful, flexible and cost effective solution for the low to medium access control scenarios.

Simple to add and delete users and the readers may be totally standalone or connected together in a master slave mode to enable changes for all doors to be made at one door.

Extremely attractive design built in rugged polycarbonate with stainless steel keys.



VANDERBILT ACT SMART CONTROLLER	
ACT2SMARTCTR	ACTSmart Controller for ACT Smart2 readers- up to 16 doors- 1,000 users, software included
VANDERBILT ACT SMART PIN & PROXIMITY KEYPADS	
ACT2SMART1070	Stand-alone Prox reader 1,000 cards, Interlock, door monitoring (IP 67)
ACT2SMART1080	Stand-alone Prox reader with Keypad, 1,000 Codes/cards, Interlock, door monitoring (IP67)
ACT2SMART1090	Stand-alone Keypad, 1,000 Codes, Interlock, door monitoring (in/outdoor IP67)
ACT2SMARTLOCK	Security Lock which provides additional security for ACTsmart2 installations

## VANDERBILT ACT PROXIMITY CARDS &amp; FOBS

VANDERBILT ACT PROXIMITY CARDS & FOBS (125Khz)	
ACT/SMISO-B	ISO proximity cards, pack of 10 for use with all ACT proximity readers
ACTPROXDUO-B	DUO proximity cards(Proximity and Magstripe), pack of 10 for use with all ACT proximity readers
ACT/SMFOB-B	Proximity fobs, pack of 10 for use with all ACT proximity readers
ACTPROXHS-B	Half Shell proximity cards, pack of 10 for use with all ACT proximity readers
VANDERBILT ACT MIFARE CARDS & FOBS (13.56MHz)	
ACTPRO/MIFARE-C	1KB MIFARE Classic cards, Pack of 10 for use with all ACT MIFARE Classic readers
ACTPRO/MIFARE-F	1KB MIFARE Classic fobs, Pack of 10 for use with all ACT MIFARE Classic readers
ACTEV1CARD-B	MIFARE DESFire EV1 Cards, Pack of 10 for use with all ACT MIFARE DESFire EV1 readers



## HID READERS &amp; CARDS

## HID iCLASS PROXIMITY READERS

AHID-910-N	R15 Mullion Proximity Reader iClass SE / MiFare DESFire / NFC
AHID-920-N	R40 Single Gang Proximity Reader iClass SE / MiFare DESFire / NFC
AHID-4045	HID Standalone Reader / Keypad 125KHz
AHID-6005	ProxPoint Plus Reader 125KHz
AHID-5365	MiniProx Reader 125KHz
AHID-5355	ProxPro Reader 125KHz

## HID PROXIMITY CARDS AND TAGS

AHID-2080	iClass 2k Proximity Card: White, clamshell type.
AHID-2050	iClass 2k Proximity Tag: Key Fob type
AHID-1336	Duo Prox II 125KHz Card with Magnetic stripe: White, ISO type (ID card print quality)
AHID-1346	Proximity Tag: 125KHz Key Fob type

# Securefast Academy



Securefast offer free training sessions aimed at sales and specification personnel. Courses are available at any of our locations.

Each course offers the following basics:

- Introduction to Access Control
- Introduction to Hotel Locking
- Introduction to Networked Access Control

More advanced courses including installation/commissioning and CPD courses on EN 13637, Electric Panic Systems and Access Control Security are available on request.

For details please contact the Sales Office

# Securefast

Incomplete systems or incompatible components?



With access control kits from Securefast, this sort of problem can be consigned to the past.

By bringing together all the components required for the most popular configurations, Securefast access control kits ensure all the components are fully compatible and the system is complete.

Call our sales office now for further information - **01704 502801**



## AKT4223

Contains:  
 999 User Controller PCB  
 Proximity reader & 10 fobs  
 12V DC 1A power supply  
 Rim/mortice electric release  
 Exit switch

## DEEDLOCK ACCESS CONTROL KITS

- Single door access control kits
- Available with keypad or proximity reader
- Securing the door can be either an Electro-magnetic Lock or Electric Release
- Easy to install by an electrician with minimal experience.
- Proximity reader for up to 999 users and is suitable for internal and external applications
- The kits come complete with all the hardware, only the electrical cable is required
- Z & L brackets are sold separately for inward opening doors

**AKT4223**

Contains:  
999 User Controller PCB  
Proximity reader & 10 fobs  
12V DC 1A power supply  
Rim/mortice electric release  
Exit switch

**AKT4224**

Contains:  
999 User Controller PCB  
Proximity reader & 10 fobs  
12V DC 1A power supply  
Mini magnet  
Exit switch  
Manual call point

**AKT4225**

Contains:  
APX-15 Keypad  
12V DC 1A power supply  
Rim/mortice electric release  
Exit switch

**AKT4226**

Contains:  
APX-15 Keypad  
12V DC 1A power supply  
Mini magnet  
Exit switch  
Manual call point

**AKT4227**

Contains:  
APX-16 Keypad  
12V DC 1A power supply  
Mini magnet  
Exit switch  
Manual call point

**AKT4228**

Contains:  
APX-16 Keypad  
12V DC 1A power supply  
Rim/mortice electric release  
Exit switch

**AKT4229**

Contains:  
APX-16/PROX Keypad & Prox  
12V DC 1A power supply  
Mini magnet  
Exit switch  
Manual call point  
10 proximity cards

**AKT4230**

Contains:  
APX-16/PROX Keypad & Proximity  
12V DC 1A power supply  
Rim/mortice electric release  
Exit switch  
10 proximity cards



## DEEDLOCK ACCESS CONTROL KITS

## ACT STAND ALONE PIN &amp; PROXIMITY KEYPADS

AKT4221	Single Door Proximity Access Control Kit Includes: 999 User Controller PCB & Proximity Reader with 10 Fobs 12V DC
AKT4222	Single Door Proximity, 2 Reader Proximity Access Control Kit. Includes: 999 User Controller PCB & 2 Readers IN/OUT, with 10 Fobs, 12V DC
AKT4223	Single Door Proximity Access Control Kit c/w 999 User Controller, Proximity Reader, 12V DC 1Amp Power Supply, Rim Electric Release with Mortice Plate (Fail Locked), Exit Switch & 10 Fobs
AKT4224	Single Door Proximity Access Control Kit c/w 999 User Controller, Proximity Reader, 12V DC 1 Amp Power Supply, Mini Magnet, Exit Switch, Manual Call Point and 10 Fobs
AKT4225	Single Door APX-15 Keypad Access Control Kit c/w APX15 Keypad, 12V DC 1 Amp Power Supply, Rim/ Mortice Electric Release (Fail Locked) and Exit Switch
AKT4226	Single Door APX-15 Keypad Access Control Kit c/w APX15 Keypad, 12V DC 1 Amp Power Supply, Mini Magnet, Exit Switch and Manual Call Point
AKT4227	Single Door APX-16 Keypad Access Control Kit c/w APX-16 Keypad, 12V DC 1 Amp Power Supply, Mini Electro-Magnet Lock, Exit Switch and Manual Call Point
AKT4228	Single Door APX-16 Keypad Access Control Kit c/w APX-16 Keypad, 12V DC 1 Amp Power Supply, Rim Electric Release with mortice plate (Fail Locked) & Exit Switch
AKT4229	Single Door APX-16/PROX Proximity Keypad Access Control Kit c/w APX-16/PROX Proximity Keypad, 12V DC 1 Amp Power Supply, Mini Electro-Magnet Lock, Exit Switch and Manual Call Point
AKT4230	Single Door APX-16/PROX Proximity Keypad Access Control Kit c/w APX-16/PROX Proximity Keypad, 12V DC 1 Amp Power Supply, Rim Electric Release with mortice plate (Fail Locked) & Exit Switch
AKT4235	Single Door Bluetooth Access Control Kit c/w SCLAK unit, 12V DC 1 Amp Power Supply and Rim/ Mortice Electric Release (Fail Locked)
AC7100	Deedlock ISO Proximity Card, White for AKT4223 and AKT4224 Kits
AC7101	Deedlock Proximity Tag / Key Fob, Grey for AKT4223 and AKT4224 Kits
AC7101/10	Deedlock Proximity Tag / Key Fob, Grey Set of 10 for AKT4223 and AKT4224 Kits
APX16/CARD	Deedlock Proximity ISO Card for AKT4229 and AKT4230

## Z &amp; L BRACKETS FOR DEEDLOCK ACCESS CONTROL KITS

AEMBR008	Adjustable Transom L Bracket for Slimline Magnet to suit Outward opening door
AEMBR089	Z & L Bracket Set for Slimline Magnet to suit Inward opening door
AEMBR089F	Z & L Bracket Set (F Section) for Slimline Magnet to suit Inward opening door

## FIVE LEVER DEADLOCK C/W MICROSWITCH

## MORTICE DEADLOCK C/W MICROSWITCH (SHUNT LOCK)

ACH3G114-DPDS	Chubb 5 lever Mortice Deadlock, 66mm, Satin Chrome with Double Pole micro switch
ACH3G110DPMS	Chubb 5 Lever Mortice Deadlock, 73mm, Satin Chrome with Double Pole micro switch



## Electromagnetic locks suitable for fire doors.

In addition to offering simple and quick installation, the Deedlock range of security electromagnetic door locks have been tested to EN 1634-1 for 30 and 60 minute fire doors. When specifying or replacing your electromagnetic locks always ensure the product conforms to standards.

Install Deedlock electromagnets with the confidence that you are covered for both security and fire.

Available from all leading electrical and architectural wholesalers.



# Securefast

Providing life safety and security solutions

[www.securefast.co.uk](http://www.securefast.co.uk)

Sales Hotline: 01704 502801

## DEEDLOCK ELECTRO-MAGNETIC LOCKS - FACE TO FACE

Deedlock Electro-Magnetic Locks are fully tested to TS010:2016 and Fire Rated to EN1634-1 for 30 and 60 minute timber doors.

- Slimline Locks Grade 2 - TS010:2016
- Standard Locks Grade 3 - TS010:2016
- Superior Locks Grade 4 - TS010:2016
- Monitored and Unmonitored available
- Dual Voltage 12V and 24V DC
- Safety Bolts as standard
- Variety of brackets available for a number of applications
- Architectural brackets for inward opening doors



### DEEDLOCK SLIMLINE MAGNETS 12/24V DC c/w Safety Bolts - GRADE 2

AEM10001	Slimline/Mini Single Magnet Unmonitored
AEM10001/KIT	Slimline/Mini Single Magnet Unmonitored c/w AEMBR089 Z & L Bracket
AEM10002	Slimline/Mini Single Magnet Monitored
AEM10002/DS	Slimline/Mini Single Magnet with Read Switch - Monitored
AEM10003	Slimline/Mini Double Magnet Unmonitored
AEM10004	Slimline/Mini Double Magnet Monitored
AEM10004/DS	Slimline/Mini Double Magnet with Read Switch - Monitored
AEM10001T	Slimline/Mini Single Magnet Unmonitored with Timer Delay (90 seconds)
AEM10002T	Slimline/Mini Single Magnet Monitored with Timer Delay (90 seconds)
AEM10003T	Slimline/Mini Double Magnet Unmonitored with Timer Delay (90 seconds)
AEM10004T	Slimline/Mini Double Magnet Monitored with Timer Delay (90 seconds)

### DEEDLOCK MIDI MAGNETS 12/24V DC c/w Safety Bolts

AEM80001	Midi Single Magnet Unmonitored
AEM80002	Midi Single Magnet Monitored
AEM80003	Midi Double Magnet Unmonitored
AEM80004	Midi Double Magnet Monitored



For up-to-date guidance on standards and applications for electromagnetic locks, look out for the DHF Best Practice Guide.

[www.dhfonline.org.uk](http://www.dhfonline.org.uk)

[www.securefast.co.uk](http://www.securefast.co.uk)

Sales Tel: +44 (0) 1704 502801



## DEEDLOCK ELECTRO-MAGNETIC LOCKS - FACE TO FACE AND MORTICE

Deedlock Electro-Magnetic Locks are fully tested to TS010:2016 and Fire Rated to EN1634-1 for 30 and 60 minute timber doors.

- Slimline Locks Grade 2 - TS010:2016
- Standard Locks Grade 3 - TS010:2016
- Superior Locks Grade 4 - TS010:2016
- Monitored and Unmonitored available
- Dual Voltage 12V and 24V DC
- Safety Bolts as standard
- Variety of brackets available for a number of applications
- Architectural brackets for inward opening doors



DEEDLOCK STANDARD MAGNETS 12/24V DC c/w Safety Bolts - GRADE 3		
AEM10010	Standard Single Magnet Unmonitored	
AEM10020	Standard Single Magnet Monitored	
AEM10020/DS	Standard Single Magnet with Read Switch - Monitored	
AEM10030	Standard Single Magnet Double Monitored	
AEM10060	Standard Double Magnet Unmonitored	
AEM10040	Standard Double Magnet Monitored	
AEM10040/DS	Standard Double Magnet with Read Switch - Monitored	
AEM10050	Standard Double Magnet Double Monitored	
AEM10010T	Standard Single Magnet Unmonitored with Timer Delay (90 seconds)	
AEM10020T	Standard Single Magnet Monitored with Timer Delay (90 seconds)	
DEEDLOCK SUPERIOR MAGNETS 12/24V DC c/w Safety Bolts - GRADE 4		
<b>NEW</b> AEM12100	Superior Single Magnet Unmonitored	
<b>NEW</b> AEM12200	Superior Single Magnet Monitored	
<b>NEW</b> AEM12200/DS	Superior Single Magnet with Read Switch - Monitored	
<b>NEW</b> AEM12300	Superior Single Magnet Double Monitored	
DEEDLOCK MORTICE MAGNETS 12/24 V DC - GRADE 2		
AEM10000	Mortice Magnet 12/24V DC Unmonitored	
AEM10000R	Mortice Magnet 12/24V DC Monitored	
DEEDLOCK STANDARD MORTICE MAGNETS 12/24 V DC - GRADE 3		
<b>NEW</b> AEM12000	Mortice Magnet 12/24V DC Unmonitored	
<b>NEW</b> AEM12000R	Mortice Magnet 12/24V DC Monitored	

## DEEDLOCK BRACKETS FOR ELECTRO-MAGNETIC LOCKS

- L Brackets available for narrow depth architrave
- Z & L Brackets available for outward opening doors
- Adjustable brackets available
- Brackets available for glass and flush fitting
- Brackets available for slimline and standard electro-magnetic locks

**Please note Double Magnets require 2 brackets (except AMH595/DLA)**



DEEDLOCK BRACKETS FOR SLIMLINE MAGNETS FOR INWARD & OUTWARD OPENING DOORS	
AEMBR008	Adjustable Transom L Bracket for Slimline Magnet to suit Outward opening door
AEMBR1008	Universal L Bracket for Slimline Magnet
AMH590/LA	Architectural L bracket for Slimline magnets to suit Outward opening door
AMH590/DLA	Architectural L Bracket for Slimline Double Magnets to suit Outward opening door
AEMBR089	Z & L Bracket Set for Slimline Magnet to suit Inward opening door
AEMBR089F	Z & L Bracket Set (F Section) for Slimline Magnet to suit Inward opening door
AMH590/ZA	Architectural Z & L bracket for Slimline magnets to suit Inward opening door
DEEDLOCK ACCESSORIES FOR SLIMLINE MAGNETS	
AEMBR018	Surface Armature Plate Housing for Slimline Magnet
AEMBR018/DS	Surface Armature Plate Housing for AEM10002/DS & AEM10004/DS Magnet
AEMBR019	Flush/Mortice Armature Housing for Slimline or Mortice Magnets
AEMBR185	Glass Fixing Armature Plate Bracket for Slimline or Standard Magnet
AEMBR186	Glass Fixing Armature Plate Bracket for use with L and Z&L Brackets for Slimline Magnets
AEMAL101	Anti-Ligature Architectural Cover for slimline magnets (outward opening application)
ADGI-1	Fully Adjustable L Bracket for Slimline Magnets
DEEDLOCK BRACKETS FOR MIDI MAGNETS FOR INWARD & OUTWARD OPENING DOORS	
AEMBR800	Z & L Bracket for Midi Magnet to suit Inward opening door
AMH598/ZA	Architectural Z & L Bracket for Midi Magnet to suit Inward Opening door
AEMBR801	L Bracket for Midi Magnet to suit Outward Opening door
AMH598/LA	Architectural L Bracket for Midi Magnet to suit Outward Opening door



## DEEDLOCK BRACKETS FOR ELECTRO-MAGNETIC LOCKS

## DEEDLOCK BRACKETS FOR STANDARD MAGNETS FOR INWARD &amp; OUTWARD OPENING DOORS

AEMBR006	Adjustable Transom L Bracket for Standard Magnet to suit Outward opening door
AEMBR1006	Universal L Bracket for Standard Magnet
AMH595/LA	Architectural L bracket for Standard magnets to suit Outward opening door
AMH595/DLA	Architectural L Bracket for Standard Double Magnets to suit Outward opening door
AEMBR026	Z & L Bracket Set for Standard Magnet to suit Inward opening door
AEMBR026-F	Z & L Bracket Set (F Section) for Standard Magnet to suit Inward opening door
AMH595/ZA	Architectural Z & L bracket for Standard magnets to suit Inward opening door

## DEEDLOCK ACCESSORIES FOR STANDARD MAGNETS

AEMBR016	Surface Armature Plate Housing for Standard Magnet
AEMBR016/DS	Surface Armature Plate Housing for AEM10020/DS & AEM10040/DS Magnet
AEMBR185	Glass Fixing Armature Plate Bracket for Standard or Slimline Magnets
ADGI-2	Fully Adjustable L Bracket for Standard Magnets

## DEEDLOCK BRACKETS FOR SUPERIOR MAGNETS

<b>NEW</b>	AEMBR012	Adjustable L bracket to suit Face to Face electro-magnetic lock
<b>NEW</b>	AEMBR024	Z and L bracket to suit Face to Face electro-magnetic lock to suit inward opening doors

## DEEDLOCK ACCESSORIES FOR MORTICE MAGNETS

AEMBR018	Surface Armature plate housing for AEM10000 & AEM10000R
AEMBR019	Flush/Mortice Armature Housing for Slimline or AEM10000 & AEM10000R Mortice Magnets

## DEEDLOCK - MORTICE MAGNETS IN TRANSOM HOUSING

The Deedlock 200 series magnetic locks are designed to offer a clean line across the door transom with the magnet encased into the Satin Anodised Aluminium Housing.

As with all our magnets the 200 series magnets have been tested under the standard TS010 to give you complete satisfaction on your specification.

The magnets may be adjusted on site for 12 or 24V DC power. The ADX100 magnet is supplied with built in alarm and delayed exit.



## DEEDLOCK 200 SERIES SLIMLINE MAGNETS IN FULL LENGTH HOUSINGS 12/24V DC

AMG201/AT	Mortice Magnet Monitored for 200 series housings
AMG201/UM	Mortice Magnet Unmonitored for 200 series housings
AMG202/AT	1 Metre Transom housing with one Magnet Monitored
AMG202/UM	1 Metre Transom housing with one Magnet Unmonitored
AMG203/AT	320mm Transom housing with one Magnet Monitored
AMG203/UM	320mm transom housing with one Magnet Unmonitored
AMG204/AT	1.5 Metre Transom housing with two Magnets Monitored
AMG204/UM	1.5 Metre Transom housing with two Magnets Unmonitored
AMG205/AT	2 Metre Vertical housing with two Magnets Monitored
AMG205/UM	2 Metre Vertical housing with two Magnets Unmonitored
AMG206/AT	2 Metre Transom housing with one Magnets Monitored
AMG207/AT	2 Metre Transom housing with two Magnets Monitored
AMG207/UM	2 Metre Transom Housing with two Magnets Unmonitored

## DEEDLOCK 200 SERIES L BRACKETS

AMH592/L1	1 Metre L Bracket for 1 Metre Transom Housing
AMH592/L2	2 Metre L Bracket for 2 Metre Transom Housing
AMH592/L320	320mm L Bracket for AMG203 Transom Housing

## DEEDLOCK 210 SERIES STANDARD MAGNETS IN FULL LENGTH HOUSINGS 12/24V DC

AMG211/AT	1 Metre Transom housing with one Magnet Monitored
AMG215/AT	2 Metre Transom housing with two Magnet Monitored
AMH593/L1	1 Metre L Bracket
AMH593/L2	2 Metre L Bracket

## DELAYED EXIT MAGNET

<b>NEW</b>	ADX100	Delayed Exit Slimline Magnet 12V DC in 1 Metre Transom Housing with timer, Buzzer & on/off switch, Designed to work with most micro switched panic devices
------------	--------	--

## SHEAR MAGNETS

- The AEMSF300 is fire rated to EN1634-1 for 30 & 60 min. timber doors
- A holding force of 2000 lbs for the AEMSF300 is achieved by a combination of the magnetic force and interlocking pins
- The shear magnets can be fitted vertical or horizontal
- Suitable for single or double swing, single or pairs of doors



SHEAR MAGNETS	
AEMSF300	Fire Rated FD60 Mortice Shear Magnet 12/24v Monitored (30mm Wide)
AEM/SHEAR-30	GS705-30 Mortice Shear Magnet 12/24v Monitored (30mm Wide)
AGS705/SUR	Surface Housing to suit AEM/SHEAR-30 Shear Magnet
AMS41SFM	Magnetic Solutions Compact Mortice Shear Magnet 12/24V DC Monitored (Separate PCB)
AMS41SSM	Magnetic Solutions Compact Surface Shear Magnet 12/24V DC Monitored (Separate PCB)
AMS41GF-KIT	Magnetic Solutions Glass Bracket for AMS41SSM
AMSGFAD	Magnetic Solutions Adhesive for Glass Door Bracket



## Electromagnetic shear locks for fire doors.

The Deedlock AEMSF300 concealed electromagnetic Shear Lock has been tested to EN 1634-1 for 30 and 60 minute fire doors. When specifying or replacing your electromagnetic shear locks always ensure the product conforms to standards. Install Deedlock electromagnets with the confidence that you are covered for both security and fire.

Available from all leading electrical and architectural wholesalers.

# Securefast

Providing life safety and security solutions

www.securefast.co.uk  
Sales Hotline: 01704 502801



## EXTERNAL ELECTRO-MAGNETIC LOCKS

## DEEDLOCK EXTERNAL ELECTRO-MAGNETIC LOCKS

AEMGATE/F/S	External Magnet Side & Face Fix Monitored - Min. holding force 1100 lbs (4890N)
AEMBR046	Z Bracket for AEMGATE/F/S
AEM/MINGATE/F/S	External Mini-gate Side & Face Fix Magnet - Monitored - Min. holding force 500LBS (2220N)
AEMBR056	Z Bracket for AEM/MINGATE/F/S


## DEEDLOCK CUPBOARD/CABINET &amp; MICRO ELECTRO-MAGNETIC LOCKS

## DEEDLOCK CUPBOARD/CABINET &amp; MICRO MAGNETIC LOCKS

AEM200	Deedlock Cupboard/Cabinet Magnetic lock c/w L bracket (80lbs Holding force)
AEMBR200	Deedlock Z Bracket to suit AEM200 Magnet
AEM-ML300	Micro Mortice Magnet Unmonitored suitable for cupboards and lockers - 12/24V DC
AEM-ML300H	Micro Surface Magnet Unmonitored suitable for cupboards and lockers - 12/24V DC
AEM-MLBR01	Z & L Bracket Set for AEM-ML300H to suit Inward opening door
AEM-MLBRL	Adjustable Transom L Bracket for AEM-ML300H to suit outward opening door

## SPECIAL APPLICATION LOCKING PRODUCTS

- The ADA66 & ASA66 have a holding force of 10,000N
- Corrects misalignment of up to +8mm
- Instant release with 100kg of side load pressure
- AGL66 lock has 50,000N holding force
- IP66 ingress protection
- Built-in heater when powered by 24V DC



## SPECIAL APPLICATION LOCKING PRODUCTS

ASA66	Single Action, Motor Driven Electronic Lock 12/24V DC (10,000N Holding Force)
ASA66/H	Surface Housing & Dress Plate to suit ASA66
ADA66	Double Action, Motor Driven Electronic Lock 12/24V DC (10,000N Holding Force)
ADA66/H	Surface Housing & Dress Plate to suit ADA66
<b>NEW</b> AGL66	Gate & Roller Door High Security Lock (50,000N Holding Force)

## DEEDLOCK HOLD-OPEN MAGNETS

The Deedlock Hold Open magnet is built around a robust fascia plate for flush mounting on a standard electrical back box.

A spring-loaded pin ensures zero residual holding force.

For surface mounting, the Deedlock fire door holder is supplied with a matching pressed steel surface mount box with 20mm knockouts.

The 230V AC unit includes a filter for EMC emissions.



## DEEDLOCK HOLD-OPEN MAGNETS

AEM0351	Deedlock Wall Mounted Door Hold Open Magnet 24v - Plastic
AEM0352	Deedlock Wall Mounted Door Hold Open Magnet 230v - Plastic
AEM0362	Deedlock Wall Mounted Door Hold Open Magnet 24v - Metal
AEM0363	Deedlock Wall Mounted Door Hold Open Magnet 230v - Metal
AEMS003	Deedlock Floor Mounted Bracket for - AEM0351, AEM0352, AEM0362 & AEM0363
AEM03-CHAIN	Chain Keeper Plate for Hold Open Magnets c/w 1 metre chain
AEM501F-1B	Flush Stainless Steel Wall mount Door Hold Open Magnet 24V DC
AEM501F-1D	Surface Stainless Steel Wall mount Door Hold Open Magnet 24V DC
AEM501F-1F	Stainless Steel Floor mount Door Hold Open Magnet 24V DC
AEMFDH	Floor mount Door Hold Open Magnet 24V DC
AEM19001	Opera Wall Mounted Door Hold Open Magnet 24v - Plastic - Black
AEM19002	Opera Wall Mounted Door Hold Open Magnet 24v -Brushed Aluminium

## A simple, legal solution to wirelessly hold open fire doors

10 minute installation

listens & learns the sound of the fire alarm

The battery powered fire door retainer uses an electromagnet to hold open fire doors, releasing the door if the building's specific fire alarm sounds.



## AGRIPPA SOUND ACTIVATED FIRE DOOR HOLDER

The Agrippa sound activated fire door holder is a battery powered solution for holding open a building's internal fire doors easing access for inhabitants and increasing ventilation.

New technology enables the fire door holder to 'listen and learn' the sound of your specific fire alarm during installation to ensure if the fire alarm sounds, the door will be released.



## AGRIPPA SOUND ACTIVATED FIRE DOOR HOLDER

AEM0371	Agrippa Wall Mounted Sound Activated Fire Door Holder (Battery operated)
AEMS002	Floor Mounting Bracket for AEM0371

## DOORSENSE DOOR HOLDER

DoorSense is a standalone unit which can be fixed to a fire door in seconds to provide a reliable way to keep it open - but will automatically release if the fire alarm sounds.

DoorSense is incredibly easy to install, needing no wiring or special skills - it can even use the same footprint as some older units.

Once fitted, DoorSense is powered by two Alkaline C batteries for long working life, and has a Low Battery indicator to help you keep the unit in excellent working order.



## DOORSENSE DOOR HOLDER

<b>NEW</b>	AUN-8755-A	DoorSense Standalone acoustic door holder - black
------------	------------	---

## ABLOY SOLENOID LOCKS &amp; ACCESSORIES

- The Abloy EL range is a handle controlled, solenoid operated DIN electric lock.
- One handle (normally inside) will always operate mechanically allowing egress at all times. The other handle (normally outside) can be enabled or disabled electrically. This is normally activated by the access control system.
- The lock case can be adjusted in the field to be either fail locked or fail unlocked operation.
- Compliant to BS EN 179 and BS EN 1125



## ABLOY ELECTRO-MECHANICAL &amp; SOLENOID CONTROLLED LOCK CASES - 12-24V DC unless otherwise stated

ABY-EL402	Narrow Electromechanical Lock case - Fail Locked Adjustable Backset
ABY-EL402F/UN	Narrow Electromechanical Lock case - Fail Unlocked Adjustable Backset
ABY-EL560-60	Solenoid controlled Lock case - Fail Lock/Unlock 60mm Backset.*
ABY-EL561-65	Solenoid controlled Lock case - Fail Lock/Unlock 65mm Backset. Both handles controlled
ABY-EL580-50	Solenoid controlled Dead Latch - Fail Lock/Unlock 50mm Backset.*
ABY-EL582	Solenoid controlled Dead Latch - Fail Lock/Unlock 70mm Backset both handles controlled
ABY-EL560-65	Solenoid controlled Lock case 12V AC / 12-24V DC Fail Lock/Unlock 65mm Backset.*

**\*Compliant to BSEN179 and BSEN1125 when fitted with appropriate furniture. Internal handle exit device always operational - outside handle controlled**

## ABLOY MOTOR LOCK CASES

ABY-EL520-65	Motor Lock case 12V DC/12-24V DC Fail Locked 65mm Backset Compliant to BSEN179 and BSEN1125 when fitted with appropriate furniture
ABY-EL590	Motor Lock case 12-24V DC Fail Locked 50mm Backset

## ABLOY ACCESSORIES FOR SOLENOID &amp; MOTOR LOCK CASES

ABY-3-20-030	Internal Lever Handle on Round rose c/w Blank Rose Pol Chrome for EL590 Motor lock
ABY-60-0619	Set of Lever Handles on Round rose Polished Stainless Steel for EL580 & EL582
ABY-60-0319-SSS	Set of Lever Handles on Round rose & Escutcheons Satin Stainless Steel for EL560 & EL561
ABY-CY037	Novel Round Outside Cylinder c/w Blank rose, to differ Pol. Chrome for EL580 & EL590
ABY-CY066	Novel Outside Cylinder c/w Inside Turn, to differ Pol. Chrome for EL402 & EL402F/UN
ABY-CY326	Novel Single Euro Cylinder Satin Chrome for EL520 or EL560
ABY-EA280	Concealed Lead cover 323mm for door opening up to 120 degrees Chrome finish

## ABLOY SOLENOID LOCK KITS

ABLOY SOLENOID LOCK KITS	
ABY-PACKAGE1E-65	Comprises: EL560-65mm Solenoid lock, CY326VL Single Cylinder, 60-0319-SSS Round Rose Lever handles, EA280 Concealed loop
ABY-PACKAGE1P-65	Comprises: EL560-65mm Solenoid lock, CY326VL Single Cylinder, PBE011-EL560 Panic bar SSS & Outside Handle, EA280 Concealed loop
ABY-PACKAGE2-65	Comprises: EL561-65mm Solenoid lock, CY327VL Double Cylinder, 60-0319-SSS Round Rose Lever handles, EA280 Concealed loop
ABY-PACKAGE5E-55	Comprises: EL520-55mm Motor lock, CY326VL Single Cylinder, 60-0119-SSS Knob/Lever handle set, EA280 Concealed loop
ABY-PACKAGE9E-50	Comprises: EL580-50mm Solenoid lock, CY037VL Single Cylinder, 60-0619-PSS Round Rose Lever handles, EA210 Connection cable, EA280 Concealed loop
ABY-PACKAGE11E-50	Comprises: EL590-50mm Motor Lock, CY037VL Single Cylinder, 3-20/030PC Presto Handles, EA280 Concealed loop



## SOLENOID ELECTRIC LOCKING

Solenoid bolts allow for both remote access and exit control of most timber and metal doors. They are also suitable for sliding or swing, single or double action operations.

Solenoid bolts can be fitted in the frame or on the surface.

With concealed mortice mounting and slim line styling the bolts suit most narrow stile aluminium doors and narrow profile joinery.

AML-350M-PL-12 is 60min Fire Rated to EN 1634-1



## EFF EFF SOLENOID LOCK

ABY-351U80	Narrow Mortice Solenoid Lock 12V DC Fail Unlock c/w Strike for 44mm Doors
------------	---

## ELECTRONIC LOCK FOR SLIDING DOORS

AEL23822FG	Sliding Door Lock with Hold back 12/24V DC
------------	--

## DEEDLOCK SOLENOID BOLTS

AER134	Deedlock Mortice Solenoid Bolt 12V DC, Fail Unlocked, Dual Monitored
AER134H	Surface Housing Kit, Stainless Steel, For AER134
AER180	Slimline Mortice Solenoid Bolt 12V DC, Fail Unlocked, Dual Monitored
AER195G/F	Surface Mounting Glass Fixing Kit for AER134
AEM-CL300	Deedlock Solenoid 12V DC Cabinet Lock - Fail Locked / Unlocked

## SECUREFAST ELECTRIC LOCKS

<b>NEW</b>	AML-300-SW	Securefast electric lock - 12V DC failsafe/fail secure - single/double action
<b>NEW</b>	AML-350M-PL-12	Securefast electric lock with preload - 12V DC failsafe/fail secure - double action - 60min Fire Rated

## GINGERS SPARK MICRO POWER LOCK

SDGi Micro Power Lock ideal for auto doors, especially for a pair where space between the operators is too narrow for conventional magnets or where the armature intrudes on the safety sensor position.

- 680kg (1500 lbf) Holding force per lock
- Multi-voltage input - 12V or 24V DC
- Very low current consumption 12V = 0.28A and 24V = 0.14A
- Early warning alarm if forced open or 0 - 30 second timer delay
- For outward opening doors the lock is fixed to the SDGi bracket allowing infinite adjustment backwards, forwards and sideways
- 5mm lateral & 1mm vertical adjustment on armature plate



## SDGi MICRO POWER LOCK

AGS102	Single lock with SDGi bracket for Aluminium centre pivot and flush thermally broken open outward doors - Satin Anodised
AGS104	Double lock with SDGi bracket for Aluminium centre pivot and flush thermally broken open outward doors - Satin Anodised
AGS105	Single lock direct fix with standard fixing plate - Satin Anodised
AGS107	Single lock for open inward doors with Z bracket - Satin Anodised

**Available in black to order**

# Securefast

## New Range of electric strikes with 1000lb jaw strength

**NEW**

### AL900 SERIES

- Supplied with long and short faceplate
- 12V DC with 300mm cable
- Fail safe and Fail secure settable on-site
- 1000lbs holding force
- Simple replacement for Adams Rite, Trimec and Alpro strikes

See page 43 for full range



# Securefast

Providing life safety and security solutions

[www.securefast.co.uk](http://www.securefast.co.uk)

Sales Hotline: 01704 502801

### DEEDLOCK ELECTRIC RELEASES

- Suitable for low to medium traffic applications
- Fail locked and fail unlocked versions
- ANSI mortice versions are suitable for latches with up to 15mm throw
- Jaw strength up to 1000 lbs
- 12V DC or dual operation
- The AST125-FLT and AST125-FUT are supplied with a short aluminium faceplate for metal doors and a long stainless steel plate for timber doors
- Easy replacement for Adams Rite, Trimec and Alpro



#### DEEDLOCK ELECTRIC RELEASE

<b>NEW</b>	AL900	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate - 1000 lbs Jaw Strength
<b>NEW</b>	AL900M	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate - Monitored - 1000 lbs Jaw Strength
<b>NEW</b>	AL900DM	ANSI Mortice Electric release - 12/24V DC Fail locked / Unlocked with Long / Short Faceplate - Dual monitored - 1000 lbs Jaw Strength

#### DEEDLOCK ELECTRIC RELEASES - MEDIUM SECURITY

AER971	American Style Mortice Electric Release 12V DC Fail Unlocked
AER972	American Style Mortice Electric Release 12V AC/DC Fail Locked
AER3310	Electric Release 12V DC Fail Locked for use with Panic Exit Device

#### DEEDLOCK ELECTRIC DEADLOCK RELEASES - MEDIUM SECURITY

AER701/FL	Deadlock Release 12V DC Fail Locked - Monitored
AER702/FL	Deadlock Release 12V DC Fail Unlocked - Monitored

#### DEEDLOCK REVERSIBLE ANSI MORTICE & RIM ELECTRIC RELEASES

AH111	ANSI Mortice Electric Release 12 / 24V DC Fail Locked/Unlocked, Short/Long Faceplate
AH111M	ANSI Mortice Electric Release 12V DC Fail Locked/Unlocked, Monitored, Short/Long Faceplate
AH113	Rim Electric Release 12V DC Fail Locked/Unlocked for Inward opening Timber Doors
AHLIP25	Extension Lip 25mm for AH111 and AH111M
AHLIP50	Extension Lip 50mm for AH111 and AH111M




# DORCAS

## Electric Releases

Offering a comprehensive range of:

- Rim and mortice strikes
- Inward and outward opening options
- 12 volt AC and DC available



For details of our full range see pages 45-46.

## DORCAS ELECTRIC RELEASES

- Suitable for low to medium traffic applications, with operating voltage from 8-12V DC
- Fail locked and fail unlocked versions are available with rim releases suitable for rim Nightlatches
- The releases suit latches with 12mm maximum throw and are supplied in grey powder coated finish



### DORCAS RIM & MORTICE ELECTRIC RELEASES

ADCN203G	Rim, 12V AC Fail locked, Grey
ADCN203-412G	Rim, 12V DC Fail locked, Continuously Rated, Grey
ADCN203-512G	Rim, 12V DC Fail unlocked, Continuously Rated, Grey
ADCN203+S	Rim c/w Mortice plate 12V AC/DC Fail locked, Grey
ADCN203+S/FLEX	Rim c/w Mortice plate, 12V AC/DC Fail locked, With Adjustable jaw, Grey
ADCN203-412+S	Rim c/w Mortice plate 12V DC Fail locked, Continuously Rated, Grey
ADCN203-412+SFLX	Rim c/w Mortice plate 12V DC Fail locked, with Adjustable Jaw, Continuously Rated, Grey
ADCN203-512+S	Rim c/w Mortice plate 12V DC Fail unlocked, Grey
ADCN203-512+SFLX	Rim c/w Mortice plate, 12V DC, Fail unlocked, With Adjustable Jaw, Grey
ADCNG	Mortice, 12V AC Fail locked, Stainless Steel
ADCN412G	Mortice, 12V DC Fail locked, Continuously Rated, Stainless Steel
ADCN512G	Mortice, 12V DC Fail unlocked, Stainless Steel
ADCNG-FLEX	Mortice, 12V AC Fail locked, with adjustable jaw, Stainless Steel
ADCN412G-FLEX	Mortice, 12V DC Fail locked, Continuously Rated with adjustable jaw, Stainless Steel
ADCN512G-FLEX	Mortice, 12V DC Fail unlocked, Continuously Rated with adjustable jaw, Stainless Steel
ADCN305-412G	Mortice, 12V DC Fail locked, Continuously Rated with Latch monitoring, Stainless Steel
ADCN305-512G	Mortice, 12V DC Fail unlocked Continuously Rated with Latch monitoring, Stainless Steel
ADCN424G	Mortice, 24V DC Fail locked Continuously Rated, Stainless Steel
ADCN524G	Mortice, 24V DC Fail unlocked, Stainless Steel

## DORCAS ELECTRIC RELEASES

## DORCAS MORTICE ELECTRIC RELEASES

ADCN412GE-LH	Mortice Sash lock, 12V DC Fail locked, Continuously Rated, DIN Left Hand, Stainless Steel
ADCN412GE-RH	Mortice Sash lock, 12V DC Fail locked, Continuously Rated, DIN Right Hand, Stainless Steel
ADCF206G	Surface Case Inward Opening, Grey (to suit Mortice Releases)
ADCF201C	Surface Case Inward Opening, Chrome (to suit Mortice Releases)
ADCN9	Outward Opening Rim Case, Grey (to suit Mortice Releases)
ADCN47	Mortice ANSI 12V AC Fail locked, Stainless Steel (for Aluminium frames)
ADCN47-412	Mortice ANSI 12V DC Fail locked, Continuously Rated, St. Steel (for Aluminium frames)
ADCN47-512	Mortice ANSI 12V DC Fail unlocked, Continuously Rated St. Steel (for Aluminium frames)

## DORCAS HIGH SECURITY ELECTRIC RELEASES

- Dorcas ADCN50N is a high security release with 8000N holding force and is supplied fail locked only in 12V AC
- Dorcas AXK21L8 and AXK21R8 electric releases are designed for uPVC door sections and are supplied fail locked only in 12V DC



## DORCAS HIGH HOLDING FORCE (8000N) MORTICE ELECTRIC STRIKE

ADCN50N-PX	Mortice Release 12V AC Fail locked, Stainless Steel
ADCN50N400-PX	Mortice Release 12V DC Fail locked, Stainless Steel

## DORCAS SASHLOCK ELECTRIC RELEASES FOR UPVC DOORS

AXK21L8	Mortice Sashlock Electric Release 12V AC/DC, Fail Locked, DIN Left Hand, Stainless Steel
AXK21R8	Mortice Sashlock Electric Release 12V AC/DC, Fail Locked, DIN Right Hand, Stainless Steel

## TRIMEC ES9000

## Pre-Load Electric Strike

## The perfect electric strike solution for harsh, high traffic areas.

- Designed for the most demanding commercial environments, the ES9000 is perfect for both first fit and refurbishment projects.
- With its unique ability to operate with up to 25kg of pre-load pressure on the keeper, the ES9000 works on warped or dropping doors, or where unequal air pressure exists on either side.
- Strong, durable, and tested to over 2 million cycles, the ES9000 is the long lasting electric strike you can depend on.



## DOORSENSE

## The safe, legal and easy way to hold your fire doors open.



See page 37



CE Marked to EN 1155, EMC tested and fire rated for timber doors (FD120) - legally allows fire doors to be held open for easier access.



Sound tested over 50,000 times to ensure reliable, long-lasting performance.



Quick and easy to install with no secondary installation costs such as electrical wiring. Retro fits existing door hold open devices.

A separate door closer must be installed. It is recommended DoorSense is used in conjunction with a professionally installed fire alarm system.



## TRIMEC ELECTRIC LOCK &amp; SOLENOID BOLT

The FTBES8000 series, also known as the V-lock is a high torque motorised bolt that moves from the vertical position to the horizontal state when locked.

The bolt moves into the V shaped strike plate pulling the door aligned with the lock.

The high torque motorised bolt can be concealed from view or surface mounted and has the world's first fail-open motor locking mechanism which eliminates the need for and cost of an additional key override function.



## TRIMEC ELECTRIC LOCKING

FTBES8002	Trimec "V" Lock Mortice Motorised Bolt 12/24V DC, Fail Locked
FTBES8001	Trimec "V" Lock Mortice Motorised Bolt 12/24V DC, Fail Unlocked
FTBES8000	Trimec "V" Lock Surface mounting kit for glass door applications
FTBES6001	Trimec Surface Mount Heavy Duty Hook Lock Monitored 12/24V DC Fail Locked/Unlocked

## TRIMEC SOLENOID BOLTS

FTB25PTL	Slimline Mortice Solenoid Bolt 12/24V DC, Fail Unlocked, Dual Monitored
FTB25PLO	Slimline Mortice Solenoid Bolt 12/24V DC, Fail Locked, Dual Monitored
FTB25SMK	Stainless Steel Surface Housing Set for FTB25
FTB25KO/PTO	Slimline Mortice Solenoid Bolt 12/24V DC, Fail Locked c/w Euro key override (excl. Cylinder)

## TRIMEC ELECTRIC RELEASES

The ES110 is a cost efficient robust electric strike with a solid construction of one-piece cast aluminium body and stainless steel striker.

Having a deeper than normal strike-keeper area, ES110 is designed to work with an extensive range of locks and offers the same level of security and reliability usually provided by more expensive electric locking solutions.



## TRIMEC ELECTRIC LOCKING

All Trimec Electric Releases can be set for Fail Locked or Unlocked operation.

FTS111060M	Weather Resistant ANSI Mortice, 12/24V DC, Fail Unlocked, Short & Long SS Faceplate
FTS112060M	Weather Resistant ANSI Mortice, 12/24V DC Fail Locked, Short & Long SS Faceplate
FTS151010M	Weather Resistant Rim, 12/24V DC Fail Locked/Fail Unlocked for Inward opening door
FTS201	High Security Mortice, 12V DC, Fail Unlocked for Metal door
FTS202	High Security Mortice, 12V DC, Fail Locked for Metal door
FTS2001	High Security Mortice, Dual Monitored 12V DC Fail Unlocked for Metal door
FTS2002	High Security Mortice, Dual Monitored 12V DC Fail Locked for Metal door
FTS2100	High Security Mortice, Dual Monitored 12 / 24V DC Fail Unlocked for Metal door
FTS2401	High Security Mortice, Dual Monitored Long Faceplate 12V DC Fail Unlocked

## TRIMEC SOLENOID BOLTS

FTS110SLUKLH	Mortice Sashlock UK Faceplate, Left Hand for 110 series
FTS110SLUKRH	Mortice Sashlock UK Faceplate, Right Hand for 110 series
FTSEX1125	Mortice Extension Lip 25mm for 110 series
FTSEX1150	Mortice Extension Lip 50mm for 110 series
FTSS1113	Mortice Rebate Plate 13mm for 110 Series

## DEEDLOCK POWER SUPPLY UNITS

- Ideal for use with; access control, intruder alert and general security applications
- 12V DC switch mode units with either 1A, 2A, 3A or 5A
- Full electronic short circuit and overload protection on load output under mains protection
- Lid open and REAR anti-vandal tamper detection
- Green mains present LED
- Red fault LED



## DEEDLOCK POWER SUPPLY UNITS

ADP121A	12V DC 1 Amp Switch Mode Power Supply, (200 x 240 x 75mm)
ADP122A	12V DC 2 Amp Switch Mode Power Supply, (200 x 240 x 75mm)
ADP123A	12V DC 3 Amp Switch Mode Power Supply, (200 x 240 x 75mm)
ADP125A	12V DC 5 Amp Switch Mode Power Supply, (360 x 330 x 90mm)
ADP241A	24V DC 1 Amp Switch Mode Power Supply, (360 x 330 x 90mm)
ADP242A	24V DC 2 Amp Switch Mode Power Supply, (360 x 330 x 90mm)
ADP243A	24V DC 3 Amp Switch Mode Power Supply, (360 x 330 x 90mm)
ADP245A	24V DC 5 Amp Switch Mode Power Supply, (360 x 330 x 90mm)
ADP2410A	24V DC 10 Amp Switch Mode Power Supply, (360 x 330 x 90mm)

## DEEDLOCK TRANSFORMERS RECTIFIER BOXED

ADP241-TR	24V DC 1 Amp Boxed Transformer Rectifier (200 x 240 x 75mm)
ADP242-TR	24V DC 2 Amp Boxed Transformer Rectifier (200 x 240 x 75mm)
ADP244-TR	24V DC 4 Amp Boxed Transformer Rectifier (200 x 240 x 75mm)

## EXIT BUTTONS

## STAINLESS STEEL BUTTONS

- Contacts : Double pole NO - NC - COM
- Output : 4 AMP contact @ 30 V AC/DC
- Wear resistant legend
- Internal use



## EXIT BUTTONS - STAINLESS STEEL

AEB2	Flush Exit Button Normally Open / Closed Contact, "PRESS TO EXIT"
AEB2/SUR	Surface Exit Button Normally Open / Closed Contact "PRESS TO EXIT"
AEB2/25	Flush Exit Button Normal Open / Closed Contact, 25mm Button, "PRESS TO EXIT"
AEB5	Flush Illuminated Exit Button 12 / 24V DC
AEB6	Flush Heavy Duty Green Dome Exit Button, "PRESS TO EXIT"
AEB7	Flush Heavy Duty Green Exit Button, "PRESS TO EXIT"
AEB6/F	Deedlock Flush Heavy Duty Green Dome Exit Button, "PRESS TO EXIT"
AEB6/SUR	Surface Heavy Duty Green Dome Exit Button "PRESS TO EXIT"
AEBBOX	Surface Box Single Gang for AEB2, AEB5, AEB6 & AEB-KS range
AEBBOX-NR	Surface Housing Narrow Style Architrave
AEBBOX-GN	Green Surface Housing for AEB7
AEB2WR	Flush Wireless Exit Button c/w Receiver Unit (12V DC)
AEBHS	Wireless Handset for AEBWR Receiver

## PLASTIC BUTTONS

- Contacts : Changeover contacts
- Output: 10 Amp contact @ 240V AC/DC
- Printed pad legend
- Fixing screws provided
- Internal use only



## EXIT BUTTONS - PLASTIC

AEB1NR	White Plastic Exit Button c/w Surface Box, "PRESS TO EXIT"
AEB8	Narrow White Plastic Exit Button c/w Surface Box, "PRESS TO EXIT"

## SPECIAL NEEDS EXIT BUTTONS

- Contacts : Double Pole NO - NC - COM
- Output : 4 AMP contact @ 30V AC/DC
- Wear resistant legend
- Security screws (Allen key type)
- Voltage free contacts
- Can be surface or flush fitting
- All active 360 push plate
- Stainless steel push plate



## PUSH SWITCHES FOR SPECIAL NEEDS

AEB10	Narrow Button "PUSH TO OPEN" with Wheelchair Logo c/w Surface Box
AEB11	4" Round All-Active Switch with Wheelchair Logo c/w Surface Box
AEB12	4" Round All-Active Switch "PUSH TO OPEN" c/w Surface Box
AEB14	4" Round All active Switch "PUSH TO OPEN" with Wheelchair Logo c/w Surface Box
AEB15	Flush 4.5" Round Switch "PUSH TO OPEN" with Wheelchair Logo
AEB15BB-S	Stainless Steel Surface box for AEB15
AEB15BB-B	Black Plastic Surface Box for AEB15
AEB16	3.35" Round Switch, Green Surface Back Box "EXIT"

## WIRELESS SWITCH KITS (NOTE: KITS REQUIRE TRS101 RECEIVER)

TRFKIT-1	T4X4-1 Blank Switch with transmitter and back box
TRFKIT-2	T4X4-2 "PUSH TO OPEN" Switch with transmitter and back box
TRFKIT-3	T4X4-3 "PUSH TO OPEN" with Wheelchair Logo Switch with transmitter and back box
TRFKIT-4	T4X4-5 Wheelchair Logo Switch with transmitter and back box
TSURF4SB	Surface box with battery door
T5802-MOD	Radio Transmitter modified for use with switch and back box
TRS101	Single Channel Receiver - 30 Codes

## IP66 RATED EXIT BUTTONS

- Surface mounted exit buttons offer an effective solution for external egress and other switching applications which require a high level of protection
- The IP66 rated exit buttons give total protection against the ingress of dust and also protects against strong jets of water with limited ingress permitted
- Momentary contact with maximum current rating 2A



## IP66 RATED EXIT BUTTONS

AEB41	Yellow/Black Backbox with Momentary Green Dome "PRESS TO EXIT"
AEB42	Yellow/Black Backbox with Momentary Green Dome "GATE RELEASE"
AEB43	Yellow/Black Backbox with Momentary Green Dome "DOOR RELEASE"
AEB44	Grey/Black Backbox with Momentary Green Dome "PRESS TO EXIT"
AEB45	Grey/Black Backbox with Momentary Green Dome "GATE RELEASE"
AEB46	Grey/Black Backbox with Momentary Green Dome "DOOR RELEASE"
AEB47	Yellow/Black Backbox with Momentary Blue Dome "POOL ALARM"
AEB48	Yellow/Black Backbox with Momentary Blue Dome "DOOR BELL"
AEB49	Grey/Black Backbox with Momentary Blue Dome "POOL ALARM"
AEB50	Grey/Black Backbox with Momentary Blue Dome "DOOR BELL"
AEB51	Yellow/Black Backbox with Momentary Red Dome "PANIC ALARM"
AEB52	Grey/Black Backbox with Momentary Red Dome "PANIC ALARM"
AEB53	Yellow/Black Backbox with Red Push On / Twist Off Button "EMERGENCY STOP"
AEB54	Yellow/Black Backbox with Red Push On / Twist Off Button "PANIC ALARM"
AEB55	Grey/Black Backbox with Red Push On / Twist Off Button "EMERGENCY STOP"
AEB56	Grey/Black Backbox with Red Push On / Twist Off Button "PANIC ALARM"



## KAC Devices for Security Applications

Trusted The World Over for More Than 40 Years

KAC delivers a comprehensive range for security and evacuation. Devices are robust, reliable and designed for fast and simple installation.

To find out more, visit [www.kac.co.uk](http://www.kac.co.uk)

### New Triple Pole call Point

- Flexible solution for integrated security systems
- Ensures best practice failsafe unlocking of the exit
- Supplied with choice of function markings



**Call Points**

- Door security and evacuation
- Indoor and outdoor
- New triple pole model



**AV Devices**

- ENScape EN54-23 VADs
- Outstanding sound & light output
- Wall & ceiling mount



**Switches**

- Choice of Keyswitch, Rockerswitch and Push button models

## MANUAL CALL POINTS

The KAC call points are available with break glass or resettable

- KAC call points give easy plug and play installation
- The surface mounted KAC call points are available as single, double and triple pole

The Securefast call points are available with break glass or resettable

- The surface mounted call points are available as single, double or triple pole



### KAC ACCESS CONTROL EMERGENCY CALL POINTS

AKA-MCP3A-SG	KAC MCP Green Break Glass Call Point, Single Pole, Surface
AKA-MCP3A-WSG	KAC MCP White Break Glass Call Point, Single Pole, Surface
AKA-MCP4A-SG	KAC MCP Green Break Glass Call Point, Double Pole, Surface
AKA-MCP4A-WSG	KAC MCP White Break Glass Call Point, Double Pole, Surface
AKA-MCP3A-GF	KAC MCP Green Resettable Call Point, Single Pole, Surface
AKA-MCP4A-GF	KAC MCP Green Resettable Call Point, Double Pole Surface
AKA-MCP8A-GF	KAC MCP Green Resettable Call Point, Triple Pole, Surface
AKA-MCP8A-SG	KAC MCP Green Break Glass Call Point, Triple Pole, Surface
AKA-WCP3AG-SG	KAC WCP Green Weatherproof Break Glass Call Point Single Pole Surface IP67
AKA-WCP4A-SG	KAC WCP Green Weatherproof Break Glass Call Point, Double pole Surface IP67
AKA-KG1	KAC Replacement Glass Panel for KAC Call Points
AKA-KS30S-GS/12	KAC 3-position switch – key removable in all positions, single pole, Green c/w surface box
AKA-SC070	KAC Test/Maintenance Key for KAC Call Points (Pack of 10)
AKA-SC071	KAC Connection Block Pack for 20
AKA-PS200	KAC Transparent Hinged Cover for Call Point
AKA-PS210	KAC Resettable Flexible Element for Call Point

### SECUREFAST ACCESS CONTROL EMERGENCY CALL POINTS

ABGU1-SP	Green Resettable Call Point Single Pole "EMERGENCY DOOR RELEASE"
ABGU1-DP	Green Resettable Call Point Double Pole "EMERGENCY DOOR RELEASE"
ABGU3-TP	Green Resettable Call Point Triple Pole "EMERGENCY DOOR RELEASE"
F200/G/EDR	Green Break glass Call Point, Single Pole "EMERGENCY DOOR RELEASE"
ABGU/COVER	Transparent Hinge Cover for ABGU and F200/G/EDR
FMX0001	Test Keys for ABGU and F200 Call Point (Pack of 10)
ACP22	Green Resettable Call Point, Double Pole,
ACP22-COVER	Transparent Hinged Cover to suit ACP22
ACP22-KEY	Reset Key for ACP22 (Price each)
ACP320/G	Securefast Green Resettable Call Point Double Pole with Status Display



## KEY SWITCHES

Ideal for an authorized person to control a device such as an electric lock or access control system.

- Functional design is easy to operate
- Voltage free contacts
- NO/NC contacts > 1 million operations
- Etched legend
- Security screws
- Easy clean surface (ideal for hospitals/public areas)



## DEEDLOCK KEY SWITCHES

AEBKS	Deedlock Flush Stainless Steel Maintained 2 Position Key switch c/w 2 keys
AEBKS-01	Deedlock Narrow Flush Stainless Steel Maintained 3 Position Key switch c/w 2 keys
AEBKS-02	Deedlock Flush Stainless Steel Maintained 3 Position Key switch c/w 2 keys
AEBKS/SUR	Surface Stainless Steel Maintained two position Key Switch c/w two keys
AEBKS-KEYS	Keys to suit AEBKS Key Switches
FATE660-1	Deedlock Flush Stainless Steel Momentary Key switch c/w 2 keys
FATE663	Deedlock Flush Slim-line Stainless Steel Maintained Key switch
FATE668	Deedlock Flush Stainless Steel Euro Profile Momentary Key Switch (no cylinder) - Requires SEU6402 cylinder
FATE669	Deedlock Flush Stainless Steel Euro Profile Maintained Key Switch (no cylinder) - Requires SEU6402 cylinder
FATE700	Deedlock Surface 3 Position Momentary Key Switch c/w Euro Cylinder
FATE701	Deedlock Surface 3 Position Maintained Key Switch c/w Euro Cylinder
AKA-KS30S-GS/12	KAC Surface Mounted 3 Position Key Switch c/w 2 Keys
SEU6402	Euro Single cylinder 40mm, Nickel finish c/w 2 keys (for use with Euro Key switches)



# Access Control MCP Misuse?

Prolong the life and reliability of Call Points and Electrical Switches with STI's range of tough polycarbonate Protective Covers



## Other products from Safety Technology International

• ReSettable Call Points • Biometric Covers • Protective Cages • Metal Cabinets



Contact us for further information

[www.sti-emea.com](http://www.sti-emea.com)

✉ [info@sti-emea.com](mailto:info@sti-emea.com)

☎ 01527 520 999



Rely on  
**STI**



Safety Technology International

## POLYCARBONATE PROTECTIVE COVERS

These indoor and outdoor low profile or dome polycarbonate covers protect devices such as manual call points, emergence buttons and dual action pull stations etc., without restricting legitimate operation.

The versatile cover offers excellent protection against physical damage (both accidental and intentional), dust and grime as well as severe environments inside and out.



## POLYCARBONATE PROTECTIVE COVERS

ASTI-15010ML	EuroStopper Flush mounted, Fire & Security, Multi Language
ASTI-15020ML	EuroStopper Flush mounted, Fire & Security, Multi Language with Sounder
ASTI-15C10ML	EuroStopper Surface mounted, Fire & Security, Multi Language
ASTI-15C20ML	EuroStopper Surface mounted, Fire & Security, Multi Language with Sounder
ASTI-6930/G	Call Point Stopper Flush Mounted Green
ASTI-6931/G	Call Point Stopper Surface Mounted Green
ASTI-6400	Exit Stopper - Red

## ACCESSORIES

## ANTI THRUST PROTECTION PLATE

ALPAPP99-SS	Universal Stainless Steel Anti thrust plate (for protecting locks on outward opening door)
-------------	--

## EMERGENCY EXIT DOOR ALARM

AHOEX204	Exitguard Door Alarm c/w Keypad - Battery Powered
----------	---

## ACCESS CONTROL KEYPADS

## APX-16

- IP rating of IP65 for use in harsh conditions
- Offers a standard 4 - 6 digit PIN code with the option to include a proximity reader for up to 1200 users

## ABW-V42

- The ABW-V42 and ABW-V44DUO have a cast metal housing with stainless steel buttons with the code set by internal jumpers & pins



## DEEDLOCK ACCESS CONTROL KEYPADS &amp; PROXIMITY READERS

APX-16	Deedlock Compact Standalone Keypad, 1200 users, 12V AC/DC & 24V DC, IP65 Rated
APX-16/PROX	Deedlock Compact Standalone Keypad & Proximity Reader, 1200 users, 12V AC/DC & 24V DC IP65 Rated c/w 10x ISO Proximity Cards
APX-16CARD	Proximity Card for APX-16/PROX
APX-16CARD/10	Proximity Card for APX-16/PROX - Pack of 10

## VANDERBILT KEYPADS

ABW-V42	Compact Surface Keypad 2 Codes 12/24V AC/DC ( Pin & Peg Code Selection)
ABW-V44DUO	Compact Code-lock with four code combinations, advanced mode option. Int/external use
ABW-BB3	Flush Back Box to suit K42 Keypad

## ACCESS CONTROL ACCESSORIES

## ACCESS CONTROL ACCESSORIES

- The door loop allows the transfer of power from the frame to the door conveniently and safely
- Means of convenience and security
- Concealed or surface mounted
- Door loop is suitable for single and double doors
- Silver finish



## DOOR LOOPS

ALP101	Concealed Door Loop Chrome (For timber door & frame)
ALP103	Budget Surface Door Loop Silver Loop with White Plastic Brackets - 450mm
ALP135	Surface Armoured Door Loop, Silver
ALP135/L	Surface Armoured Door Loop - 500mm Long, Silver

## SENTRY RADIO TRANSMITTER &amp; RECEIVER

ASN-B/R1	Sentry One Channel Radio Frequency Receiver (Standard Binary, 433.92 MHz)
ASN-B/T1	Sentry One Channel Radio Frequency Transmitter (Standard Binary, 433.92 MHz)


## RELAYS

AHOS312T	Hoyles Timed Relay Unit 12V DC (1-30 sec) Double Pole (2 Amp @ 30V DC)
APB226	Deedlock Relay unit 12/24V AC/DC, Double pole (5 Amp @ 240V AC)
F1044591	Deedlock Universal timer module 1-sec to 1-hour 12v AC/DC Power input required
F159/12	Deedlock Relay unit, 12V AC/DC, Single pole COM, N/O, N/C
F159	Deedlock Boxed Relay 24V DC 7 Amp, N/O, N/C
AVX506N	Videx Boxed Relay 12v AC/DC 5 Amp Double Pole
APB227	Deedlock Fire Alarm Relay 24V DC Unboxed
F1044592	Deedlock Universal timer module 0-62 seconds 12v AC/DC 24V DC Power Input required
AEPC057	Dual Solid State Relay 2 x 3A independent isolated switch



Optimus is an entry-level range of GSM intercoms designed to work with automated doors, gates and barriers. Utilising the GSM network, we are able to greatly reduce cabling between the entrance and the property, as calls are received on standard telephone or mobile phones. The products are available with 1-4 call buttons and with a backlit coded entry keypad. Optional SIM card included as standard.

- 3 Telephone Numbers Per Call Button
- 3 Default PIN Codes
- 300 Authorised Incoming Numbers



**NEW**

## OPTIMUS DOOR ENTRY KITS

<b>NEW</b>	ADE1	1 Way Audio Door Entry Kit, Surface Mounted Panel
<b>NEW</b>	ADE1K	1 Way Audio Door Entry Kit with Keypad, Surface Mounted Panel

For further information please go to page 62.

## OPTIMUS DOOR ENTRY KITS

Optimus is a range of GSM intercoms designed to function with gates, barriers and door entrances. Utilising the GSM network allows greatly reduced cabling between the entrance and the property.

Calls are received on standard or mobile phones.

- Three phone numbers per call button
- 12V, 1A DC PSU
- 2 AUX inputs
- 3 relays in total - one 2A relay for lock release & two 200mA relays for gate or barrier control
- 3 default PIN codes
- British Made



**NEW**

## OPTIMUS DOOR ENTRY KITS

<b>NEW</b>	ADE1	1 Way Audio Door Entry Kit, Surface Mounted Panel
<b>NEW</b>	ADE1K	1 Way Audio Door Entry Kit with Keypad, Surface Mounted Panel

## ACET BY TONNA - PULSAR AUDIO DOOR ENTRY

Pulsar 1 and 2 Way Audio Door Entry Kit is a five wire system with aluminium fascia design which prevents water ingress into the speaker

- Attractive stylish Ellisse handset provides a modern look with a slim line surface mount.
- High Visibility large blue backlit call button
- British designed and manufactured in France
- Address windows
- 5 wire connection
- Up to three handsets per button



## PULSAR AUDIO DOOR ENTRY KITS - 5 WIRE (NEW STYLE PANEL)

F65021N	1 Way Audio Door Entry Kit 5 Wire (Large backlit Button)
F65022N	2 Way Audio Door Entry Kit 5 Wire (Large backlit Buttons)
F22510B	Ellisse 5 Wire Telephone Handset for New Pulsar kits F65021N and F65022N

## ACET BY TONNA - EASY KIT 2 &amp; 5 WIRE AUDIO DOOR ENTRY

Easy Kit offers a 2 and 5 wire option with deluxe door panels.

- Anodised aluminium fascia prevents water ingress and may be surface or flush mounted
- From 1 to 10 call button kits are available with attractive stylish Ellisse handset provides a modern look
- Robust aluminium construction with speaker amplifier
- Suitable for 6 core alarm cable
- All kits include transformer, panel and relevant number of handsets



## EASY KIT 2 WIRE AUDIO DOOR ENTRY KITS

F66261B	1 Way Audio Door Entry Kit - Flush Mounted Panel
F66262B	2 Way Audio Door Entry Kit - Flush Mounted Panel
F66263B	3 Way Audio Door Entry Kit - Flush Mounted Panel
F66264B	4 Way Audio Door Entry Kit - Flush Mounted Panel
F66265B	5 Way Audio Door Entry Kit - Flush Mounted Panel
F66261/SB	1 Way Audio Door Entry Kit - Surface Mounted Panel
F66262/SB	2 Way Audio Door Entry Kit - Surface Mounted Panel
F66263/SB	3 Way Audio Door Entry Kit - Surface Mounted Panel
F66264/SB	4 Way Audio Door Entry Kit - Surface Mounted Panel
F66265/SB	5 Way Audio Door Entry Kit - Surface Mounted Panel

## EASY KIT 5 WIRE AUDIO DOOR ENTRY KITS

F66561B	1 Way Audio Door Entry Kit - Flush Mounted Panel
F66562B	2 Way Audio Door Entry Kit - Flush Mounted Panel
F66563B	3 Way Audio Door Entry Kit - Flush Mounted Panel
F66564B	4 Way Audio Door Entry Kit - Flush Mounted Panel
F66565B	5 Way Audio Door Entry Kit - Flush Mounted Panel
F66561/SB	1 Way Audio Door Entry Kit - Surface Mounted Panel
F66562/SB	2 Way Audio Door Entry Kit - Surface Mounted Panel
F66563/SB	3 Way Audio Door Entry Kit - Surface Mounted Panel
F66564/SB	4 Way Audio Door Entry Kit - Surface Mounted Panel
F66565/SB	5 Way Audio Door Entry Kit - Surface Mounted Panel

**All Easy Kit 2 and 5 wire kits are available up to 10 way off the shelf. Please contact the sales office for prices**



## ACET BY TONNA - 2 &amp; 5 WIRE AUDIO DOOR ENTRY

Robust Anodised Aluminium kits in a modular form c/w 4mm thick front plate door entry panel.

- Recessed Buttons
- Address windows
- Available up to 56 way and with Trade facility or Multiple Entrance options
- Suitable for 6 core alarm cable

**Product Link - Please see Pages 25 - 36 for Electric Releases**



## SERIES 2 AUDIO DOOR ENTRY KITS - 2 WIRE FLUSH MOUNTED PANEL

F6201	1 way 1 row, Audio Door Entry Panel + PSU, 1 x F22220B Handset
F6202	2 way 1 row, Audio Door Entry Panel + PSU, 2 x F22220B Handsets
F6203	3 way 1 row, Audio Door Entry Panel + PSU, 3 x F22220B Handsets
F6204	4 way 1 row, Audio Door Entry Panel + PSU, 4 x F22220B Handsets
F6205	5 way 1 row, Audio Door Entry Panel + PSU, 5 x F22220B Handsets

## SERIES 5 AUDIO DOOR ENTRY KITS - 5 WIRE FLUSH MOUNTED PANEL

F6101	1 way 1 row, Audio Door Entry Panel + PSU, 1 x F22510B Handset
F6102	2 way 1 row, Audio Door Entry Panel + PSU, 2 x F22510B Handsets
F6103	3 way 1 row, Audio Door Entry Panel + PSU, 3 x F22510B Handsets
F6104	4 way 1 row, Audio Door Entry Panel + PSU, 4 x F22510B Handsets
F6105	5 way 1 row, Audio Door Entry Panel + PSU, 5 x F22510B Handsets

**All Easy Kit 2 and 5 wire kits are available up to 10 way off the shelf. Please contact the sales office for prices**

## ACCESSORIES FOR SERIES 2 OR 5 FLUSH PANELS - SURFACE SURROUND (ANODISED ALUMINIUM)

F1P1	Surface Surround 1 row for 1 or 2 way Windsor audio door entry panel
F1P2	Surface Surround 1 row for 3 or 4 way Windsor audio door entry panel
F1P3	Surface Surround 1 row for 5 or 6 way Windsor audio door entry panel

## ACET BY TONNA - ANTI-VANDAL 2-WIRE S/S AUDIO DOOR ENTRY KITS

Flush Stainless Steel Anti vandal Audio door entry panels.

- For use with 2 or 5 wire systems.
- Braille plus tactile engraving available upon request to comply with DDA legislation.
- Suitable for 6 core alarm cable
- Engraved to Customer requirements - 2 characters per button free of charge - Additional characters charged dependant on requirements
- Kit form includes handset



## SARACEN ANTI-VANDAL STAINLESS STEEL FLUSH AUDIO DOOR ENTRY KITS

<b>NEW</b>	F2AVS1FK	1 way flush mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS2FK	2 way flush mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS3FK	3 way flush mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS4FK	4 way flush mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS5FK	5 way flush mounted stainless steel audio door entry system

## SARACEN ANTI-VANDAL STAINLESS STEEL SURFACE MOUNTED AUDIO DOOR ENTRY KITS

<b>NEW</b>	F2AVS1SK	1 way surface mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS2SK	2 way surface mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS3SK	3 way surface mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS4SK	4 way surface mounted stainless steel audio door entry system
<b>NEW</b>	F2AVS5SK	5 way surface mounted stainless steel audio door entry system
<b>NEW</b>	FPROXCUT	Additional charge to add Proximity reader cut-out to panel ( Proximity reader not included)

**Please contact our Technical Support - tel no. 01704 502815 for a full system quotation. Larger size panels and Video entry versions are available to order**

## ACET BY TONNA - VIDEO DOOR ENTRY

A flexible range of superb quality hands-free colour video door entry products specifically for installation in multi occupancy dwellings

- Simplicity of installation is the key to the ACET systems
- Outdoor stations and monitors powered by a single power supply
- Cabling schematics available on request



## TONNA ACET COLOUR AUDIO VIDEO ENTRY SYSTEMS

<b>NEW</b>	FAV-1	1 Way Audio/Video, Flush Panel, PSU & 1 Monitor/Handset
<b>NEW</b>	FAV-2	2 Way Audio/Video, Flush Panel, PSU & 2 Monitor/Handsets
<b>NEW</b>	FAV-3	3 Way Audio/Video, Flush Panel, PSU & 3 Monitor/ Handsets
<b>NEW</b>	FAV-4	4 Way Audio/Video, Flush Panel, PSU & 4 Monitor/ Handsets

**Above Video entry kits are available up to 30 way. Mono-chrome adjustment is available for night viewing**

## TONNA ACET COLOUR AUDIO VIDEO MONITOR/HANDSETS &amp; ACCESSORIES

F22701COL	Ellisse Colour/Monochrome Video Monitor 7 Handset wall mounted
F682536	Hands free Colour Monitor, wall mounted
F22742	Acet Colour Video Camera Module
F22803	Video Monitor Power Supply Unit (for up to 4 Monitor/ Handsets)
F21847	Video Monitor Power Supply unit (for parallel Monitor / Handset connections)
F10169	4 Way Video Distribution unit
F10030	Video Multi Entrance switch over device (requires F21809 PSU)
F159/VIDEO	Voltage Free Video Relay (for interface with Fail Safe Locks or Gate automation)

## ACET BY TONNA - 2 WIRE TELEPHONE HANDSETS &amp; ACCESSORIES

- Attractive stylish Ellisse handsets provide a modern look with a slim line surface mount
- Accessories to suit 2 wire and 5 wire options



## TONNA ACET 2 WIRE TELEPHONE HANDSETS &amp; ACCESSORIES

F22220B	Ellisse 2 wire Telephone Handset, Dual Tone call, for ACET 2 wire system
F22205B	Ellisse 2 Wire Telephone Handset, Dual Tone call, c/w privacy switch & reassurance lamp
F22200TB	Ellisse 2 Wire Desk Top Telephone Handset, Dual Tone call
F21227	2 Wire Speaker Amplifier, Dual Tone call, c/w volume control
F21038	2 Wire Multiple Entrance Speaker Amplifier, c/w volume control
FC21	Secrecy of conversation device (for 2 Wire Systems), one per way required

## TONNA ACET 5 WIRE TELEPHONE HANDSETS &amp; ACCESSORIES

F21323	5 Wire Speaker Amplifier, c/w volume control
F22500/B	Ellisse 5 Wire Buzzer Handset
F22510B	Ellisse 5 Wire Telephone Handset, Dual Tone call (only to be used with F21323 Speaker)
F22505B	Ellisse 5 Wire Telephone Handset, Dual Tone call, c/w privacy switch & reassurance lamp

## TONNA ACET COMMON ACCESSORIES TO BOTH 2 &amp; 5 WIRE SYSTEMS

F1044591	Universal timer module 1-sec to 1-hour 12V AC/DC Power input required
FTC/4	Digital 24/7 Time Clock with BST/GMT Adjustment
FTE/MOD	Tradesman's modification (Note: Not available for Pulsar or Easy Kits)
F159/12	12V AC/DC Relay unit, Single pole COM, N/O, N/C, for Acet Door Entry Systems
F21809	Power supply unit 12V AC 1.5 Amp Output, 4 Din Module
F21811	Power supply unit 12V AC and battery charger, 8 Din Module
FB5/3.2	Rechargeable Battery 12V DC 3.2 Amp hour (For use with F21811 PSU)

## DOOR BELL REPLACEMENT AUDIO ENTRY KIT (2 WIRE)

**An easy conversion kit from doorbell to audio door entry. Please note no further phones can be added to this unit.**

F55000/S	1 Way 2 Wire Door Bell Replacement Kit, Surface Mounted Panel
----------	---

## BRITON ELECTRO-MAGNETIC HOLD-OPEN DOOR CLOSER

The Briton Electro Magnetic Hold Open Door Closer is supplied with a silver cover and black arms.

- Certifire Approved CF109
- Dual function can be set to either Hold Open or Swing Free operation
- Parallel applications ordered separately
- Capable of meeting BS8300 requirements
- Supplied with matching or black arms
- 24V DC size 3 unit



## BRITON ELECTRO-MAGNETIC HOLD-OPEN DOOR CLOSER

ANT996	Briton Electro Magnetic Hold Open Door Closer, inward opening, 24V DC size 3, Figure 1, Silver c/w Black arm
ANT996/66	Briton Electro Magnetic Hold Open Door Closer, outward opening, 24V DC size 3, Figure 66, Silver c/w Black arm

## AGRIPPA SOUND ACTIVATED FIRE DOOR CLOSER

The Agrippa sound activated fire door closer is a safe and legal solution that allows a fire door to be held open in any position. The door closer is a swing-free device making the door resistance free, light and easy to move.

The Agrippa door closer 'listens and learns' the sound of your specific fire alarm, only releasing the door in the event of a fire.



## AGRIPPA SOUND ACTIVATED DOOR CLOSER

AEM0070-SE	Sound Activated Fire Door Closer c/w free swing arm, size 4 wire free, battery operated, Silver
------------	---

## DORMA LOW ENERGY AUTOMATIC SWING DOOR OPERATORS

## DORMA OPERATORS LOW ENERGY SWING DOOR

<b>NEW</b>	ADM-29222301	Dorma ED 100 LE operator - Silver
<b>NEW</b>	ADM-29241001	Dorma ED 100 LE/ED 250 LE basic cover
<b>NEW</b>	ADM-29271001	Dorma ED 100/250 LE standard arm reveal 0 - 255mm
<b>NEW</b>	ADM-29275001	Dorma ED 100 LE / ED 250 LE slide channel set reveal +/- 30mm

## ACCESSORY KITS

<b>NEW</b>	ADM-KIT1	Accessory kit inc 2 x AEB15 c/w Black Surface Box and Finger Guard
<b>NEW</b>	ADM-KIT2	Accessory kit inc 1 x APX-16 Keypad, 1 x AEB15 c/w Black Surface Box and Finger Guard
<b>NEW</b>	ADM-KIT3	Accessory kit inc 2 x Wireless TRFKIT-2 Engraved Push to open c/w Black Surface Box, Receiver and Finger Guard

**NOTE: All kits are available with either a Push or Pull application door operator**

## PROMINENT EFFICIENCY DISCREET TECHNOLOGY



Call the GEZE UK helpline on:  
01543 443010  
info.uk@geze.com  
www.geze.co.uk

### The Boxer. Closes doors perfectly, but it's hard to see how.

The Boxer overhead door closer is integrated into the door leaf or frame so it is completely hidden from view - ideal for where an anti-ligature product is required. Available in single or double action versions, it has a variety of hold open options and a cam action means easy operation, too.

Naturally, as a GEZE door closer, the Boxer conforms to all relevant building standards, has CE approval and a valid Declaration of Performance and Certifire fire certification.

Combining durability, aesthetics and compliance it's easy to see how the Boxer is perfect for any environment.

## GEZE DOOR CONTROLS

GEZE offers door closer systems for any type of door with a range of individual setting options. From the smallest overhead door closer to the multi-faceted variations for use with fire and smoke protection doors.

The door closer ranges with link arm or guide rails offer a range of combination options to meet every requirement.

### Please Note:

All Door Closers available in a variety of finishes



### TS1000 CONTRACT CLOSER FOR STANDARD & TRANSOM MOUNTING - COMPACT DESIGN

AG1000CSE	TS1000C Door Closer EN size 2/3 complete with PA bracket, Silver
-----------	--

### TS1500 BSEN1154 CLOSER FOR STANDARD & TRANSOM MOUNTING - COMPACT DESIGN

AG1500SE	TS1500 Door Closer EN size 3/4 complete with slide cover, Silver
----------	--

### TS2000 BSEN1154 VARIABLE POWER CLOSER FOR STANDARD & TRANSOM MOUNTING

AG2000SE	TS2000V Door Closer EN size 3/4/5 complete with slide cover, Silver
AG2000BCSE	TS2000BC Door Closer EN size 3/4/5 C/w back check and slide cover, Silver

### TS2000NV BSEN1154 VARIABLE POWER CLOSER FOR STANDARD & TRANSOM MOUNTING

AG2000NVSE	TS2000NV Door Closer EN Adjustable 2-4 complete with slide cover, Silver
AG2000NVBCSE	TS2000NV Door Closer EN Adjustable 2-4 complete with slide cover & back check, Silver

### TS4000 BSEN1154 ARCHITECTURAL DOOR CLOSER

AG4000SE	TS4000 Door Closer EN size 1-6 c/w back check and slide cover, Silver
AGTS4000EFS/ARM	Electro-hydraulic hold open closer body Silver, 24V DC Standard fix c/w connector box, complete with free swing arm.



## GEZE DOOR CONTROLS

GEZE offers door closer systems for any type of door with a range of individual setting options. From the smallest overhead door closer to the multi-faceted variations for use with fire and smoke protection doors.

The door closer ranges with link arm or guide rails offer a range of combination options to meet every requirement.

**Please Note:**

All Door Closers available in a variety of finishes



## TS4000 ELECTRO HOLD-OPEN DOOR CLOSER


AGTS4000E	Electro-hydraulic hold open closer body Silver, 24V DC Standard fix c/w connector box, no arm
AGTS4000E/T	Electro-hydraulic hold open closer body Silver, 24V DC Transom fix, no arm.
AGTS4000E/ARM	Standard Arm Assembly (E) for TS4000, Silver
AGTS4000EFSARM	Free Swing Arm Assembly (EFS) for TS4000E, Silver
AGTS4000E/STDARM	Electro-hydraulic hold open closer body Silver, 24V DC Standard fix c/w connector box, complete with standard arm.
AGTS4000EFS/ARM	Electro-hydraulic hold open closer body Silver, 24V DC Standard fix c/w connector box, complete with free swing arm.

## GEZE BOXER CONCEALED CAM ACTION DOOR CLOSER SETS (FOR NON FIRE DOORS)

AG123470	EN 2-4 concealed door closer c/w single action guide rail and arm, Silver
AG123594	EN 3-6 concealed door closer c/w single action guide rail and arm, Silver
AG123698	EN 2-4 concealed door closer c/w double action guide rail and arm, Silver

**Note: Set for fire doors and 24V hold-open versions available on request - contact sales office for details**

## MULTIPOINT TECHNOLOGY



## 11 Requirements - 1 Solution

**TWINFLEX ASD**

Includes built-in End of Line & Base

The alternatives don't stack up!



## FIKE 2 WIRE CONVENTIONAL FIRE SYSTEMS

The Fike Twinflex Pro 2, 4 or 8 zone fire alarm panel is a 2-wire or bi-wire panel using conventional cabling format (radial per zone where all devices can be installed on the same cable so no need for separate sounder circuits).

Capable of running up to 32 devices per zone, devices communicating with the panel do so via the Twinflex data protocol

The attractive panel, with LCD display and keypad for quick configuration, has an integral battery powered power supply unit that can provide up to 72 hours standby time in the event of mains power failure. It also has an event log which can hold up to 500 events, a day/night mode and alarm confirmation mode.



## FIKE TWINFLEXPRO TWO WIRE FIRE DETECTION EQUIPMENT

FDWP2-PRO	505-0002 - PRO 2 Zone Panel and Power Supply (Requires F140 Battery Pack)
FDWP4-PRO	505-0004 - PRO 4 Zone Panel and Power Supply (Requires F140 Battery Pack)
FDWP8-PRO	505-0008 - PRO 8 Zone Panel and Power Supply (Requires F140 Battery Pack)
FDWPRO-REP	505-0010 - TwinflexPro Repeater Panel - Only available for use with 4 & 8 Zone TwinflexPro Panels using version 2.0 software

## FIKE TWINFLEX KITS

## FIKE TWINFLEX KITS

FDWK604-0002	604-0002 - TwinflexPro Starter Kit, Comprising 2 Zone Panel, 6 x ASD w/s, 1 ASD w/s/strobe, 2 x FDW100 MCPs, 1 x FDW500 (Requires F140 Battery Pack)
FDWK604-0004	604-0004 - TwinflexPro Starter Kit, Comprising 4 Zone Panel, 6 x ASD w/, 1 ASD w/s/strobe, 2 x FDW100 MCPs, 1 x FDW500 (Requires F140 Battery Pack)

## FIKE TWINFLEX ACCESSORIES

This control panel is only compatible with Twinflex devices and requires one 2-core screened cable for each zone.

The system recognising the difference between manual call points and smoke detectors, the Twinflex Pro system control panel also monitors each fire zone for detector head removal, faults with devices, open or short circuits and end-of-line faults.



## FIKE TWINFLEX ACCESSORIES

FDW100	402-0006 - Twinflex Manual Call Point - Re-settable
FDW100-IP65	402-0007 - Twinflex Weatherproof call Point Surface IP65
FDW100/KEYS	45-0022 - Keys for FDW100 Pack of 5
FDW100/COVER	25-0083-303 - Twinflex Transparent Call Point Cover
FDW204-0003	204-0003 - Twinflex ASD Smoke and Heat Sensor c/w Base
FDW204-0001	204-0001 - Twinflex ASD Smoke and Heat Sensor c/w Base and Sounder
FDW204-0012	204-0012 - Twinflex ASD Smoke Heat Sounder Strobe Sensor c/w Base
FDW302	302-0012 - Twinflex Flash Point Strobe Sounder - Low Profile
FDW302W	302-0023 - Twinflex Weatherproof Flash Point Strobe Red (IP55 Rated)
FDW302-0004	302-0004 - Twinflex Weatherproof Hi Point Sounder Red (IP54 Rated)
FDW400	302-0001 - Twinflex Sounder - Red c/w Base
FDW802-0006	802-0006 - Twinflex Input / Output Module
AFI25-0046201	25-0046201 - ASD Head Removing Tool

## FIKE DUONET &amp; QUADNET ADDRESSABLE SYSTEM

The Duonet & Quadnet intelligent fire alarm systems offer both cost-effective and reliable solutions for a wide variety of fire detection applications. The innovative technology built into the Duonet and Quadnet panels is designed to significantly reduce false alarms. The systems can support up to 200 Multipoint ASD combined detector/sounders on a single loop.

Powerful software gives the capacity of up to 4 loops for the Quadnet and 2 loops for the Duonet panel, making addressable Multipoint ASD detector technology available to customers with systems up to 800 devices.



## FIKE DUONET &amp; QUADNET ADDRESSABLE SYSTEM

AFI510-0001	Duonet 1 - 2 Loop Control Panel - NOTE for 2 loops an additional loop card will be required (Requires F141 Battery Pack)
AFI510-0002	Duonet Repeater Panel - (Requires F141 Battery Pack)
AFI507-0001	1 - 4 loop Quadnet Control Panel and PSU - NOTE For up to 4 loops additional loop cards will be required (Requires F141 Battery Pack)
AFI507-0002	Quadnet Repeater Panel (Requires F141 Battery Pack)
AFI507-0030	Quadnet & Duonet loop card, for expanding the number of loops on a panel and for replacement purposes

## Securefast Academy

Securefast offer free training sessions aimed at sales and specification personnel. Courses are available at any of our locations.

Each course offers the following basics:

- Introduction to Access Control
- Introduction to Hotel Locking
- Introduction to Networked Access Control

More advanced courses including installation/ commissioning and CPD courses on EN 13637, Electric Panic Systems and Access Control Security are available on request.

For details please contact the Sales Office

## FIKE DUONET &amp; QUADNET ACCESSORIES

The Multipoint ASD detectors have set new standards in detector technology.

The TWINFLEX Multipoint ASD head is a 2-wire device used with the TWINFLEX and TWINFLEX Pro systems, whereas the Addressable ASD detector is used on the Duonet and Quadnet systems. Using microprocessor control these devices offer the installer a full range of detection capabilities with audible and visual warning in one compact device for full DDA compliance.

The detectors can be matched to the environment in which they are installed and changed any time during the lifetime of the installation.



## FIKE DUONET &amp; QUADNET DETECTORS FOR ADDRESSABLE SYSTEM

AFI205-0003	Multipoint ASD Smoke & Heat Detector (Requires AFI905-0001 Base)
AFI205-0001	Multipoint ASD Smoke & Heat Detector with Sounder (Requires AFI905-0001 Base)
AFI205-0012	Multipoint ASD Detector with Sounder/Strobe (Requires AFI905-0001 Base)
AFI905-0001	Multipoint ASD Detector Mounting Base: Pack of 5

The Twinflex 2-wire and the Duonet/Quadnet intelligent addressable systems are supported by a wide range of ancillary devices, many of which have been designed to comply with EN54-3.

Auxiliary digital inputs and outputs are available at any Multipoint ASD detector.



## FIKE DUONET &amp; QUADNET DETECTORS FOR ADDRESSABLE SYSTEM

AFI403-0006	Manual Call Point - Resettable
AFI403-0007	Manual Call Point Weatherproof IP65 - Resettable
AFI313-0001	Sound Point - Red - 90dB output
AFI323-0001	Hi Point Sounder - 87dB output
AFI326-0023R	Sounder : Deep Base - 88dB output
AFI25-0046201	Multipoint ASD Head Removal Tool
AFI900-0003	Multipoint ASD Detector Deep Back Box

**Due to the complexity and inherent importance of a life risk system, training on this system is essential and commissioning should only be carried out by competent persons**

## ZETA CONVENTIONAL 2-WIRE FIRE PANELS

The Infinity 8 control panel is housed in the most attractive, modern designed, flame retardant ABS enclosure, utilising a switch mode power supply.

- Access via password – removes problem of lost keys
- Disablement facility for zones & sounders
- Space for up to 3.2Ah batteries
- Sounder delay option
- 4 sounder circuits (IN4, IN6 & IN8)
- Sounder circuits 3 and/or 4 can be configured as Aux 24V DC supplies



## ZETA FIRE PANELS

FIN1	Infinity 1 Zone Panel (Required F140 Battery)
FIN2	Infinity 2 Zone Panel (Required F140 Battery)
FIN4	Infinity 4 Zone Panel (Required F140 Battery)
FIN6	Infinity 6 Zone Panel (Required F140 Battery)
FIN8	Infinity 8 Zone Panel (Required F140 Battery)

## ZETA CONVENTIONAL FIRE DETECTORS

Suitable for detecting optically dense smoke, involving materials such as soft furnishings, PVC, plastic, foam and all similar materials which produce small visible particles (0.5 to 10µm).

The Fyreye Rate of Rise heat detectors (MKII-HR) use a thermistor arrangement to sense a quick rise in temperature and also a final threshold temperature of 57°C. The Fyreye fixed heat detector (MKII-HF) has a single thermistor arrangement that gives an alarm at a temperature of 57°C.




## ZETA FIRE DETECTORS

FMKII-HF	Fyreye Fixed Heat Detector (Requires base)
FMKII-HR	Fyreye Rate of Rise Heat Detector (Requires base)
FMKII-OH	Fyreye Optical Heat Detector (Requires base)
FMKII-OP	Fyreye Optical Smoke Detector (Requires base)
FMKII-DB	Fyreye Diode Base

## CONVENTIONAL FIRE SYSTEM ACCESSORIES

The red MCP can be used with conventional fire systems requiring either a resettable or break glass options.

The manual call point from the KAC range is conventional only for use on conventional and non-addressable fire alarm systems. The call point is supplied with a plastic resettable element making it easy to reset after the call point has been activated. With the plastic element included, it makes it ideal for kitchen environments as glass won't be present for contamination into food.



## CONVENTIONAL CALL POINTS

(Please check with out sales office for compatibility, Tel No. +44 (0) 1704 502815)

FCP102	Call Point - Red - Break Glass with Resistors
FCP101	Call Point Test Keys Pack of 5 for FCP100 / FCP102
AKA-MCP1A-RF	KAC Call Point - Red - 470 OHMS Resettable

## CONVENTIONAL FIRE SYSTEM ACCESSORIES

A range of bells and sounders are available for conventional fire systems.

(Please check with our Technical Support for compatibility, Tel No. +44 (0) 1704 502815)



## BELLS &amp; SOUNDERS

(Please check with out sales office for compatibility, Tel No. +44 (0) 1704 502815)


F130	150mm Motorised 24V DC 25mA Bell Red
F180	Electronic Sounder 24 Tone 9-28V DC 16mA int/ext 100db Deep Base (IP65)
F180/240	Electronic Sounder 24 Tone 240V AC int/ext 100db Deep Base (IP65)
F180/S	Sounder and Strobe 18-30V DC 73mA int/ext 101db (IP64)
F186	Strobe Red 24V DC 90mA int/ext (IP65)
F185	Vimpex 24V DC 4 Tone 17mA 103db
F188	Vimpex Electronic Sounder 24V DC 113db 30mA
F195	KAC Sounder 3 Tone 24V DC



## FIRE DETECTION SYSTEMS

## FIRE ALARM ISOLATOR SWITCH

- 230V AC main isolator switch as recommended in BS 5839-1:2002 + A2:2008
- Both live and neutral supply is switched
- Isolation by way of a keyswitch



## FIRE ALARM ISOLATOR SWITCH

F400-210R	Red Secure Mains Volt Isolator c/w Key-switch
F400-220RB	Fire Alarm Isolation Switch - Double Pole

## DDA ASSISTANCE EQUIPMENT

- Fully compliant with BS 8300
- Simple 3 wire operation
- Expandable to 4 zones
- On-board buzzer to control panel and remove indicator



## SECUREFAST TOILET ALARM SYSTEM

FPTA-KIT1	Disabled Persons Toilet Alarm - 1 Zone
FPTA-CP	Disabled Persons Toilet Alarm Control Panel
FPTA-PC	Disabled Persons Toilet Alarm Pull Cord
FPTA-RI	Disabled Persons Toilet Alarm Remote Indicator
FPTA-RR	Disabled Persons Toilet Alarm Remote Reset
FPTA-S	Disabled Persons Toilet Alarm Sticker

# Securefast

Securing Britain's homes and commercial properties for over 100 years

## Mechanical Locking



European mortice locks • Accessible locks • UK style mortice locks  
• Scandinavian mortice locks • Cylinders • Digital locks



## HIGH SECURITY CYLINDERS TO TS007:2014 + A1:2015

- Range tested to TS007:2014+A1:2015 Security Standard
- 1-Star cylinder available as Single, Double Keyed and Key & Turn
- 2-Star Security Escutcheon available for cylinder range
- 3-Star Security Cylinder and Escutcheon package available for range of lengths
- Polished Nickel Plated and Satin Chrome finish
- Cylinder and Escutcheon also tested to bronze level Sold Secure (MLA standard)



## 1-STAR SECURITY DOUBLE KEYED CYLINDER

SSC3030-NI	60mm Double Keyed 1-star Cylinder - 3 keys - (Polished Nickel)
SSC3535-NI	70mm Double Keyed 1-star Cylinder - 3 keys - (Polished Nickel)
SSC4040-NI	80mm Double Keyed 1-star Cylinder - 3 keys - (Polished Nickel)
SSC4045-NI	85mm Double Keyed 1-star Cylinder - 3 keys - (Polished Nickel)
SSC3030-SC	60mm Double Keyed 1-star Cylinder - 3 keys - (Satin Chrome)
SSC3535-SC	70mm Double Keyed 1-star Cylinder - 3 keys - (Satin Chrome)
SSC4040-SC	80mm Double Keyed 1-star Cylinder - 3 keys - (Satin Chrome)
SSC4045-SC	85mm Double Keyed 1-star Cylinder - 3 keys - (Satin Chrome)

## 1-STAR SECURITY KEY &amp; TURN CYLINDER

SSC3030T-NI	60mm Key & Thumbturn 1-star Cylinder - 3 keys - (Polished Nickel)
SSC3535T-NI	70mm Key & Thumbturn 1-star Cylinder - 3 keys - (Polished Nickel)
SSC4040T-NI	80mm Key & Thumbturn 1-star Cylinder - 3 keys - (Polished Nickel)
SSC4045T-NI	85mm Key & Thumbturn 1-star Cylinder - 3 keys - (Polished Nickel)
SSC3030T-SC	60mm Key & Thumbturn 1-star Cylinder - 3 keys - (Satin Chrome)
SSC3535T-SC	70mm Key & Thumbturn 1-star Cylinder - 3 keys - (Satin Chrome)
SSC4040T-SC	80mm Key & Thumbturn 1-star Cylinder - 3 keys - (Satin Chrome)
SSC4045T-SC	85mm Key & Thumbturn 1-star Cylinder - 3 keys - (Satin Chrome)

## 1-STAR SECURITY SINGLE CYLINDER

SSC45-NI	(35/10) 45mm Single Keyed Cylinder - 3 keys - (Polished Nickel)
SSC45-SC	(35/10) 45mm Single Keyed Cylinder - 3 keys - (Satin Chrome)

## HIGH SECURITY CYLINDERS TO TS007:2014 + A1:2015

- Range tested to TS007:2014+A1:2015 Security Standard
- 1-Star cylinder available as Single, Double Keyed and Key & Turn
- 2-Star Security Escutcheon available for cylinder range
- 3-Star Security Cylinder and Escutcheon package available for range of lengths
- Polished Nickel Plated and Satin Chrome finish
- Cylinder and Escutcheon also tested to bronze level Sold Secure (MLA standard)



## 2-STAR SECURITY ESCUTCHEON

SSEDKC-NI	Security Escutcheon for K/K and K/T Cylinder (Polished Nickel)
SSESK-NI	Security Escutcheon for Single Cylinder (Polished Nickel)
SSEDKC-SC	Security Escutcheon for K/K and K/T Cylinder (Satin Chrome)
SSESK-SC	Security Escutcheon for Single Cylinder (Satin Chrome)

## 3 STAR SECURITY DOUBLE KEYED CYLINDER &amp; ESCUTCHEON

SSC3030-3NI	60mm 3-star Double keyed Cylinder & Escutcheon- (Polished Nickel)
SSC3535-3NI	70mm 3-star Double keyed Cylinder & Escutcheon- (Polished Nickel)
SSC4040-3NI	80mm 3-star Double keyed Cylinder & Escutcheon- (Polished Nickel)
SSC3030-3SC	60mm 3-star Double keyed Cylinder & Escutcheon- (Satin Chrome)
SSC3535-3SC	70mm 3-star Double keyed Cylinder & Escutcheon- (Satin Chrome)
SSC4040-3SC	80mm 3-star Double keyed Cylinder & Escutcheon- (Satin Chrome)

## 3 STAR SECURITY KEY &amp; TURN CYLINDER &amp; ESCUTCHEON

SSC3030T-3NI	60mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Polished Nickel)
SSC3535T-3NI	70mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Polished Nickel)
SSC4040T-3NI	80mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Polished Nickel)
SSC3030T-3SC	60mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Satin Chrome)
SSC3535T-3SC	70mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Satin Chrome)
SSC4040T-3SC	80mm 3-star Key & Thumbturn Cylinder & Escutcheon - (Satin Chrome)

## 3 STAR SECURITY SINGLE CYLINDER &amp; ESCUTCHEON

SSC45-3NI	Security Escutcheon & 45mm Single Cylinder - (Polished Nickel)
SSC45-3SC	Security Escutcheon & 45mm Single Cylinder - (Satin Chrome)

## SIX PIN EURO PROFILE CYLINDERS

- Six pin cylinder system
- Polished Nickel Plated and Polished Brass finish options
- 3 Keys supplied as standard
- Large range of equal and unequal cylinder lengths



## KEY &amp; TURN CYLINDER

SEU6701/T	35-35 Euro Profile Key & Turn - 3 Keys - Polished Brass
SEU6801/T	40-40 Euro Profile Key & Turn - 3 Keys - Polished Brass
SEU6831/T	40-45 Euro Profile Key & Turn - 3 Keys - Polished Brass
SEU6991/T	50-50 Euro Profile Key & Turn - 3 Keys - Polished Brass
SEU6602/T	30-30 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SEU6702/T	35-35 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SEU6702/TKA	35-35 Euro Profile Key & Turn - 3 Keys- Keyed alike - Polished Nickel
SEU6802/T	40-40 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SEU6822/T	40-50 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SEU6832/T	40-45 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SEU6952/T	45-50 Euro Profile Key & Turn - 3 Keys - Polished Nickel

## SINGLE CYLINDER

SEU6401	40mm Single Cylinder - 3 Keys Polished Brass
SEU6411	45mm Single Cylinder - 3 Keys Polished Brass
SEU6402	40mm Single Cylinder - 3 Keys Polished Nickel
SEU6402/KA	40mm Single Cylinder - 3 Keys - Keyed Alike - Polished Nickel
SEU6412	45mm Single Cylinder - 3 Keys Polished Nickel

## SIX PIN EURO PROFILE CYLINDERS

## DOUBLE KEYED CYLINDER

SEU6601	30-30 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6671	30-40 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6701	35-35 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6701/4	35-35 Euro Profile Double Keyed - 3 Keys Set of 4 Keyed Alike - Polished Brass
SEU6751	35-40 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6761	35-45 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6801	40-40 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6831	40-45 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6791	35-55 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6821	40-50 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6881	45-45 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6951	45-50 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6851	40-60 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6961	45-55 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6991	50-50 Euro Profile Double Keyed - 3 Keys Polished Brass
SEU6602	30-30 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6602/KA	30-30 Euro Profile Double Keyed - 3 Keys Keyed alike - Polished Nickel
SEU6652	30-35 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6672	30-40 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6702	35-35 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6702/KA	35-35 Euro Profile Double Keyed - 3 Keys Keyed alike - Polished Nickel
SEU6702/4	35-35 Euro Profile Double Keyed - 3 Keys Set of 4 Keyed Alike - Polished Nickel
SEU6752	35-40 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6762	35-45 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6792	35-55 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6802	40-40 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6832	40-45 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6822	40-50 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6842	40-55 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6882	45-45 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6952	45-50 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6852	40-60 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6962	45-55 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6992	50-50 Euro Profile Double Keyed - 3 Keys Polished Nickel
SEU6998	Key Blank

## HIGH GRADE SIX PIN STANDARD CYLINDERS

Patent Protected and achieving the highest levels of security and durability required by BS EN 1303:2015, the high grade cylinders are a high security, 6-pin cylinder system suitable for large scale projects.

Its patented design incorporates a Reef™ pin which must match the signature on the underside of the key profile. Without a match, the cylinder lock will fail to operate.



## SIX PIN EURO PROFILE DOUBLE CYLINDER

TSD3030/SC	30-30 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD3535/SC	35-35 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD3540/SC	35-40 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD3545/SC	35-45 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD3550/SC	35-50 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD3555/SC	35-55 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4040/SC	40-40 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4045/SC	40-45 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4050/SC	40-50 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4055/SC	40-55 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4545/SC	45-45 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD4555/SC	45-55 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSD5050/SC	50-50 Euro Profile Double Keyed - 3 Keyed - Satin Chrome
TSKA	Cylinder to pass - (additional price each)
Other finishes and sizes are available on request	

## SIX PIN EURO PROFILE KEY &amp; TURN CYLINDER

TSK3535T/SC	35-35 Euro Profile Key & Turn - 3 Keyed - Satin Chrome
TSK3540T/SC	35-40 Euro Profile Key & Turn - 3 Keyed - Satin Chrome
TSK4035T/SC	40-35 Euro Profile Key & Turn - 3 Keyed - Satin Chrome
TSK4040T/SC	40-40 Euro Profile Key & Turn - 3 Keyed - Satin Chrome
TSK4545T/SC	45-45 Euro Profile Key & Turn - 3 Keyed - Satin Chrome
TSKA	Cylinder to pass - (additional price each)
Other finishes and sizes are available on request	

## HIGH GRADE SIX PIN STANDARD CYLINDERS

## SIX PIN EURO PROFILE SINGLE CYLINDER

TSS45/SC	45mm Euro Profile Single Cylinder - 3 Keyed - Satin Chrome
TSS50/SC	50mm Euro Profile Single Cylinder - 3 Keyed - Satin Chrome
TSS55/SC	55mm Euro Profile Single Cylinder - 3 Keyed - Satin Chrome
TSS75/SC	75mm Euro Profile Single Cylinder - 3 Keyed - Satin Chrome
TSKA	Cylinder to pass - (additional price each)
Other finishes and sizes are available on request	

## SCANDINAVIAN OVAL CYLINDER

TSSK1SC	Scandinavian Oval Cylinder - External - 3 Keys - Satin Chrome
TSSK2SC	Scandinavian Oval Cylinder - Double - 3 Keys - Satin Chrome
TSSK3SC	Scandinavian Oval Cylinder - Internal - 3 Keys - Satin Chrome
TSKA	Cylinder to pass - (additional price each)

## RIM &amp; MORTICE CYLINDERS

TSRC/SC	Rim Cylinder 3 Keyed - Satin Chrome
TSRM/SC	Rim Mortice Cylinder 3 Keyed - Satin Chrome
TSKA	Cylinder to pass - (additional price each)

## KEYS

TK01SC	Key Blanks
TK03SC	Differ Keys With Order
TK04SC	Differ Keys Later

## RIM CYLINDERS

## FIVE PIN RIM CYLINDERS

SLB153	Brass Rim Cylinder with 3 Keys
SLB154	Nickel Rim Cylinder with 3 Keys
SLB155	Rim Cylinder - Keyed Alike
SEU998	Blank Cylinder Key
SEU998/C	Cut Cylinder Key
	Rim Cylinders to Pass      Additional Net Price Each



## SIX PIN EURO PROFILE MASTERKEYED CYLINDERS

Patent Protected and achieving the highest levels of security and durability required by BS EN 1303:2015, the high grade cylinders are a high security, 6-pin cylinder system suitable for large scale projects.

Its patented design incorporates a Reef™ pin which must match the signature on the underside of the key profile. Without a match, the cylinder lock will fail to operate.



## SIX PIN STANDARD MASTER SUITE CYLINDERS

SMK6602	30-30 Euro Profile Double Keyed - 3 Keys - Polished Nickel
SMK6702	35-35 Euro Profile Double Keyed - 3 Keys - Polished Nickel
SMK6802	40-40 Euro Profile Double Keyed - 3 Keys - Polished Nickel
SMK6602T	30-30 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SMK6702T	35-35 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SMK6802T	40-40 Euro Profile Key & Turn - 3 Keys - Polished Nickel
SMK6402	40mm Single Cylinder - 3 Keys - Polished Nickel
SMK6412	45mm Single Cylinder - 3 Keys - Polished Nickel
SMK-MK	Master Key
SMK-SMK	Sub-Master Key
SMK-DKEY-O	Additional Differ Key with order
SMK-DKEY	Additional Differ Key
SMK-KEY	Key Blank
Other sizes available on request	

## HIGH GRADE SIX PIN STANDARD MASTER SUITE CYLINDERS

## SIX PIN STANDARD MASTER SUITE CYLINDERS

TED3030/SC	30-30 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3535/SC	35-35 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3540/SC	35-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4040/SC	40-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3545/SC	35-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4045/SC	40-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4545/SC	45-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TES40/SC	40mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES45/SC	45mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES50/SC	50mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES55/SC	55mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES75/SC	75mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TEK3030T/SC	30-30 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3535T/SC	35-35 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3540T/SC	35-40 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK4035T/SC	40-35 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK4040T/SC	40-40 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TRC/SC	Rim Cylinder - 2 Keys - Satin Chrome
TRM/SC	Mortice Cylinder - 2 Keys - Satin Chrome
TK01SC	Key Blanks
TK02SC	Master Keys
TK03SC	Differ Keys With Order
TK04SC	Differ Keys Later
Oval Cylinders available on request	

## HIGH GRADE - SIX PIN ANTI-DRILL PLUS MASTER SUITE CYLINDERS

## SIX PIN ANTI-DRILL PLUS MASTER SUITE DOUBLE KEYED CYLINDER

TED3030PL/SC	30-30 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3035PL/SC	30-35 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3040PL/SC	30-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3045PL/SC	30-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3535PL/SC	35-35 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3540PL/SC	35-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3545PL/SC	35-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4040PL/SC	40-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4045PL/SC	40-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## SIX PIN ANTI-DRILL PLUS MASTER SUITE KEY &amp; TURN CYLINDERS

TEK3030TPL/SC	30-30 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3035TPL/SC	30-35 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3040TPL/SC	30-40 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3535TPL/SC	35-35 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3530TPL/SC	35-30 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK3540TPL/SC	35-40 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK4040TPL/SC	40-40 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK4030TPL/SC	40-30 Euro-Profile Key and Turn - 2 Keys - Satin Chrome
TEK4035TPL/SC	40-35 Euro-Profile Key and Turn - 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## SIX PIN ANTI-DRILL PLUS MASTER SUITE SINGLE KEY CYLINDERS

TES40PL/SC	40mm Euro-Profile Single Cylinder - 2 Keys - Satin Chrome
TES45PL/SC	45mm Euro-Profile Single Cylinder - 2 Keys - Satin Chrome
TES50PL/SC	50mm Euro-Profile Single Cylinder - 2 Keys - Satin Chrome
TES55PL/SC	55mm Euro-Profile Single Cylinder - 2 Keys - Satin Chrome
TES75PL/SC	75mm Euro-Profile Single Cylinder - 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## HIGH GRADE - SIX PIN ANTI-DRILL PLUS MASTER SUITE CYLINDERS

## ADDITIONAL CYLINDERS

TRCPL/SC	Rim Cylinder - 2 Keys - Satin Chrome
TRMPL/SC	Mortice Cylinder - 2 Keys - Satin Chrome
TCLPL/SC	Cam Lock Cylinder - 2 Keys - Satin Chrome
TSK1PL/SC	Scandinavian Cylinder external - 2 Keys - Satin Chrome
TSK2PL/SC	Scandinavian Cylinder Double - 2 Keys - Satin Chrome
TSK3PL/SC	Scandinavian Cylinder Internal - 2 Keys - Satin Chrome
TPL1PL/SC	50mm Open Shackle Padlock - 2 Keys
TPL3PL/SC	50mm Closed Shackle Padlock - 2 Keys

## KEYS &amp; EXTRAS

TK01PL	Key Blanks
TK02PL	Master Key With Order
TK03PL	Additional Key to differ with order
TK04PL	Differ or Master Key Supplied Later
SPECIAL	Extra for Clutch or Classroom Cylinder
SPECIAL	Extra for Construction Keying on Cylinders ( per side)
SPECIAL	Extra for Disabled Turn, Stainless Steel or Polished Brass
SPECIAL	Extra for Anti-Ligature Knob Aluminium.

**Oval Cylinders available on request**

Our stars are in the ascendant.



## Securefast 3 Star cylinder packages to TS007:2014

Our 1 star rated security cylinder offers protection from drilling, picking, bumping and plug extraction. Our 2 star rated security escutcheon offers snap protection and prevents access to the cylinder. Together, they provide the highest level of security with a 3 Star rating. **See pages 82-83.**

## HIGH GRADE - SIX PIN ANTI-DRILL PREMIER PATENTED MASTER SUITE CYLINDERS

## SIX PIN ANTI-DRILL PREMIER PATENTED MASTER SUITE DOUBLE KEYED CYLINDER

TED3030PR/SC	30-30 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3035PR/SC	35-35 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3040PR/SC	30-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3045PR/SC	30-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3535PR/SC	35-35 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3540PR/SC	35-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED3545PR/SC	35-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4040PR/SC	40-40 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4045PR/SC	40-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome
TED4545PR/SC	45-45 Euro-Profile Double Keyed - 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## SIX PIN ANTI-DRILL PREMIER PATENTED MASTER SUITE KEY &amp; TURN CYLINDERS

TEK3030TPR/SC	30-30 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK3035TPR/SC	30-35 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK3040TPR/SC	30-40 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK3530TPR/SC	35-30 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK3535TPR/SC	35-35 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK3540TPR/SC	35-40 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK4030TPR/SC	40-30 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK4035TPR/SC	40-35 Euro-Profile Key and Turn 2 Keys - Satin Chrome
TEK4040TPR/SC	40-40 Euro-Profile Key and Turn 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## SIX PIN ANTI-DRILL PREMIER PATENTED MASTER SUITE SINGLE KEY CYLINDERS

TES40PR/SC	40mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES45PR/SC	45mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome
TES50PR/SC	50mm Euro-Profile Single Cylinder 2 Keys - Satin Chrome

**Other finishes and sizes are available on request**

## HIGH GRADE - SIX PIN ANTI-DRILL PREMIER PATENTED MASTER SUITE CYLINDERS

## ADDITIONAL CYLINDERS

TRCPR/SC	Rim Cylinder 2 Keys - Satin Chrome
TRMPPR/SC	Mortice Cylinder 2 Keys - Satin Chrome
TCLPR/SC	Cam Lock Cylinder 2 Keys - Satin Chrome
TSK1PR/SC	Scandinavian Cylinder external 2 Keys - Satin Chrome
TSK2PR/SC	Scandinavian Cylinder Double 2 Keys - Satin Chrome
TSK3PR/SC	Scandinavian Cylinder Internal 2 Keys - Satin Chrome
TPL1PR/SC	50mm Open Shackle Padlock 2 Keys
TPL3PR/SC	50mm Closed Shackle Padlock 2 Keys

## KEYS &amp; EXTRAS

TK03PR	Additional Key to differ with order
TK02PR	Master Key With Order
TK04PR	Differ or Master Key Supplied Later
SPECIAL	Extra for Clutch or Classroom Cylinder
SPECIAL	Extra for Construction Keying on Cylinders ( per side)
SPECIAL	Extra for Disabled Turn, Stainless Steel or Polished Brass.
SPECIAL	Extra for Anti-Ligature Knob Aluminium.

**Oval Cylinders available on request**

## BS3621:2007 5 LEVER LOCKS

- UK manufactured BS3621 5 Lever locks, Non BS locks and 3 lever available in two finishes and two backset sizes.
- Supplied with 2 keys
- 13mm Rebate kits available to suit
- 20mm deadbolt throw
- British Standard Kitemarked



## UK MANUFACTURED SASH &amp; DEADLOCKS WITH 20MM DEADBOLT THROW

SKSB2	67mm BS3621 Five Lever Sashlock 2 Keyed - Polished Brass
SKSB3	80mm BS3621 Five Lever Sashlock 2 Keyed - Polished Brass
SKSS2	67mm BS3621 Five Lever Sashlock 2 Keyed - Satin Stainless
SKSS3	80mm BS3621 Five Lever Sashlock 2 Keyed - Satin Stainless
SKDB2	67mm BS3621 Five Lever Dead Lock 2 Keyed - Polished Brass
SKDB3	80mm BS3621 Five Lever Dead Lock 2 Keyed - Polished Brass
SKDS2	67mm BS3621 Five Lever Dead Lock 2 Keyed - Satin Stainless
SKDS3	80mm BS3621 Five Lever Dead Lock 2 Keyed - Satin Stainless

The one with the Kitemark

When it comes to security for your home and your family - look for the kitemark.

www.securefast.co.uk Sales Tel: +44 (0) 1704 502801

## UK MANUFACTURED 3 &amp; 5 LEVER LOCKS

## 5 LEVER SASH &amp; DEADLOCKS WITH 20MM DEADBOLT THROW

SNSB2	67mm Five Lever Sashlock 2 Keyed - Polished Brass
SNSB3	80mm Five Lever Sashlock 2 Keyed - Polished Brass
SNSS2	67mm Five Lever Sashlock 2 Keyed - Satin Stainless
SNSS3	80mm Five Lever Sashlock 2 Keyed - Satin Stainless
SNDB2	67mm Five Lever Deadlock 2 Keyed - Polished Brass
SNDB3	80mm Five Lever Deadlock 2 Keyed - Polished Brass
SNDS2	67mm Five Lever Deadlock 2 Keyed - Satin Stainless
SNDS3	80mm Five Lever Deadlock 2 Keyed - Satin Stainless

## 3 LEVER SASH &amp; DEADLOCKS WITH 20MM DEADBOLT THROW

SLS380	67mm Three Lever Sash Lock Heavy Spring - Polished Brass
SLS381	80mm Three Lever Sash Lock Heavy Spring - Polished Brass
SLS382	67mm Three Lever Sash Lock Heavy Spring - Satin Stainless
SLS383	80mm Three Lever Sash Lock Heavy Spring - Satin Stainless
SLD384	67mm Three Lever Dead Lock - Polished Brass
SLD385	80mm Three Lever Dead Lock - Polished Brass
SLD386	67mm Three Lever Dead Lock - Satin Stainless
SLD387	80mm Three Lever Dead Lock - Satin Stainless

## ACCESSORIES FOR 3 &amp; 5 LEVER LOCKS ABOVE

SLR321	13mm Sashlock Rebate Kit (May be used with BS lock) - Electro Brass
SLR322	13mm Sashlock Rebate Kit (May be used with BS lock) - Satin Zinc
SLR421	13mm Deadlock Rebate Kit (May be used with BS lock) - Electro Brass
SLR422	13mm Deadlock Rebate Kit (May be used with BS lock) - Satin Zinc
SLK100	Lever Kit, 100 Levers - Brass
SLK100	Individual Levers 1 to 5 - Brass
/MS	Locks to Master Suite maximum 40 differs (Add price per lock)
/CP	Blister packed locks (Add price per lock)
/KA	Locks to pass (Add price per lock)
SKB204/SC	Extra key supplied with lock (Add price per lock)
SKB204	Key Blank - Chrome
SKB204/M	Master Key - Chrome



## HIGH SECURITY EURO PROFILE LOCK CASES

High security Euro Profile lock cases with all the performance, durability and strength of our BS3621 range.

- 13mm Rebate kits available to suit
- 20mm deadbolt throw

Qube range of Euro Profile Locks are tested to EN12209 and fire rated to EN1634-1.

- 13mm Rebate kits available to suit
- 20mm deadbolt throw



## HIGH SECURITY EURO PROFILE LOCK CASES 57MM CENTRES WITH 20MM DEADBOLT THROW

SEU521.1	67mm Anti-Drill High Security Euro Sashlock - Polished Brass
SEU522.1	80mm Anti-Drill High Security Euro Sashlock - Polished Brass
SEU521.2	67mm Anti-Drill High Security Euro Sashlock - Satin Stainless
SEU522.2	80mm Anti-Drill High Security Euro Sashlock - Satin Stainless
SEU523.1	67mm Anti-Drill High Security Euro Deadlock Small Case *** - Polished Brass
SEU524.1	80mm Anti-Drill High Security Euro Deadlock Small Case *** - Polished Brass
SEU523.2	67mm Anti-Drill High Security Euro Deadlock Small Case *** - Satin Stainless
SEU524.2	80mm Anti-Drill High Security Euro Deadlock Small Case *** - Satin Stainless
SEU525.1	67mm Anti-Drill High Security Euro Deadlock Full Case - Polished Brass
SEU526.1	80mm Anti-Drill High Security Euro Deadlock Full Case - Polished Brass
SEU525.2	67mm Anti-Drill High Security Euro Deadlock Full Case - Satin Stainless
SEU526.2	80mm Anti-Drill High Security Euro Deadlock Full Case - Satin Stainless
/RF	Radius Forend

\*\*\* Cannot be used with Security Escutcheons

STRONGER  
TOGETHER

Get the combined strength of our BS 3621 lock with I, 2 or 3 Star Kitemarked cylinders (see pages 82-83)



## QUBE EURO PROFILE LOCK CASES

## QUBE EURO PROFILE HEAVY SPRUNG LOCKS WITH EASY LATCH CHANGE 47MM CENTRES

SEZ901/1	64mm Qube Sashlock - Polished Brass
SEZ902/1	76mm Qube Sashlock - Polished Brass
SEZ901/2	64mm Qube Sashlock - Satin Chrome
SEZ902/2	76mm Qube Sashlock - Satin Chrome
SEZ903/1	64mm Qube Small Case Deadlock - Polished Brass
SEZ904/1	76mm Qube Small Case Deadlock - Polished Brass
SEZ903/2	64mm Qube Small Case Deadlock - Satin Chrome
SEZ904/2	76mm Qube Small Case Deadlock - Satin Chrome
SEZ909/1	64mm Qube Full Case Deadlock - Polished Brass
SEZ910/1	76mm Qube Full Case Deadlock - Polished Brass
SEZ909/2	64mm Qube Full Case Deadlock - Satin Chrome
SEZ910/2	76mm Qube Full Case Deadlock - Satin Chrome
SEZ907/1	64mm Qube Full Case Latch - Polished Brass
SEZ908/1	76mm Qube Full Case Latch - Polished Brass
SEZ907/2	64mm Qube Full Case Latch - Satin Chrome
SEZ908/2	76mm Qube Full Case Latch - Satin Chrome
SEZ905/1	64mm Qube Bathroom Lock 5mm Spindle - Polished Brass
SEZ906/1	76mm Qube Bathroom Lock 5mm Spindle - Polished Brass
SEZ905/2	64mm Qube Bathroom Lock 5mm Spindle - Satin Chrome
SEZ906/2	76mm Qube Bathroom Lock 5mm Spindle - Satin Chrome

## REBATE KITS FOR QUBE LOCKS

SER3621SEB	13mm Qube Sashlock Rebate Kit - Polished Brass
SER3621DEB	13mm Qube Small Case Deadlock Rebate Kit - Polished Brass
SER3621SSC	13mm Qube Sashlock Rebate Kit - Satin Chrome
SER3621DSC	13mm Qube Small Case Deadlock Rebate Kit - Satin Chrome

## UK MANUFACTURED EURO PROFILE LOCK CASES

UK Manufactured Euro Profile lock cases available in two Finishes and two sizes.

- Small and full case deadlocks available
- Bathroom lock with 5mm & 8mm follower
- Night latch with and without hold back
- Radius forend available



## EURO PROFILE LOCK CASES 47MM CENTRES

SEU501.1	64mm Sashlock - Polished Brass
SEU502.1	76mm Sashlock - Polished Brass
SEU501.2	64mm Sashlock - Stainless Steel
SEU502.2	76mm Sashlock - Stainless Steel
SEU503.1	64mm Small Case Deadlock - Polished Brass
SEU504.1	76mm Small Case Deadlock - Polished Brass
SEU503.2	64mm Small Case Deadlock - Stainless Steel
SEU504.2	76mm Small Case Deadlock - Stainless Steel
SBA506.1	76mm Bathroom Lock 5 mm Spindle - Polished Brass
SBA506.2	76mm Bathroom Lock 5 mm Spindle - Stainless Steel
SBA506.18	76mm Bathroom Lock 8 mm Spindle - Polished Brass
SBA506.28	76mm Bathroom Lock 8 mm Spindle - Stainless Steel
SEU509.2	64mm Full Case Deadlock - Stainless Steel
SEU510.2	76mm Full Case Deadlock - Stainless Steel
SEU511.1	64mm Deadlocking Night Latch - Polished Brass
SEU512.1	76mm Deadlocking Night Latch - Polished Brass
SEU511.2	64mm Deadlocking Night Latch - Stainless Steel
SEU512.2	76mm Deadlocking Night Latch - Stainless Steel
SEU513.1	64mm Deadlocking Night Latch with Holdback - Polished Brass
SEU514.1	76mm Deadlocking Night Latch with Holdback - Polished Brass
SEU513.2	64mm Deadlocking Night Latch with Holdback - Stainless Steel
SEU514.2	76mm Deadlocking Night Latch with Holdback - Stainless Steel
/RF	Radius Forend

## UK MANUFACTURED EURO PROFILE LOCK CASES

## REBATES FOR EURO PROFILE LOCKCASES 47MM CENTRES

SEU231	13mm Euro Sashlock Rebate Kit - Polished Brass
SEU232	13mm Euro Sashlock Rebate Kit - Satin Chrome
	Rebates are not suitable for UK Manufactured Five, Three Lever or High Security Euro Locks

## QUBE HEAVY DUTY TUBULAR LATCHES &amp; DEADLOCKS

SLA520	76mm Heavy Duty Tubular Latch for Non-sprung Handles - Nickel / Brass
SLA521	76mm Heavy Duty Adjustable Roller Catch - Nickel
SLA522	76mm Heavy Duty Adjustable Roller Catch - Satin Brass
SLA523	13mm Rebate Kit for Heavy Duty-Tubular Latch - Nickel
SLA524	13mm Rebate Kit for Heavy Duty-Tubular Latch - Satin Brass
SLA526	76mm Tubular Deadbolt 5mm Follower - Nickel / Brass
SML021	76mm Small Case Mortice Dead Bolt 5mm Spindle - Polished Brass
SML022	76mm Small Case Mortice Dead Bolt 5mm Spindle - Stainless Steel



## 72MM CENTRE HIGH GRADE EURO PROFILE LOCK CASES

Certified to EN12209 and fire rated to EN1634-1 when fitted with Intumescent material the High Grade range is ideal for any commercial development.

- Full range of locks available
- 60mm backset and 72mm centres
- 12mm and 25mm rebate kits available
- Available with brass forend on request
- Alternative backset available on request
- Manufactured in Europe
- One piece forend



## 72MM CRS LOCKCASES WITH 60MM BACKSET - EN12209 FIRE RATED TO EN1634-1

SEU770.2	Euro Profile Sashlock - Stainless Steel
SEU771.2	Euro Profile Night Latch - Stainless Steel
SEU772.2	Euro Profile Deadlock - Stainless Steel
SEU773.2	Euro Profile Full Case Latch - Stainless Steel
SEU774.2	Euro Profile Bathroom Lock With 8mm Follower (78mm crs) - Stainless Steel
SEU775.2L	Euro Profile Panic Lock with Split Follower - Stainless Steel
SEU775.2R	Euro Profile Panic Lock with Split Follower - Stainless Steel
SEU777.2	Euro Profile Night Latch with Anti Thrust Bolt - Stainless Steel
SSS101	Split spindle for SEU775 locks
SER701	25mm Rebate to suit (SEU770), (SEU774), (SEU775) - Satin Chrome
SER702	12mm Rebate to suit (SEU770), (SEU774), (SEU775) - Satin Chrome
SER703	25mm Rebate to suit (SEU772) - Satin Chrome
SER704	12mm Rebate to suit (SEU772) - Satin Chrome
SER705	25mm Rebate to suit (SEU773), (SEU771), (SEU777) - Satin Chrome
SER706	12mm Rebate to suit (SEU773), (SEU771), (SEU777) - Satin Chrome
SEU781LH	Striking Plate with Lip L/H - Stainless Steel
SEU781RH	Striking Plate with Lip R/H - Stainless Steel
<b>Brass finish available on request</b>	

## 72MM CENTRE COMMERCIAL EURO PROFILE LOCK CASES

The 1090 series mortice lock range offers a high performance, durable and reliable range of 72mm centre lock cases suitable for domestic and commercial application.

- Certified to EN12209
- Fire rated to EN1634-1 when used with SIN1090 intumescent material
- One piece 25mm square or round forend
- Bathroom locks have 78mm centres and 8mm follower with a reducer for 5mm spindles
- Rebated kits available
- Box tidy supplied with all locks



## 72MM CRS LOCKCASES WITH 60MM BACKSET - EN12209 FIRE RATED TO EN1634-1

SEU1091.2	Euro Profile Sashlock - Stainless Steel
SEU1092.2	Euro Profile Latch - Stainless Steel
SEU1093.2	Euro Profile Deadlock - Stainless Steel
SEU1094.2	Euro Profile Night Latch with Anti-thrust - Stainless Steel
SEU1095.2	Euro profile Escape Lock - Stainless Steel
SEU1096.2	Euro Profile Bathroom Lock With 8mm Follower - 78mm crs - Stainless Steel
SER1099.2	13mm Rebates sets for Commercial 72mm crs Lock Range - Stainless Steel
SIN1090	Fire intumescent for up to 60mm Timber Fire Doors to suit SEU1090 series lock cases
/RF	<b>Radius Forend</b>

EURO PROFILE ACCESSIBLE SCANDINAVIAN PRODUCTS FOR SPECIAL NEEDS

Range of Scandinavian lock cases with a euro profile. Ideal for developments to cater for persons with special needs as the cylinder is fitted above the lever handle.

- Certified to EN12209
- Grade 3 Security on Sash and Deadlock
- Stainless Steel forend
- Available with 50mm or 70mm backset
- Uses standard Euro Profile cylinders
- All locks are supplied with round end forend and strikers



EURO PROFILE ACCESSIBLE SCANDINAVIAN LOCK CASES FOR SPECIAL NEEDS		
SA222/50SSD/3	50mm	Mortice Sashlock - EN12209 Grade 3
SA222/70SSD/3	70mm	Mortice Sashlock - EN12209 Grade 3
SA212/50SSD/3	50mm	Mortice Full Case Deadlock - EN12209 Grade 3
SA212/70SSD/3	70mm	Mortice Full Case Deadlock - EN12209 Grade 3
SA303/50SSD	50mm	Mortice Full Case Latch
SA303/70SSD	70mm	Mortice Full Case Latch
SA393/50SSD	50mm	Mortice Full Case Emergency Night Latch
SA393/70SSD	70mm	Mortice Full Case Emergency Night Latch
SA400/50SSD	50mm	Bathroom Lock (Contains 222 Sashlock c/w A/282TA Adaptor) 5mm or 8mm follower available
SA400/70SSD	70mm	Bathroom Lock (Contains 222 Sashlock c/w A/282TA Adaptor) 5mm or 8mm follower available
ACCESSORIES FOR ACCESSIBLE SCANDINAVIAN LOCK CASES FOR SPECIAL NEEDS		
SA/282TA	Bathroom Lock Adaptor - Satin Chrome	
SNB1	Snib Blanking Plate - Satin Chrome	

EURO PROFILE ACCESSIBLE SCANDINAVIAN PRODUCTS FOR SPECIAL NEEDS

THE ACCESSIBLE SOLUTION

Conventional European and UK style lockcases have the cylinder below the lever. Our **Accessible Locks** reverse this, giving easier access to the locking function. Combined with larger centres, it makes operating the lock much easier, especially for elderly and disabled users.





## MODULE 1200 SCANDINAVIAN LOCK CASES

Range of Scandinavian lock cases with a Scandinavian oval cylinder profile. Ideal for developments to cater for persons with special needs as the cylinder is fitted above the lever handle.

- Stainless Steel forend
- Uses Scandinavian Oval Cylinders
- 50mm backset



## MODULE 1200 SCANDINAVIAN LOCK CASES

SM1216/50SS	50mm Sash Lock
SM1233/50SS	50mm Emergency Deadlocking Night Latch
SM1248/50SS	50mm Latch + Hook Bolt (no striker plate)
SM1249/50SS	50mm Hook Bolt (no striker plate)

## MODULE 1200 SCANDINAVIAN LOCK CASE ACCESSORIES

A range of accessories are available that function with the Scandinavian range of locks including lever handles on roses, toilet accessory and various cylinders and thumb turns.



## MODULE 1200 SCANDINAVIAN LOCK CASE ACCESSORIES

SM2625/SCP	Toilet Accessory
SM2640/SCP	Lever Handle On Non-sprung Rose
SM26640/SCP	Lever Handle On Sprung Rose
SM2933/SCP	Single Lever with Blind Rose Set
SM2696/SCP	Lever Handle On Non-sprung Rose
SM26696/SCP	Lever Handle On Sprung Rose

## MODULE 1200 SCANDINAVIAN LOCK CASE ACCESSORIES

## MODULE 1200 SCANDINAVIAN LOCK CASE ACCESSORIES

SM2717/28	28mm Cylinder Screw
SM2717/38	38mm Cylinder Screw
SM2717/48	48mm Cylinder Screw
SM2730/SCP	Thumb Turn
SM2731/32	43mm Thumb Turn Follower
SM2731/63	63mm Thumb Turn Follower
SM2938/08	8mm Cylinder Extension
SM2938/12	12mm Cylinder Extension
SM2944/13SCP	13mm Outside Cylinder Ring With Inside Thumb Turn
SM2944/18SCP	18mm Outside Cylinder Ring With Inside Thumb Turn
SM2946/13SCP	13mm Outside Cylinder Ring With Internal Blind Rose
SM2946/18SCP	18mm Outside Cylinder Ring With Internal Blind Rose
SM2933/SCP	SM2640 Handle with SM2966E Blind Rose
The above sets are also available in sizes 8 & 16mm	
SM2947/13SCP	13mm Outside Blind Rose With Internal Cylinder Ring
SM2947/18SCP	18mm Outside Blind Rose With Internal Cylinder Ring
SM2948/13SCP	13mm Outside and Internal Cylinder Ring
SM2948/18SCP	18mm Outside and Internal Cylinder Ring
SM2949/65SCP	65mm M5 Screw
SM2949/90SCP	90mm M5 Screw
SM2966/SCP	Blind Rose Set
SM2966E/SCP	Blind Rose External
SM2966I/SCP	Blind Rose Internal
SM2968/13SCP	13mm Cylinder Ring External
SM2968/18SCP	18mm Cylinder Ring External
SM2969/13SCP	13mm Cylinder Ring Internal
SM58061	Brass Nipple
SM58067	Nickel Nipple
SM3000	External Scandinavian Cylinder 6 Pin Standard Differ - SCP
SM3001	Internal Scandinavian Cylinder 6 Pin Standard Differ - SCP
SM3002	Double Set (Internal & External) 6 Pin Standard Differ - SCP
SM3003	Key Blank
SM3009	Hold back key for module locks

## ADAMS RITE LOCKCASES &amp; ACCESSORIES

Round mortice cylinder and euro profile locks for a variety of aluminium. The range includes deadlocks and dead latches which are non-handed and can be fitted to inward or outward opening doors.



## HEAVY DUTY ROUND CYLINDER MORTICE DEAD LATCH (For Aluminium Doors only)

AAR4710-100	Round Cylinder Mortice Dead Latch, 22mm (7/8") Backset (W/O Faceplate)
AAR4710-200	Round Cylinder Mortice Dead Latch, 24mm (31/32") Backset (W/O Faceplate)
AAR4710-300	Round Cylinder Mortice Dead Latch, 28mm (1 1/8") Backset (W/O Faceplate)
AAR4710-400	Round Cylinder Mortice Dead Latch, 38mm (1 1/2") Backset (W/O Faceplate)

## HEAVY DUTY EURO CYLINDER MORTICE DEAD LATCH (For Aluminium Doors only)

AAR4750-200	Euro Cylinder Mortice Dead Latch, 24mm (31/32") Backset (W/O Faceplate)
AAR4750-300	Euro Cylinder Mortice Dead Latch, 28mm (1 1/8") Backset (W/O Faceplate)

For Euro Single Cylinder to suit 4750 please see Securefast Euro Cylinders on pages 67 - 72.

## FACEPLATES FOR 4710 AND 4750 DEAD LATCHES

AAR24-4700-000	Flat Aluminium Faceplate, SAA finish for 4710/4750
AAR24-4700-100	Radius Aluminium Faceplate, SAA finish for 4710/4750

## STRIKE PLATES FOR 4710 AND 4750 DEAD LATCHES

AAR8460-01-630	Ramp Jaw Flat Strike Plate for 45-52mm wide Frame, SS finish, for 4710/4750
AAR8460-02-630	Ramp Jaw Radius Strike Plate for Double Door, SS finish, for 4710/4750

## CYLINDERS AND ROUND THUMBTURN FOR 4710

AAR4056-61-01	AREL Round Threaded Mortice Cylinder, to differ, 2 Keys, Satin Chrome Finish
AAR4056-61-02	AREL Round Threaded Mortice Cylinder, Keyed Alike, 2 Keys, Satin Chrome Finish
AAR4067-01-628	Round Threaded Mortice Thumb Turn c/w Trim Ring, SAA Finish, for 4710 Dead Latch
AAR4104-12	Flat Mounting Bridges (1 pair), for hollow Aluminium frames 40-50mm deep

## ADAMS RITE LOCKCASES &amp; ACCESSORIES

## PADDLE HANDLE FOR 4710 DEAD LATCHES (For Aluminium Doors only)

AAR4591-01-01	Paddle Handle, Pull to Left
AAR4591-02-01	Paddle Handle, Push to Left
AAR4591-03-01	Paddle Handle, Pull to Right
AAR4591-04-01	Paddle Handle, Push to Right

## PADDLE HANDLES FOR 4750 DEAD LATCHES (For Aluminium Doors only)

AAR4596-01-01	Paddle Handle, Pull to Left
AAR4596-02-01	Paddle Handle, Push to Left
AAR4596-03-01	Paddle Handle, Pull to Right
AAR4596-04-01	Paddle Handle, Push to Right

**Note: The full Adams Rite range is available to Special order, subject to Manufacturer Carriage charges. Contact sales office for details - 01704 502801**

## MECHANICAL DIGITAL LOCKS

## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS

Easy Code Mechanical Digital locks are ideal for situations when the code has to be changed frequently or for setting up quickly and easily.

- No Keys, cards or tokens to become lost or stolen
- Totally self contained solutions requiring no additional items of hardware
- No Keys, cards or tokens to become lost or stolen



## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - EASY CODE CHANGE

SBL315.S	Push Button Digital Lock Easy code change with holdback - Satin Chrome
SBL315.B	Push Button Digital Lock Easy code change with holdback - Brass
SBL320.S	Push Button Digital Lock Easy code change with holdback - Satin Chrome
SBL320.B	Push Button Digital Lock Easy code change with holdback - Brass
SBL325.S	Mini Push Button Digital budget easy code change with holdback - Satin Chrome
SBL325.B	Mini Push Button Digital budget easy code change with holdback - Brass
SBL330.S	Push Button Easy Code Plus with Knob - Satin Chrome
SBL330.SL	Push Button Easy Code Plus with Lever - Satin Chrome
SBL365.S	Push Button Easy Code with Lever, Passage Mode and Tubular Latch - Satin Chrome
SBL380.S	Push Button Easy Code Change Back to Back Units Both Sides - Satin Chrome
SBL700	Push Button Easy Code Digital Lock with Passage Mode - Satin Chrome

## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - TRADITIONAL CODE CHANGE

SBL300.S	Push Button Digital Lock - Satin Chrome
SBL300.SB	Push Button Digital Lock - Blister Pack - Satin Chrome
SBL300.B	Push Button Digital Lock - Brass
SBL310.S	Push Button Digital Lock with holdback - Satin Chrome
SBL310.SB	Push Button Digital Lock with holdback - Blister Pack - Satin Chrome
SBL310.B	Push Button Digital Lock with holdback - Brass
SBL340.S	Push Button with Knob and Dead Bolt - Satin Chrome
SBL350.S	Push Button Digital Lock with Knob and Key Override - Satin Chrome
SBL370.S	Mini Push Button Digital Lock - Satin Chrome
SBL370.B	Mini Push Button Digital Lock - Brass

## MECHANICAL DIGITAL LOCKS

## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS

## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCK - ACCESSORIES

SBL999	Replacement latch for above digital locks
SBL299	13mm Rebate Kit
SPG-300	PINGuard Fixed Solution & Weathershield Protection for SBL300 Series - 130mm Fixing Centres
SPG-365	PINGuard Fixed Solution & Weathershield Protection for SBL365 Series - 158mm Fixing Centres

The SBL365.SL range offers the Easy Code change with the options of Sash, Night Latch and Escape Sash Lock, complete with a security escutcheon.

- Round or square end forend lock cases
- Euro profile lock cases
- Lever operated mechanical digital lock



## NON-FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - EASY CODE CHANGE WITH 72MM CRS MORTICE LOCK

SBL365.SL/91	Push Button Easy Code with Lever and Sq. End Sash Lock - Satin Chrome
SBL365.SL/94	Push Button Easy Code with Lever and Sq. End Night Latch - Satin Chrome
SBL365.SL/95	Push Button Easy Code with Lever and Sq. End Escape Sash Lock - Satin Chrome
SBL365.SL/91R	Push Button Easy Code with Lever and Rnd End Sash Lock - Satin Chrome
SBL365.SL/94R	Push Button Easy Code with Lever and Rnd End N/Latch - Satin Chrome
SBL365.SL/95R	Push Button Easy Code with Lever and Rnd End Escape Sash Lock - Satin Chrome

## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS

Easy Code Mechanical Digital locks are ideal for situations when the code has to be changed frequently or for setting up quickly and easily.

- No Keys, cards or tokens to become lost or stolen
- Totally self contained solutions requiring no additional items of hardware
- No Keys, cards or tokens to become lost or stolen
- Fire rated for 30 & 60 min timber doors to EN1634-1
- Supplied with intumescent fitted



## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - EASY CODE CHANGE

SBL315.SFR	Push Button Digital Lock Easy code change with holdback - Satin Chrome
SBL315.BFR	Push Button Digital Lock Easy code change with holdback - Brass
SBL320.SFR	Push Button Digital Lock Easy code change with holdback - Satin Chrome
SBL320.BFR	Push Button Digital Lock Easy code change with holdback - Brass
SBL330.SFR	Push Button Easy Code Plus with Knob - Satin Chrome
SBL330.SLFR	Push Button Easy Code Plus with Lever - Satin Chrome
SBL365.SFR	Push Button Easy Code with Lever, Passage Mode and Tubular Latch - Satin Chrome
SBL700.SFR	Push Button Easy Code Digital Lock with Passage Mode - Satin Chrome

## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - TRADITIONAL CODE CHANGE

SBL300.SFR	Push Button Digital Lock - Satin Chrome
SBL300.BFR	Push Button Digital Lock - Brass
SBL310.SFR	Push Button Digital Lock with holdback - Satin Chrome
SBL310.BFR	Push Button Digital Lock with holdback - Brass
SBL350.BFR	Push Button Digital Lock with Knob and Key Override - Satin Chrome

## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCK - ACCESSORIES

SBL999/FR	Replacement latch for above digital locks
SPG-300	PINGuard Fixed Solution & Weathershield Protection for SBL300 Series - 130mm Fixing Centres
SPG-365	PINGuard Fixed Solution & Weathershield Protection for SBL365 Series - 158mm Fixing Centres

## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS

The SBL365.SL range offers the Easy Code change with the options of a sash, nightlatch and escape sashlock complete with a security escutcheon and cylinder.

- Round or square end forend lock case
- Euro profile lock case
- Lever operated mechanical digital lock
- Fire rated for 30 min and 60 min timber doors to EN 1634-1



## FIRE RATED MECHANICAL DIGITAL PUSH BUTTON LOCKS - EASY CODE CHANGE WITH 72MM CRS MORTICE LOCK

SBL365.SLFR/91	Push Button Easy Code with Lever and Sq. End Sash Lock - Satin Chrome
SBL365.SLFR/94	Push Button Easy Code with Lever and Sq. End Night Latch - Satin Chrome
SBL365.SLFR/95	Push Button Easy Code with Lever and Sq. End Escape Sash Lock - Satin Chrome
SBL365.SLFR/91R	Push Button Easy Code with Lever and Rnd End Sash Lock - Satin Chrome
SBL365.SLFR/94R	Push Button Easy Code with Lever and Rnd End N/Latch - Satin Chrome
SBL365.SLFR/95R	Push Button Easy Code with Lever and Rnd End Escape Sash Lock - Satin Chrome

## Securefast

**Simple • Secure • Fire Safe**

The **SBL365.SL** range from Securefast offers the convenience and simplicity of a digital code lock using up to 10 digits, with the security of a mortice lock.

Versions are available for non fire rated doors or fire rated for 30 min and 60 min timber doors to EN 1634-1



## 900 SERIES - TRADITIONAL STYLE PANIC EXIT HARDWARE

Fully tested to EN1125 and EN179, the range of panic and emergency exit hardware includes latches, bolts and mortice actuator with 72mm lock centres.

- Fire rated to 30 and 60 minutes on timber doors
- Hold back feature available
- Salt spray tested for 240 hours
- Outside access devices include mechanical digital locks and traditional style units



## EN1125 - 2008 PUSH BAR PANIC EXIT HARDWARE - SILVER

SED991/SE	Panic Latch - (reversible)
SED991/SE/HB	Panic Latch with Hold Back - (reversible)
SED992/SE	Panic Bolt
SED992/SE/HB	Panic Bolt with Hold Back
SED912/SE	Panic Bolt 3-Point
SED995/SE/72	Panic Actuator with 72mm crs Mortice Night Latch
SED995/SE/72/AT	Panic Actuator with 72mm crs N/Latch & Anti-Thrust
/RF	Rnd End Forend for 72mm Centres Mortice Night Latch
Please note: For rebated double doors use a SED991/SE and SED992/SE	

## EN179 - 2008 PUSH PAD EMERGENCY EXIT HARDWARE - SILVER

SED993/SE	Emergency Latch - (reversible)
SED993/SE/HB	Emergency Latch with Hold Back - (reversible)
SED994/SE	Emergency Bolt
SED994/SE/HB	Emergency Bolt with Hold Back
SED996/SE/72	Emergency Actuator with 72mm crs Mortice Night Latch
SED996/SE/72/AT	Emergency Actuator with 72mm crs N/Latch & Anti-Thrust
/RF	Round End Forend for 72mm Centres Mortice Night Latch
SED993OEM/SE	Emergency Latch - (reversible) with offset packing
SED994AOEM/SE	Emergency Bolt with offset packing and surface mounted keeps

## 900 SERIES - TRADITIONAL STYLE PANIC EXIT HARDWARE

## PANIC HARDWARE OUTSIDE ACCESS DEVICE - SILVER

SED990/SE/KN	Knob Operated (Cylinder not Included)
SED990/SE/KN/C	Knob Operated (40mm Single Cylinder Included)
SED900/SE/LE	Lever Operated (Cylinder not included)
SED900/SE/LE/C	Lever Operated (40mm Single Cylinder included)

## MECHANICAL DIGITAL PUSH BUTTON LOCKS FOR TRADITIONAL PANIC HARDWARE - SATIN CHROME

SBL319.SP	Digital Lock with Knob for use with SED991 and SED993
SBL339.SP	Digital Lock with Lever for use with SED991 and SED993
SBL369.SP	Digital Lock with Lever and Passage Function for use with SED991 and SED993
SBL395.SP	Digital Lock with Lever and Passage Function for use with SED995 and SED996

## PANIC &amp; EMERGENCY EXIT ACCESSORIES

SEU6402	40mm Single Cylinder for Outside Access Device - Polished Nickel
SEU6412	45mm Single Cylinder for Use with Mortice Night Latch to suit 44mm thick Door - Polished Nickel
SED999/S	Additional 1200 mm Shoot Bolt for Extra High Door - Silver
SED999/G	Additional Guides - Silver
SED999/B	Shoot Bolt Connector - Silver
SED999/M	Micro Switched Slave Unit Add Per Unit
SED991PK	Panic Hardware Door Packing for SED991/SE - Silver
SED992PK	Panic Hardware Door Packing for SED992/SE - Silver
SED-031	Top Trip Plate for use with SED-032 - Silver
SED-032	Surface Mounted Bottom Keep - Silver
SED-032A	Surface Mounted Top Keep with Top Trip Plate - Silver



## When Lives are at Risk

In an emergency you don't want to trust to luck. The Securefast 900 Series is a high performance, durable and reliable solution for all panic and emergency exit applications.

## 600 SERIES - TOUCH BAR PANIC EXIT HARDWARE - EN1125:2008

The touch bar range has been fully certified to EN1125:2008.

The range has completed over 2,000,000 cycles, which is ten times the standard requirement.

The stylish design compliments any environment and can be supplied with keeps to fit uPVC and steel doors.



## EN1125 - TOUCH BAR PANIC EXIT HARDWARE - SILVER

SED601M/SE	Single Latch - Door up to 1240mm wide
SED602VM/SE	2 Point Vertical Pullmans - Door up to 1240mm wide
SED603HM/SE	3 Point Horizontal Pullmans - Door up to 1240mm wide

**Other finishes available on request**

## TOUCH BAR OUTSIDE ACCESS DEVICES - SILVER

SED600/LE/SE	OAD with Lever Handle - No Cylinder
SED600/LEC/SE	OAD with Lever Handle - With 40mm Cylinder
SED600/KN/SE	OAD with Fixed Knob - No Cylinder
SED600/KNC/SE	OAD with Fixed Knob - With 40mm Cylinder

## MECHANICAL DIGITAL PUSH BUTTON LOCKS FOR TOUCH BAR PANIC HARDWARE - SATIN CHROME

SBL639/SP	Digital Lock with Lever for use with SED601
SBL669/SP	Digital Lock with Lever and Passage Function for use with SED601

## TOUCH BAR ACCESSORIES - SILVER

SED600/ES/SE	Electric Release for Touch Bar Latches
SED600/MS	Micro Switch For Touch Bar Range
SED600/HB	Hold Back for Touch Bar Range
SEU6402	40mm Single Cylinder for Outside Access Device - Polished Nickel

## 600 SERIES - TOUCH BAR PANIC EXIT HARDWARE - EN1125:2008

## TOUCH BAR KEEPS FOR UPVC DOOR FRAMES - WHITE

SED600/805/WE	Keep to suit uPVC Sections 17.6mm Drop
SED600/804/WE	Keep to suit uPVC Sections 23.5mm Drop
SED600/803/WE	Keep to suit uPVC Sections 12.1mm Drop
SED600/802/WE	Keep to suit uPVC Sections 17.2mm Drop

## TOUCH BAR KEEPS FOR STEEL DOOR FRAMES - SILVER

SED600/815/SE	Keep for Pullman Catches to suit Steel Sections
SED600/815P/SE	Packing for Keep SED600/815/SE to suite Steel Frames

## 800 SERIES - TOUCH BAR EXIT HARDWARE

The AEM800 unit is an ideal operator for use with electro-magnetic locks on escape doors.

- Ideal for use with face to face electro-magnetic locks
- Can be cut down to size on site to a minimum of 365mm
- Dual switching for lock activation & monitoring
- Operates 12V or 24V DC, max 5A
- Suitable for single and double doors
- Optional electro magnetic lock sizes can be used



## TOUCH BAR ACTUATOR WITH MICRO-SWITCH - SILVER

AEB800	Touch Bar Actuator with micro-switch - Silver
--------	---

**Other colours available on request - Choose an Electro Magnet from pages 29 - 33**

## 400 SERIES - TOUCH BAR RANGE

The 400 series touch bar panic exit range comprises of a full width touch bar and modular components providing single and three point latches with horizontal Pullmans and a 2 point bolt with vertical Pullman latches.

- Certified to EN1125
- Fire rated to EN1634-1
- Hold back as standard
- Strikers are available for uPVC, aluminium and steel doors

**NEW**

## 400 SERIES TOUCH BAR - SILVER

<b>NEW</b>	Suitable for 700mm - 860mm wide doors, larger lengths are available on request	
<b>NEW</b>	SED401-SE	Single Point Touch Bar Latch
<b>NEW</b>	SED402-SE	Two Point Touch Bar with Vertical Pullman Catches
<b>NEW</b>	SED403-SE	Three Point Touch Bar with Horizontal Pullman Catches
<b>NEW</b>	SED400LE-SE	Lever operated Outside Access Device - without cylinder
<b>NEW</b>	SED400LEC-SE	Lever operated Outside Access Device - with cylinder

## ELECTRIC LATCHBOLT RETRACTION TOUCH BAR - 12-30v DC or 12-20V AC - SILVER

<b>NEW</b>	Suitable for 700mm - 860mm wide doors, larger lengths are available on request	
<b>NEW</b>	SED401-ELR-SE	Single Latch ELR Touch Bar
<b>NEW</b>	SED402-ELR-SE	Two Point ELR Touch Bar
<b>NEW</b>	SED403-ELR-SE	Three Point ELR Touch Bar
<b>NEW</b>	SED400LE-SE	Lever operated Outside Access Device - without cylinder
<b>NEW</b>	SED400LEC-SE	Lever operated Outside Access Device - with cylinder

## 500 SERIES STAINLESS STEEL PANIC HARDWARE RANGE

Constructed entirely from 316 stainless steel including all internal and external components.

- Salt spray tested to 800 hours
- Ideal for swimming pools, spas, leisure centres, coastal locations, food production areas and other corrosive environments
- Available as a Push Bar or Touch Bar with the same OAD

**NEW**

## 500 SERIES STAINLESS STEEL PANIC HARDWARE WITH PUSH BAR

<b>NEW</b>	SED501-SS	Single Point Push Bar Latch
<b>NEW</b>	SED502-SS	Two Point Push Bar with Vertical Pullman Catches
<b>NEW</b>	SED503-SS	Three Point Push Bar with Horizontal Catches
<b>NEW</b>	SED500LE-SS	Lever operated Outside Access Device - without cylinder
<b>NEW</b>	SED500LEC-SS	Lever operated Outside Access Device - with cylinder

## 550 SERIES STAINLESS STEEL PANIC HARDWARE WITH TOUCH BAR

<b>NEW</b>	SED551-SS	Single Point Touch Bar Latch
<b>NEW</b>	SED552-SS	Two Point Touch Bar with Vertical Pullman Catches
<b>NEW</b>	SED553-SS	Three Point Touch Bar with Horizontal Catches
<b>NEW</b>	SED500LE-SS	Lever operated Outside Access Device - without cylinder
<b>NEW</b>	SED500LEC-SS	Lever operated Outside Access Device - with cylinder

## KEY SECURITY CABINETS

Supplied complete with record card for key / numbered stickers.

- Fixing supplied for mounting
- Robust sleek design
- Racks with up to 105 hooks
- Cam lock



## KEY SECURITY CABINETS

SKC090	Budget Key Cabinet 105 Fixed Hooks - Grey
SM0100	Premier Key Cabinet 100 Fixed Hooks - Light Grey
SM0200	Premier Key Cabinet 200 Fixed Hooks - Light Grey
SM0300	Premier Key Cabinet 300 Fixed Hooks - Light Grey
SBR20K	Contract Key Cabinet 20 Adjustable Hooks
SBR30K	Contract Key Cabinet 30 Adjustable Hooks
SBR42K	Contract Key Cabinet 42 Adjustable Hooks
SBR58K	Contract Key Cabinet 58 Adjustable Hooks
SBR77K	Contract Key Cabinet 77 Adjustable Hooks

## COMBINATION SECURITY CABINETS

## COMBINATION SECURITY CABINETS

SBR20C	Contract Key Cabinet 20 Adjustable Hooks
SBR30C	Contract Key Cabinet 30 Adjustable Hooks
SBR42C	Contract Key Cabinet 42 Adjustable Hooks
SBR58C	Contract Key Cabinet 58 Adjustable Hooks
SBR77C	Contract Key Cabinet 77 Adjustable Hooks

## MECHANICAL DIGITAL SECURITY CABINETS FOR PADLOCKS

## MECHANICAL DIGITAL SBL310 SECURITY CABINETS FOR PADLOCKS

SKS25PADMD	Padlock Cabinet 25 Hook
SKS50PADMD	Padlock Cabinet 50 Hook

## SAFETY WINDOW &amp; DOOR RESTRAINTS

Sliplock Cable Restrictor is certified to BS EN13126-5:2011 & BS EN14351-1:2010.

- Metal cable fixed between two robust metal units
- Classified as a "Child Safety" device
- Available with a key or push button

## Window &amp; Door Restraints

- Simple surface fixed device - variable heights for rebated windows

## Security door chain

- External release via a rim cylinder
- Internal push button release




## SLIPLOCK CABLE RESTRICTOR

SBC400/WE	Sliplock - Key Operated Cable Restrictor, white
SBC400/WE/CP	Sliplock - Key Operated Cable Restrictor, white - Clam Packed
SBC400/BK	Sliplock - Key Operated Cable Restrictor, black
SBC400/BK/CP	Sliplock - Key Operated Cable Restrictor, black - Clam Packed
SBC410/WE	Sliplock - Push Button Operated Cable Restrictor, white
SBC400/KEY	Sliplock Keys - Pack of 5
Other finishes available on request	

## Securefast

Safe, Secure & Simple



## Sliplock

## Sliplock™ Cable Restrictor – SBC400/WE

Securefast unobtrusive **Sliplock™** Cable Restrictor is designed for safety and to reduce the risk of falling out of a window. It can also be fitted to doors to deter forced access from unwanted visitors.

The **Sliplock™** cable window restrictor is suitable for the home, public properties, and commercial applications. Perfect for care homes, hotels, nurseries, schools, universities and hospitals. It is the ideal solution to prevent accidents and provide improved safety and additional security for opening windows and doors.

## Benefits &amp; Features

- **Sliplock™** is a trade mark of Securefast
- Certification to BS EN 13126-5 : 2011 & BS EN 14351-1 : 2006 + A1 : 2010
- Metal cable securely fixed between two robust metal units
- Restrictor locks by sliding the detachable unit over a back plate fixed to the window opening.
- Frame unit is fixed securely to the frame giving restriction by length of cable and positioning on the frame
- Features a dedicated key to release the locking case.
- Casing slides off the back plate once unlocked to allow full access to the window when needed for maintenance



## SAFETY WINDOW &amp; DOOR RESTRAINTS

## SAFETY WINDOW AND DOOR RESTRAINTS

SBC370/WE	Window Frame Guard with fixings, White
SBC370/PB	Window Frame Guard with fixings, Brass (Made to order)
SBC370/BN	Window Frame Guard with fixings, Brown (Made to order)

## SECURITY DOOR CHAIN WITH EMERGENCY RELEASE

SBC223/WE/C	Door Chain with External Emergency Release and Rim Cylinder, white
SBC223/WE	Door Chain with External Emergency Release, white
SBC223/CH/C	Door Chain with External Emergency Release and Rim Cylinder, Pol Chrome
SBC223/CH	Door Chain with External Emergency Release, Pol Chrome
SBC223/B/C	Door Chain with External Emergency Release and Rim Cylinder, Brass
SBC223/B	Door Chain with External Emergency Release, Brass
SLB153	Rim Cylinder - Brass
SLB154	Rim Cylinder - Satin Chrome

## IRONMONGERY

## LEVER HANDLE AND EURO PROFILE ESCUTCHEON

SH-0203	19mm Safety Lever Handles on Sprung Rose - 304 Stainless Steel
SDP-C-02	Euro Profile Escutcheon - 304 Stainless Steel - pair

## SPRING HINGES - GREY FINISH

SHS136	Double Action Spring Hinge 1 pair -75mm
SHS137	Single Action Spring Hinge 1 pair - 100mm
SHS138	Double Action Spring Hinge 1 pair - 100mm
SHS140	Double Action Spring Hinge 1 pair - 125mm
SHS142	Double Action Spring Hinge 1 pair - 150mm
SHS144	Double Action Spring Hinge 1 pair - 175mm

## REDLAM BOLTS

ARED-MK-1	Redlam Bolt Mk 1
ARED-7-CERAM	Redlam Ceramic Tubes

## PARKING POSTS

SPP001	Parking Post 1m high, hinged with four ground fixing point's - fixings supplied, requires a padlock - Galvanised Steel
--------	--

## PINSON PADLOCKS

- Pinson padlocks are available with Wards and Pin Tumblers
- Master keying available on pin tumbler padlocks
- Keyed to differ and keyed alike available
- 50mm Pin Tumbler Padlocks available on request
- Engraving available on Pinson Padlocks
- Painted body or engraving infill available on Pinson Padlocks



## PINSON BRASS PADLOCKS

SPL332	32mm Star Warded Padlock shackle size 20,25,32,40
SPL332	32mm Star Warded Padlock shackle size 50,75
SPL338	38mm Star Warded Padlock shackle size 20,25,32,40
SPL338	38mm Star Warded Padlock shackle size 50,75
SPK001/2/3	Star Cut Key Type X/Y/Z
SPL432	32mm Pin Tumbler Padlock shackle size 20,25,30,40
SPL432	32mm Pin Tumbler Padlock shackle size 50,75
SPL438	38mm Pin Tumbler Padlock shackle size 20,25,30,40
SPL438	38mm Pin Tumbler Padlock shackle size 50,75
SPL661	32mm Pin Tumbler Padlock shackle size 25,32,40
SPL661	32mm Pin Tumbler Padlock shackle size 50,75
SPL662	40mm Pin Tumbler Padlock shackle size 25,32,40
SPL662	40mm Pin Tumbler Padlock shackle size 50,75
SSL040	Key Blank
SSL050	Pin Tumbler Cut Key
SSL060	Master Key

## OLD ENGLISH PADLOCKS

OLD ENGLISH PADLOCKS	
SOE260/38	2 Lever with Slide Bar (2 keys) - 38mm
SOE260/50	2 Lever with Slide Bar (2 keys) - 50mm
SOE260/64	2 Lever with Slide Bar (2 keys) - 64mm
SOE360/64	3 Lever with Slide Bar (2 keys) - 64mm
SOE760/38	4 Lever with Slide Bar (2 keys) - 38mm
SOE760/50	4 Lever with Slide Bar (2 keys) - 50mm
SOE760/64	4 Lever with Slide Bar (2 keys) - 64mm
SOE276/50	2 Lever Plain Front (2 keys) - 50mm
SOE276/64	2 Lever Plain Front (2 keys) - 64mm
SOE277/50	2 Lever Swing Bar (2 keys) - 50mm
SOE477/50	4 Lever Swing Bar (2 keys) - 50mm
SOE477/64	4 Lever Swing Bar (2 keys) - 64mm
SOE501/64	FB14 4 Lever to pass (no keys) - 64mm
SOE811/64	FB11 4 Lever to pass (no keys) - 64mm
SOE850/50	FB1 2 Lever to pass (no keys) - 64mm
SOE992/3/4	Keys for above (SOE993 for FB14, SOE992 for FB11, SOE994 for FB1)
SOE990	Key Blank for above range
SOE991	Extra cut key for above range
SOE995	Passing charge for Old English padlocks
SOE998	Add 450mm Gate chain (per padlock)
/KA	Keyed Alike available

# Securefast

**Head Office**

6 The Cedars Business Centre, Cannock, Staffordshire, WS11 1QJ

Tel: +44 (0) 1543 501600 Fax: +44 (0) 1543 501601

Email: [sales@securefast.co.uk](mailto:sales@securefast.co.uk)

**Sales Office**

First Floor, 14-16 Hoghton Street, Southport, Merseyside PR9 0PA

Tel: +44 (0) 1704 502801 Fax: +44 (0) 1704 502810

Email: [sales@securefast.co.uk](mailto:sales@securefast.co.uk)

**Technical Helplines**

**Mechanical Products:** Tel: +44 (0) 1543 501611

**Electronic and Fire Products:** Tel: +44 (0) 1704 502815

Or by email: [techsupport@securefast.co.uk](mailto:techsupport@securefast.co.uk)

[www.securefast.co.uk](http://www.securefast.co.uk)