

# ProSeries LTE Cellular Communications Modules

## PROLTE Series

The ProSeries Communications Modules provide compatible ProSeries control panels with a cellular connection to the central station.

The Communications Modules enable the control panel to communicate with the central station via the cellular radio network. The module connects directly to and is powered by the control panel.

Compatible control panels include: PROHP-EU



PROLTES-EU

## FEATURES AND BENEFITS

- **Less to Stock**  
Supports both all-in-one and hybrid solutions
- **Service efficiency**  
End-user replaceable parts
- **Extended Range**  
Increase signal coverage with optional extended antenna

## TECHNICAL SPECIFICATIONS

COMPATIBILITY	All ProSeries control panels
CURRENT DRAIN	Idle 30mA, standby
TRANSMIT	700mA, max. transmit
BATTERY BACKUP	Yes (panel)
OPERATING TEMPERATURE	-10°C to +55°C
STORAGE TEMPERATURE	-20°C to +70°C
OPERATING HUMIDITY	93% relative humidity (duration: 21 days)
DIMENSIONS	71.5 mm L x 72.3 mm W x 16.9 mm H
BANDS	GSM900 and DCS1800 for 2G; WCDMA Bands BI, BIII, and BVIII for 3G; LTE Bands B1, B3, B7, B8, B20, and B28 for 4G
ANTENNA	Integrated diversity antennas for LTE, 2G, 3G
SIM CARD SLOT	2FF format (PROLTES-EU only)
APPROVALS	EN50131-10, EN50136-1, EN50136-2

## ORDERING

PROLTES-EU	LTE Communicator module without SIM card
------------	--

### For more information

[www.resideo.com](http://www.resideo.com)