

## FULL HD PRO-GRADE LED COLOUR MONITOR

24/7/365 Operating Capability

### MODELS

**WBXMP19** 18.5" (18.5" diagonal)

**WBXMP22** 21.5" (21.5" diagonal)

### PANEL SPECIFICATIONS

# FHD



Size	18.5" diagonal	21.5" diagonal
Panel	HD	FHD
Display scale	16:9	16:9
Backlight	ELED	ELED
Maximum resolution	1366x768	1920x1080
Best working resolution	1366x768@60Hz	1920x1080@60Hz
Pixel Pitch	0.30mmx0.30mm	0.248mmx0.248mm
Active Area	410mmx230mm	476.5mmx268.2mm
Viewing angle	H:170°,V:150° (CR>10)	H:178°,V:178° (CR>10)
Center Luminance of White	Typ.:250cd/m²	Typ.:250cd/m²
Contrast ratio	Typ.:1000:1	Typ.:1000:1
Response time	Typ.:5ms (GTG)	Typ.:5ms (GTG)
Display Colour	16.7 Million	16.7 Million
Colour Gamut	Typ.:72% NTSC	Typ.:72% NTSC

### STRUCTURE SIZE

Model (all)	Plastic construction	Plastic construction
Size w×h×t (without base)	17.37" x 10.66" x 1.81" (441.2×271×46mm)	19.96" x 12.25" x 1.9" (507×311.1×48.5mm)
Size w×h×t (with base)	17.37" x 13.08" x 5.87" (441.2×332.2×149mm)	19.96" x 14.58" x 5.87" (507×370.2×149mm)
Size w×h×t Packing size (with base)	19.4" x 3.7" x 13.3" (493×95×338mm)	21.9" x 3.6" x 15.1" (558×93×385mm)
Weight (with base)	net weight 5.1 lbs (2.3 Kg) gross weight: 5.7 lbs (2.6 Kg)	net weight 6.8 lbs (3.1 Kg) gross weight 7.3 lbs (3.3 Kg)
Vesa	100mm×100mm	100mm×100mm

### INTERFACE CONFIGURATION (ALL MODELS)

Input Interface	HDMI	1
	VGA	1
	Audio In	1



FOR MORE INFORMATION,  
CONTACT YOUR ADI SALES PERSON.

[www.wboxtech.com](http://www.wboxtech.com)

## MODELS

**WBXMP19** 18.5" (18.5" diagonal)

**WBXMP22** 21.5" (21.5" diagonal)

## FUNCTION PARAMETER (ALL MODELS)

System	Menu Language	English/French/Spanish/Italian Netherlands/Polish/Czech/Danish
	Sleep time setting	Yes
	Video format support	MJPEG,MPEG-1,MPEG-2, MPEG-4,H.264,FLV
	Audio format support	WAV
	Picture format support	JPG/JPEG,BMP,PNG
	Text format support	TEXT
Picture	Picture mode	User/Dynamic/Standard
	Colour temperature	User/Cool/Medium/Warm
	Comb filtering	3D
Sound	Sound mode	Standard/Music/Movie/Sports/User
	Mute	Yes
	Stereo Sound	Yes

## POWER MGT (ALL MODELS)

Size	18.5"	21.5"
Power input	100V-240VAC 60/50Hz 1.1A	
Working consumption	≤18W	≤20W
Standby consumption	≤0.5W (auto wake up off model)	
Audio power	3W×2	

## ACCESSORY (ALL MODELS)

Stands	1PCS
Base of Stand	1PCS
Hinge Cover	1PCS
User's Manual	2PCS
Hardware Pack (screws)	1PCS
Power cord	2PCS(EU & UK)
VGA Cable	1PCS
Audio Cable	1PCS

## BEZEL SIZE/MM

Model	Left	Right	Top	Bottom
WBXMP19	15	15	16.5	22.5
WBXMP22	14.5	14.5	17.1	22.7

## SAFETY & CERTIFICATION (ALL MODELS)


Safety (class I)	Withstand voltage strength	2.5KV DC/60s		
	Leakage current	≤3.5mA(264V AC/60s)		
	Earthing protective resistance	≤100mΩ(25A DC/20s)		
Authentication		CE/FCC/ROHS/HDMI/UL/WEEE/REACH		
Environment	Working condition	Temperature: 0°C~40°C Humidity: 10%~90% Atmosphere: 86KPa~104KPa		
	Storage condition	Temperature: -20°C~50°C Humidity: 5%~95% Atmosphere: 86KPa~104KPa		

MODELS

WBXMP1918.5" (18.5" diagonal)

WBXMP2221.5" (21.5" diagonal)

MOUNTING ON THE WALL



VESA MOUNTING

Model	Mounting Dimension	TOP	BOTTOM
WBXMP19	100x100mm	PM4.0x6mm	PM4.0x6mm
WBXMP22	100x100mm	PM4.0x6mm	PM4.0x6mm

*\* HARDWARE INCLUDED IN MONITOR BOX*

## Connecting

