

QN65 UHD 500 NIT 24/7 Digital Signage

Captivate audiences throughout the day with ultra-crisp high resolution screen content, thanks to the slim and stylish 24/7 UHD resolution displays.

- UHD Resolution and HDR-10
- 500nit Brightness
- 24/7 operation
- Built in Android
- Slim ELED Displays



VESTEL

Panel	Screen Size	65"
	Backlight Type	Edge LED
	Brightness (typical)	500 cd/m ²
	Native Resolution	3840 x 2160 (16:9) - UHD
	Contrast Ratio (typ)	1200:1
	Dynamic Contrast	50000:1
	Panel Lifetime (min)	50000 Hours
	Response Time (typ)	6 ms
	Active Area (H x V)	1428,5 x 803,5 mm
	Pixel Pitch (H x V)	0.372 x 0.372 mm
	PPI (pixel per inch)	68
	Viewing Angle	178° Vert., 178° Hor. (89U/89D/89L/89R) @ CR>10
	Colour Value	1.07 B (10-bit)
	Screen Treatment	2H
	Haze Level	3%
	Refresh Rate	60 Hz
	Front Type	Ultra Narrow Bezel
	Orientation	Horizontal/Vertical
	Operation Hours	24/7
	Area of Usage	Indoor
Mainboard	Model	17MB135VS
Monitor Connectivity	RGB Input	VGA
	RGB Output	N/A
	Video Input	3 x HDMI 2.0, 1 x USB 2.0 (Display), 1 x USB 2.0 (Android)
	Video Output	HDMI2.0, DP1.2a
	Audio Input	Line In L/R
	Audio Output	Headphone, Optic SPDIF
	External Control	RS232, Ethernet (RJ45)
	External Sensor	RJ12
Mechanical	Product Dimensions	1455 x 71 x 834 mm (WxDxH)
	Package Dimensions	1650 x 207 x 1042 (WxDxH)
	Product Weight	29 kg
	Package Weight	40 kg
	Vesa Mounting	400 x 400 mm
	Bezel Width	B:15,9 T:12,2 L/R:12,1 mm
Environmental Conditions	Operating Temp	0-40°C
	Operating Humidity	10-90%
Power	Supply	110 VAC - 240 VAC - 50/60 Hz
Power Consumption	Typical	187W
	Deep Standby	≤0.5 W

Features	Main	Open Content Management Support, Scheduler, USB-Autoplay, Auto-Launch, HDMI-CEC, HDMI- Wakeup, Auto-switch on Failover, Panel Lock, OSD Rotation, NoSignalPowerOff, Screen Saver, Pixel shift, Scheduler, Videowall support, remote control via LAN, Real Time Clock
	Android	Version 7.12
	Mechanical	Joystick, Cable Holder, OPS Compatible, Internal USB Cover, Detachable Power Plug
	Speaker	2 x 10 W
Accessory	Standard	QSG, IB, Power Cord, Remote Control Unit, RC Battery, Mounting Kit, Extension Brackets
Certification	Safety	YES
	EMC	YES
	CE	YES